

DAVID J. CREAGAN, JR.
JURGE W. PHILLIPS
TIM J. EMMITT
JAMES R. GANNON
ROBERT A. SUBKOWSKY
THOMAS H. VARNER
DOUGLAS A. LINDSAY
THOMAS E. BRABEC
JOHN W. LOSEMAN

FAX NUMBER
(312) 580-1201

Lewis, Overbeck & Furman

LAW OFFICES

135 SOUTH LA SALLE STREET

SUITE 2300

CHICAGO, ILLINOIS 60603-4274

TELEPHONE (312) 580-1200

WRITER'S DIRECT LINE

(312) 580- 1258

1710424
JOSEPH R. JEFFERY
CHRISTINE S. LEE

OF COUNSEL
JOHN H. OVERBECK, JR.
PAUL L. FRETER

WRITER'S E-MAIL
JLOSEMAN@LEWISOVERBECK.COM

March 21, 2001

LIT-4106

Via Messenger Delivery

Michael Partee, Esq.
Office of the Illinois Attorney General
Environmental Bureau
20th Floor
188 West Randolph Street
Chicago, IL 60601

Re State of Illinois v. Lockformer, etc., et al.; No. 01 SC 62

Mr. Partee:

Enclosed is the Response of Ames Supply Company to the Subpoena Duces Tecum that the State had issued in this matter. Please note that Ames generally does not retain documents more than 6-7 years. As I previously informed you, Ames' business primarily consists of reselling packaged supplies. Ames neither manufactures nor repackages products containing dichloroethane or any of the other substances listed in the Subpoena.

Ames uses small quantities of certain products that contain or may contain small quantities of the substances listed in the Subpoena. For instance, Ames uses SK 105 Solvent (Mineral Spirits), which may contain between 0.0% and 0.2% of such listed substances.

Ames sold, but no longer sells, the products referred to in item Nos. 11-20 of the Response. Since you previously informed me that your focus is not on products that were resold, we did not include copies of invoices reflecting Ames' purchases and resales of these products.

Please contact me if you have any questions.

Sincerely,

LEWIS, OVERBECK & FURMAN

John W. Loseman

bbc: R. Slager (via mail)

JWL:jl
88141-011JWL99044

RECEIVED

NOV 15 2001

LEWIS, OVERBECK & FURMAN

PEOPLE OF THE STATE OF ILLINOIS,)
 ex rel JAMES E. RYAN, Attorney General) Case Number:
 of the State of Illinois, and ex rel)
 JOSEPH E. BIRKETT, State's Attorney) 01 CH 62
 of DuPage County, Illinois,)
 Plaintiff,)
 v.)
 THE LOCKFORMER COMPANY, a division)
 of MET-COIL SYSTEMS CORPORATION,)
 a Delaware corporation, and)
 HONEYWELL INTERNATIONAL, INC.,)
 a Delaware corporation,)
 Defendants,)
 and)
 AMES SUPPLY COMPANY,)
 Third-Party Subpoena Respondent.)

1. Material Safety Data Sheet for Safety-Kleen 105 Solvent (Mineral Spirits).
2. Safety-Kleen invoices and shipping documents regarding delivery and reclamation of SK 105 Solvent (Mineral Spirits), for the year 2000, provided as representative sample of such documents for period from approximately January, 1996, through the present.

3. Material Safety Data Sheet for Chemlok 233 Adhesive.
4. ChemRep, Inc. and Lord Corporation invoices for Chemlok 233 Adhesive.
5. Material Safety Data Sheet for Tapmatic #1 Cutting Fluid.
6. LPS Laboratories invoice for Tapmatic #1 Cutting Fluid.
7. Material Safety Data Sheet for Carbo-Sol Solvent.
8. Ames Supply Company invoices for Carbo-Sol Solvent for the year 2000, provided as representative sample of such documents for period from 1996 through the present.
9. Documents regarding analysis and disposal of materials by Hydrite Chemical Company.
10. Documents regarding analysis and disposal of materials by Safety-Kleen Systems, Inc.
11. Material Safety Data Sheet for HL Platen Cleaner.
12. Material Safety Data Sheet for Kleen-All Heavy Duty Degreaser.
13. Material Safety Data Sheet for AQS-O Degreaser
14. Material Safety Data Sheet for AQS-5 Power Cam Roll Cleaner.
15. Material Safety Data Sheet for AQS-15 Print Wheel Cleaner.
16. Material Safety Data Sheet for AQS-30 All Purpose Oil and Cleaner.
17. Material Safety Data Sheet for AQS-100 Office Machine Oil.
18. Material Safety Data Sheet for AQS Non-Fluid Oil.
19. Material Safety Data Sheet for Flux Stripper.
20. Material Safety Data Sheet for Flux Stripper and Defluxer.

Copies of invoices and/or invoice records regarding the purchase and resale by Ames of products referred to in item Nos. 7 and 11-20 above have not been produced. Ames will make

such documents available for review upon request and pursuant to mutually agreeable arrangements.

Ames Supply Company, by its attorneys,
LEWIS, OVERBECK & FURMAN

By: 

John W. Loseman

LEWIS, OVERBECK & FURMAN

135 S. LaSalle Street, Suite 2300

Chicago, IL 60603-4274

(312) 580-1258

DuPage Atty. No. 49030

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62

Document No. 1

SAFETY-KLEEN 105 SOLVENT RECYCLED

MATERIAL SAFETY DATA SHEET FOR USA AND CANADA



SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: SAFETY-KLEEN 105 SOLVENT RECYCLED

SYNONYMS: (Also known as SAFETY-KLEEN 105 SOLVENT RECYCLED - CALIF.) Parts Washer Solvent; Petroleum Distillates; Petroleum Naptha; Naptha, Solvent; Stoddard Solvent; Mineral Spirits.

PRODUCT PART NUMBERS: (Also known as 6614.) 6617, 1011662, 1014662.

PRODUCT USE: Cleaning and degreasing metal parts.
If this product is used in combination with other chemicals, refer to the Material Safety Data Sheets for those chemicals.

24-HOUR EMERGENCY TELEPHONES

MEDICAL:

TRANSPORTATION (SPILL):

These numbers are for emergency use only. If you desire non-emergency information about this product, please call a telephone number listed below.

1-800-752-7869 (USA)
Extension 2

1-800-468-1760 (USA)

1-812-942-8888 (CANADA)

1-810-888-8888 (CANADA)

MANUFACTURER/SUPPLIER: Safety-Kleen Corp.
1000 North Randall Road
Elgin, IL, 60123-7857 USA
1-800-669-5740

TECHNICAL INFORMATION: 1-800-669-5740 Extension 7500

MSDS FORM NUMBER: 82310 (also formerly 82311) **ISSUE:** April 4, 1997

ORIGINAL ISSUE: July 20, 1989

SUPERSEDES: April 12, 1994

PREPARED BY: Product MSDS Coordinator

APPROVED BY: MSDS Task Force

SAFETY-KLEEN 105 SOLVENT RECYCLED

MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

- SKIN:** Direct contact with materials or exposure to vapors may cause irritation. A single, prolonged exposure is not likely to cause the material to be absorbed through the skin in harmful amounts.
- INGESTION (SWALLOWING):** May cause throat irritation, nausea, vomiting, and central nervous system effects as noted under **INHALATION (BREATHING)**. Breathing material into the lungs during ingestion or vomiting may cause lung injury and possible death.
- MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Individuals with pre-existing cardiac, lung, central nervous system, or skin disorders may have increased susceptibility to the effects of exposure.
- CHRONIC:** Prolonged or repeated inhalation may cause toxic effects. Prolonged or repeated eye contact may cause inflammation of the membrane lining the eyelids and covering the eyeball. Prolonged or repeated skin contact may cause drying, cracking, redness, itching, swelling, or burns.
- CANCER INFORMATION:** These materials contain perchloroethylene CAS 127-18-4 (0 to 0.2 WT%) which may cause cancer. Risk of cancer depends on duration and level of exposure. For more information, see **SECTION 11: CARCINOGENICITY**.
- Also see **SECTION 15: CALIFORNIA**.

SECTION 4: FIRST AID MEASURES

- INHALATION (BREATHING):** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Someone should stay with victim. Get medical attention if breathing difficulty persists.
- EYES:** For direct contact, immediately flush eyes with plenty of water, holding eyelids apart, for 15 minutes. If irritation or redness from exposure to vapor or mist develops, move away from exposure into fresh air. Get medical attention if irritation or pain persists.
- SKIN:** Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water. Get medical attention if irritation or pain persists.
- INGESTION (SWALLOWING):** Immediately get medical attention. Do NOT induce vomiting. If spontaneous vomiting occurs, keep head below hips to avoid breathing material into the lungs.
- NOTE TO PHYSICIANS:** No specific antidote available. Treat symptomatically and supportively. Administration of gastric lavage, if warranted, should be performed by qualified medical personnel. Call medical emergency telephone number (see **SECTION 1**) for additional information.

SECTION 5: FIRE FIGHTING MEASURES

- FLASH POINT:** 105°F (40°C) (minimum) Tag Closed Cup
- FLAMMABLE LIMITS IN AIR:** LOWER: 0.7 VOL% (minimum)
UPPER: 13 VOL% (maximum)

SAFETY-KLEEN 105 SOLVENT RECYCLED
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

SECTION 7: HANDLING AND STORAGE

- HANDLING:** Keep away from heat, sparks, or flame. Where explosive mixtures may be present, equipment safe for such locations should be used. Use clean, non-sparking tools and explosion-proof equipment. When transferring material, metal containers, including trucks and tank cars, should be grounded and bonded. Avoid contact with eyes, skin, clothing, and shoes. Use in well ventilated area. Do not breathe vapor or mist.
- SHIPPING AND STORING:** Keep container tightly closed when not in use and during transport. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose containers to heat, flame, sparks, static electricity, or other sources of ignition; containers may explode and cause injury or death. Empty product containers may retain product residue and can be dangerous. See **SECTION 14: TRANSPORT INFORMATION** for Packing Group information.
- PERSONAL HYGIENE:** Use good personal hygiene. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco products. Clean contaminated clothing, shoes, and protective equipment before reuse. Discard contaminated clothing, shoes, or protective equipment if they cannot be thoroughly cleaned.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- ENGINEERING CONTROLS:** Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Where explosive mixtures may be present, equipment safe for such locations should be used.
- PERSONAL PROTECTIVE EQUIPMENT**
- RESPIRATORY PROTECTION:** Use NIOSH/MSHA-approved respiratory protective equipment when concentration of vapor or mist exceeds applicable exposure limit. A self-contained breathing apparatus (SCBA) and full protective equipment are required for large spills or fire emergencies. Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4-M1982.
- EYE PROTECTION:** Where eye contact is likely, wear chemical goggles; contact lens use is not recommended.
- SKIN PROTECTION:** Where skin contact is likely, wear nitrile, Viton®, or equivalent protective gloves; use of butyl rubber, natural rubber, or equivalent gloves is not recommended.

SAFETY-KLEEN 105 SOLVENT RECYCLED
MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

CARCINOGENICITY:	<p>IARC classifies chemicals by their carcinogenic risk, including agents that are known, probable, or possible carcinogens. NTP classifies chemicals as either known carcinogens, or for which there is limited evidence of carcinogenicity in humans or sufficient evidence of carcinogenicity in experimental animals. ACGIH recognizes several categories of carcinogens, including confirmed human carcinogens and suspected human carcinogens.</p> <p>Perchloroethylene is listed by IARC as a possible carcinogen. Perchloroethylene is classified by NTP as having limited evidence of carcinogenicity in humans or sufficient evidence of carcinogenicity in experimental animals.</p> <p>Also see SECTION 3: CANCER INFORMATION and SECTION 15: CALIFORNIA.</p>
REPRODUCTIVE TOXICITY:	<p>Perchloroethylene has demonstrated experimental effects of reproductive toxicity.</p> <p>Based on best current information, the other component listed in SECTION 2 is not a reproductive toxin.</p> <p>Also see SECTION 15: CALIFORNIA.</p>
TERATOGENICITY:	<p>Perchloroethylene has demonstrated experimental effects of teratogenicity.</p> <p>Based on best current information, the other component listed in SECTION 2 is not a teratogen.</p>
MUTAGENICITY:	<p>Perchloroethylene has demonstrated human effects of mutagenicity.</p> <p>Based on best current information, the other component listed in SECTION 2 is not a mutagen.</p>
TOXICOLOGICALLY SYNERGISTIC PRODUCT(S):	<p>Based on best current information, there are no known toxicologically synergistic products associated with these materials.</p>

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY:	Not available.
OCTANOL/WATER PARTITION COEFFICIENT:	Not available.
VOLATILE ORGANIC COMPOUNDS:	100 WT%; 6.4 to 6.7 lb/US gal; 770 to 800 g/l Photochemically reactive as per 40 CFR Part 51.100(s).

SAFETY-KLEEN 105 SOLVENT RECYCLED

MATERIAL SAFETY DATA SHEET FOR USA AND CANADA

CANADIAN REGULATIONS

These products have been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS: B3, D2A, D2B

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA):

All the components of these products are listed on the Canadian Domestic Substances List.

SECTION 16: OTHER INFORMATION

REVISION INFORMATION: New format.

LABEL/OTHER INFORMATION: These products are United States Department of Agriculture (USDA) and Factory Mutual (FM) approved.

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Safety-Kleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, or merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which information refers. The data contained on this sheet apply to the material as supplied to the user.



©1997 Printed in the USA.

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62

Document No. 2



P.O. BOX 11393
COLUMBIA, SC 29211-1393

DUNS NO. 05-397-6551
FED. ID NO. 38-6090019

SK SERVICE FACILITY: SK ELGIN01, IL	TAX STATUS/NUMBER:	INVOICE DATE: 12/08/2000	Invoice Number 00014729582
FACILITY PHONE NUMBER: 847 468-6510	VENDOR NUMBER:	TERMS: N30	

SERVICE LOCATION:



AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

ACCOUNT NUMBER: 0000-2079-85	SERVICE NUMBER: 0000-2079-85	LOCATION NUMBER: 503401	SPECIAL BILLING CODE:
--	--	-----------------------------------	-----------------------

Department: Department Name:
Service Date: 12/07/2000 Service Doc Number: 0004909848
Release Number: Transporter:

PO Number:
Manifest Number:

QUANTITY	DESC./REFERENCE NUMBER	PRICE PER	SALES TAX	ITEM TOTAL
1.0000	CUSTOMER OWNED MACH W/105 RECY 000054000-000018515-0000000	195.6000 EA	0.00	195.60

INVOICE TOTAL: **\$195.60**

DATE INVOICED: **DEC 12 2000** RECEIVED ON: _____
VENDOR: **14897** DISCOUNT DATE: _____
DUE DATE: **1-7-01** DISCOUNT AMT: _____
DISTRIBUTION ACCT. **55910** SLS ACCT. **11** AMOUNT **195.60**
DATE ENTERED: **DEC 14 2000** REFERENCE: **122570**

COMMENTS: BE SURE TO LOG ONTO WWW.SAFETY-KLEENCUSTOMERS.COM TO SEE THE NEW SAFETY-KLEEN CUSTOMER MAGAZINE, "CUSTOMER CENTRAL".

Exempt from tax

CUSTOMER NO.

0 0 0 0 - 2 0 7 9 - 8 5

AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE IL 60515

B
I
L
L

BRANCH MANAGER		DOC. EXP.	SCHEDULED SERVICE WEEK	SCHEDULED TERRITORY	DATE OF SERVICE
447 468-6600 ED GUGLIELMI		02/03/01	00-49	27	000490844
CREDIT CODE	PREVIOUS BALANCE		DATE OF PAYMENT		
C	195.60				
BUSINESS TYPE	CHAIN	OUTER COUNTY	SVC. P/C	PRD. P.	
09	0000	N0	0291	000	
LOCATION			TAX EXEMPTION NO.		
503401					

SERVICE DATE	SALES REP NO.	CUSTOMER P.O. NUMBER	CUSTOMER PHONE #	TAX CODE	HANDLING CODE	ASSOC. CODE	SERVICE TAX	C.O.M.S. TAX	PRODUCT TAX
12/15/00	26598		630-964-2440	14-210-2052	PW				.0675

REP	SERVICE/PRODUCT	SERIAL NUMBER	REMARKS/UNIT PRICE	QUAN	CHARGE	SALES TAX	TOTAL CHARGE	WASTE MIN.	SOLVENT/DRUMS				CC	SERVICE TERM	CHANGE SERVICE TERM (WEEKS/INITIAL)	CHARGE SH. DATE (YR/MO)	INV CODE	PROMO NO.	RELEASE NO.
01	54000	00018515	AMES	1	195.60	0.00	195.60	0.00	CLEAN	SPENT	2 OF CONT	SK DOT		8					
01	100001		2.9000											0					

TOTAL-SERVICE/PRODUCTS	195.60	0.00	195.60	0.00
------------------------	--------	------	--------	------

USEPA TRANSPORTER 1 ID NO.	USEPA TRANSPORTER 2 ID NO.	GENERATOR USEPA ID NO.	GENERATOR STATE ID NO.
ACK000000050		110005163011	0430305022

11. US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)	12. CONTAINERS NO.	13. TOTAL QUANTITY	14. UNIT WT/VOL	SK DOT NUMBER	9113059
WASTE COMPOSTERILE LIQUID, N.O.S. PETROLEUM NAPHTHA NA1993	1 DM	26	16	801	
26 III RQ DUOL ERG#128 6.7 LBS/GAL DULB.D039.D040					

15. I CERTIFY THAT MY TOTAL WASTE STREAMS ARE WITHIN ONE OF THE FOLLOWING CATEGORIES
0 TO 220 LBS/MONTH
INITIALS
220 LBS. TO 2,200 LBS/MONTH
INITIALS
GREATER THAN 2,200 LBS/MONTH
INITIALS

DESIGNATED FACILITY NAME AND ADDRESS	SAFETY KLEEN SYSTEMS INC	I CERTIFY THAT NO MATERIAL CHANGE HAS OCCURRED EITHER IN THE CHARACTERISTICS OF THE WASTE MATERIALS OR IN THE PROCESS GENERATING THE WASTE MATERIALS	USA EPA ID NO.
1500 E VILLA ST	ELGIN IL 60120		IL0000805911
			STATE ID NO.
			0314380001

CASH <input type="checkbox"/>	TOTAL RECEIVED	APPLY PAYMENT TO:	MANIFEST NO.	I AGREE TO PAY THE ABOVE CHARGES AND TO BE BOUND BY THE TERMS AND CONDITIONS SET FORTH ABOVE AND ON THE REVERSE SIDE OF THIS DOCUMENT. PLEASE CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. THE INDIVIDUAL SIGNING THIS DOCUMENT IS DULY AUTHORIZED TO SIGN AND BIND CUSTOMER TO ITS TERMS.	TOTAL CHARGE (FROM ABOVE)
CHECK NUMBER		<input type="checkbox"/> TODAY'S SERVICE/SALE <input type="checkbox"/> PREVIOUS BALANCE AS FOLLOWS	LDR MESSAGE		WASTE MIN. (FROM ABOVE)
INVOICE #	AMOUNT \$	INVOICE #	AMOUNT \$		TOTAL DUE
PREVIOUS CREDIT					DO NOT WRITE IN THE AREA BELOW
CREDIT CARD NO.	AMEX VISA MC	EXP. DATE	MANIFEST CODE	SEQ #	
			IL	843	
CUSTOMER REFERENCE			IN THE EVENT OF AN EMERGENCY CALL		000490844 0000-2073-85 -2

SERVICE AND SALES ACKNOWLEDGMENT

UNIFORM

(Form designed for use on elite (12 pitch) typewriter.)

EPA Form 6700-22 (Rev. 6-88)

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1

Information in the shaded areas is not
required by Federal law, but is required by
Illinois law.

ILD 005163811

09848

of 1

3. Generator's Name and Mailing Address

Location if Different

AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE

IL 60515

4. "24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS"

A. Illinois Manifest Document Number

IL 9521646

FEE PAID
IF APPLICABLEB. Generator's IL
ID Number

10430305022

C. Transporter's
ID Number

UPN15128811

D. 847 468-6600 Transporter's Phone

E. Transporter's
ID Number

F. Transporter's Phone

G. Facility's IL
ID Number

0314380001

H. Facility's Phone 847 468-6360

9. Designated Facility Name and Site Address

503401

10.

US EPA ID Number

SAFETY KLEEN SYSTEMS INC
1500 E VILLA ST

ILD 000805911

ELGIN

IL 60120

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

13. Total
Quantity14. Unit
Wt/Vol

Waste No.

No.

Type

Quantity

Unit

Waste No.

a. WASTE COMBUSTIBLE LIQUID, N.O.S.
(PETROLEUM NAPHTHA) NA1993 PGIII RQ
(D001)ERG#128 (6.7#/GL)(D018, D039, D040)

DM

G

EPA HW Number

D001

D040

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

EPA HW Number

J. Additional Description for Materials Listed Above

K. Handling Codes for Wastes Listed Above
In item #14

I(A) D039 D018

15. Special Handling Instructions and Additional Information

0049 099872881 0004909848 0000207985 27

EMERGENCY RESP#800-468-1760 24HR

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by
proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway
according to applicable international and national government regulations.If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to
be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present
and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and
select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Date

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Signature

Date

Month Day Year

503401

LDR NOTIFICATION FORM

OR NAME: AMES SUPPLY CO

MANIFEST NO.:
OR SALES SERVICE NO.:49521646
4909848

CUST#: 0000-2079-85

PURSUANT TO 40 CFR 268.7(A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS
WASTE RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A. GENERAL WASTE NOTIFICATION

LDR FORM LINE NO.: 1 MANIFEST PAGE/LINE# 01A SK PROFILE NO.: 0000
SKDOT#: 0000801EPA WASTE CODES & LDR SUBCATEGORIES (IF ANY):
D001 LG LIQUID >= 10% TOC
D018
D039
D040

TREATABILITY GROUP: NONWASTEWATERS

WASTE CONSTITUENT NOTIFICATION:

102 P-CRESOL (DIFFICULT TO DISTINGUISH FROM
M-CRESOL)
118 P-DICHLOROBENZENE
229 TETRACHLOROETHYLENE
237 TRICHLOROETHYLENE
250 CADMIUM
251 CHROMIUM (TOTAL)
255 LEAD
67 BENZENE

NOTES

EXP NOTICE: THIS LDR EXPIRES ON 12/31/2000.

GENERATOR'S AUTHORIZED
SIGNATURENAME & TITLE
(PRINTED OR TYPED)

DATE

SEQ#: 5058 LOC: 503401

TERR: 27 REF#: 4909848 SW: 004

TOP COPY: GENERATOR

MIDDLE COPY: FACILITY

BOTTOM COPY: TRANSFER



P.O. BOX 11393
COLUMBIA, SC 29211-1393

DUNS NO. 05-397-6551
FED. ID NO. 39-8090019

SK SERVICE FACILITY: SK ELGIN01, IL	TAX STATUS/NUMBER:	INVOICE DATE: 10/10/2000	Invoice Number 00014101520
FACILITY PHONE NUMBER: 847 468-6510	VENDOR NUMBER:	TERMS: N30	

SERVICE LOCATION:



AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

ACCOUNT NUMBER: 0000-2079-85	SERVICE NUMBER: 0000-2079-85	LOCATION NUMBER: 503401	SPECIAL BILLING CODE:
--	--	-----------------------------------	-----------------------

Department: Department Name:
Service Date: 10/09/2000 Service Doc Number: 0004313982
Release Number: Transporter:

PO Number:
Manifest Number:

QUANTITY	DESC./REFERENCE NUMBER	PRICE PER	SALES TAX	ITEM TOTAL
1.0000	CUSTOMER OWNED MACH W/105 RECY 000054000-000018515-0000000	195.6000 EA	0.00	195.60

INVOICE TOTAL: **\$195.60**

10-9
DATE RECEIVED: 10-10-2000
17897
11-10
5590-11
195 60
121475
EST. 5 EMD

COMMENTS:



B I L L
↑
O

INVOICE DATE	SALES REP NO.	CUSTOMER P.O. NUMBER	CUSTOMER PHONE #	TAX CODE	HANDLING CODE	ASSOC. CODE	SERVICE TAX	C.O.M.S. TAX	PRODUCT TAX
02-07-00	4742		670-964-2440	14-210-2852					106.75

TOTAL-SERVICE/PRODUCTS	195.00	0.00	195.00	0.00	CHECK APPROPRIATE MACHINE CONDITION	DECALS IN PLACE AND LEGIBLE	MACHINE PROPERLY GROUNDED
------------------------	--------	------	--------	------	-------------------------------------	-----------------------------	---------------------------

SERVICE AND SALES ACKNOWLEDGMENT

DESIGNATED FACILITY NAME AND ADDRESS 1500 N. LEXINGTON ST CHICAGO, ILL 60620				SAFETY KLEEN SYSTEMS INC CHICAGO, ILL 60620		I CERTIFY THAT NO MATERIAL CHANGE HAS OCCURRED EITHER IN THE CHARACTERISTICS OF THE WASTE MATERIALS OR IN THE PROCESS GENERATING THE WASTE MATERIALS		USA EPA ID NO. IL100080541 STATE ID NO. 01438001	
CASH <input type="checkbox"/>		TOTAL RECEIVED		APPLY PAYMENT TO:		<div style="text-align: center;">MANIFEST NO. IL9491055 LDR MESSAGE</div> <div style="text-align: center;">LDR REF ID</div> <div style="display: flex; justify-content: space-between;"> <div>MANIFEST CODE IL</div> <div>SEQ # 845</div> </div>			
CHECK NUMBER				<input type="checkbox"/> TODAY'S SERVICE/SALE <input type="checkbox"/> PREVIOUS BALANCE AS FOLLOWS					
INVOICE #		AMOUNT \$		INVOICE #					
CREDIT CARD NO.				AMEX VISA MC		EXP. DATE		<div style="text-align: center;">DO NOT WRITE IN THE AREA BELOW</div> <div style="text-align: center;">0004313900</div> <div style="text-align: center;">0100-279-55-7</div>	
IN THE EVENT OF AN						Print Customer Name <i>[Signature]</i>			

5-034-01

P.O. BOX 19276

SPRINGFIELD, ILLINOIS 62794-9276 (217) 782-6761

FOR SHIPMENT OF HAZARDOUS
AND SPECIAL WASTE

State Form UPC 62 8/81 IL532-0610

PLEASE TYPE

(Form designed for use on elite (12 pitch) typewriter)

EPA Form 8700-22 (Rev. 6-89)

Form Approved OMB No 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 005163811		Manifest Document No. 13982		2. Page 1 of 1		Information in the shaded areas is not required by Federal law, but is required by Illinois law					
3. Generator's Name and Mailing Address AMES SUPPLY CO 2537 CURTISS ST DOWNERS GROVE						Location if Different IL 60515							
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS* 630 864-2440						A. Illinois Manifest Document Number IL 9491055 FEE PAID IF APPLICABLE							
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC						B. Generator's IL ID Number 10430305022							
6. US EPA ID Number SCR 000075150						C. Transporter's ID Number UPW1512881L							
7. Transporter 2 Company Name						D. 847 468-6600 Transporter's Phone							
8. US EPA ID Number						E. Transporter's ID Number							
9. Designated Facility Name and Site Address SAFETY KLEEN SYSTEMS INC 1500 E VILLA ST ELGIN						F. () Transporter's Phone							
10. US EPA ID Number ILD 000805911						G. Facility's IL ID Number 0314380001							
						H. Facility's Phone 847 468-6560							
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol		I. Waste No.	
a. WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII RG (D001)ERG#128 (6.7#/GL) (D018, D039, D040)						001 DM		00024		G		EPA HW Number D001 D040	
b.												EPA HW Number	
c.												EPA HW Number	
d.												EPA HW Number	
J. Additional Description for Materials Listed Above I(A) D039 D018						K. Handling Codes for Wastes Listed Above In Item #14							
15. Special Handling Instructions and Additional Information EMERGENCY RESP#800-468-1760 24HR						0041 099607379 0004313982 0000207985 27							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment. OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name X M. ABRAMS						Signature X M. Abrams						Date Month Day Year 100900	
17. Transporter 1 Acknowledgement of Receipt of Materials												Date Month Day Year 100900	
Printed/Typed Name ANDREW ALTMAN						Signature Andrew Altman						Date Month Day Year 100900	
18. Transporter 2 Acknowledgement of Receipt of Materials												Date Month Day Year	
Printed/Typed Name						Signature						Date Month Day Year	
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.												Date Month Day Year 100900	
Printed/Typed Name Sara Gordon						Signature Sara Gordon						Date Month Day Year 100900	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 1 TO FACILITY

4474-R5732
CATION: 503401

SAFETY-KLEEN
LDR NOTIFICATION FORM

09/28/00 PAGE: 1
10:45:44

GENERATOR NAME: AMES SUPPLY CO

MANIFEST NO.:
OR SALES SERVICE NO.:

IL94910SS
4313982

CUST#: 0000-2079-85

PUANT TO 40 CFR 268.7(A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS
SITE RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A. GENERAL WASTE NOTIFICATION

FORM LINE NO. 1 MANIFEST PAGE/LINE# 01A SW PROFILE NO. 0000
SKDOT# 0000801

A WASTE CODES & LDR SUBCATEGORIES (IF ANY):
001 LG LIQUID >= 10% TDC

018
039
040

EATABILITY GROUP. NONWASTEWATERS

STE CONSTITUENT NOTIFICATION:

02 P-CRESOL (DIFFICULT TO DISTINGUISH FROM
M-CRESOL)

18 P-DICHLOROBENZENE

29 TETRACHLOROETHYLENE

37 TRICHLOROETHYLENE

50 CADMIUM

51 CHROMIUM (TOTAL)

55 LEAD

BENZENE

NOTES

NOTICE: THIS LDR EXPIRES ON 12/31/2000.

[Signature]
GENERATOR'S AUTHORIZED
SIGNATURE

NAME & TITLE
(PRINTED OR TYPED)

10 / 9 / 00
DATE

5366 LDR 503401

TERP. 27 REF# 4313982 SW: 004)

OPTIONAL COPY TO BE MAILED



P.O. BOX 11393
COLUMBIA, SC 29211-1393

DJNS NO. 05-397-8551
FED. ID NO. 39-6090019

SK SERVICE FACILITY: SK ELGIN01, IL	TAX STATUS/NUMBER:	INVOICE DATE: 08/17/2000	Invoice Number
FACILITY PHONE NUMBER: 847 468-6510	VENDOR NUMBER:	TERMS: N30	00013531816

SERVICE LOCATION:



AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

ACCOUNT NUMBER: 0000-2079-85	SERVICE NUMBER: 0000-2079-85	LOCATION NUMBER: 503401	SPECIAL BILLING CODE:
--	--	-----------------------------------	-----------------------

Department: Department Name: PO Number:
Service Date: 08/16/2000 Service Doc Number: 0003706677 Manifest Number:
Release Number: Transporter:

QUANTITY	DESC./REFERENCE NUMBER	PRICE PER	SALES TAX	ITEM TOTAL
1.0000	CUSTOMER OWNED MACH W/105 RECY 000054000-000018515-00000000	195.6000 EA	0.00	195.60
0.0000	TEMPORARY FUEL SURCHARGE 000100001-000000000-00000000	0.0000 EA	0.00	0.00

INVOICE TOTAL: **\$195.60**

AUG 23 2000

120356
AUG 23 2000

14897
9-15
5590-11

COMMENTS:



1301 Gervais Street - Suite 300
Columbia, South Carolina 29201

CUSTOMER NO.



DUNS NO. 05-397-8651

FED. ID NO. 75-2178828

CUSTOMER

FOR SERVICE CALL	BRANCH MANAGER	DOC. EXP.	SCHEDULED SERVICE WEEK	SCHEDULED TERRITORY	REFERENCE NUMBER
AMT 468-6510	ED AUGLIFLM	10/14/00	00-73	27	00037061
WISC TO KATHINE (2) TO CHARTIS			CREDIT CODE	PREVIOUS BALANCE	BAL OVER 60 DAYS
			C	170.50	
			BUSINESS TYPE	CHAIN	OUTER COUNTY
			001	NO	NO
			TAX EXEMPTION NO.		
			507490		

GENERATOR
CUSTOMER

AMES SUPPLY CO
2532 CURTISS ST
COLUMBIA SC 29201

B
I
L
L

SERVICE DATE	SALES REP NO.	CUSTOMER P.O. NUMBER	CUSTOMER PHONE #	TAX CODE	HANDLING CODE	ASSOC CODE	SERVICE TAX	C.O.M.S. TAX	PRODUCT TAX
5/16/00	26548		610-764-7440	14-210-2052	DH				.0675

DEPT	SERVICE/PRODUCT	SERIAL NUMBER	REMARKS/UNIT PRICE	QUAN.	CHARGE	SALES TAX	TOTAL CHARGE	WASTE MIN.	SOLVENT/DRUMS	CC	SERVICE TERM	CHANGE SERVICE TERM (WEEKS) INITIAL	CHANGE SOLV. RATE (YR) W/W	INV. CODE	PROMO NO.	RELEASE NO.
1	54000	000000	AMES		195.60	0.00	195.60	0.00			A					
2	60000		2.0000								0					
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																

TOTAL-SERVICE/PRODUCTS

195.60 0.00 195.60 0.00

CHECK APPROPRIATE BOXES	MACHINE CONDITION & CLEANLINESS	GOOD <input type="checkbox"/> POOR <input type="checkbox"/>	DECALS IN PLACE AND LEGIBLE	YES <input type="checkbox"/> NO <input type="checkbox"/>	MACHINE PROPERLY GROUNDED	YES <input type="checkbox"/> NO <input type="checkbox"/>
	LAMP ASSEMBLY CONDITION	GOOD <input type="checkbox"/> POOR <input type="checkbox"/>	FUSIBLE LINK INSTALLED	YES <input type="checkbox"/> NO <input type="checkbox"/>	LOCAL PHONE NO. STICKER AFFIXED TO MACHINE	YES <input type="checkbox"/> NO <input type="checkbox"/>
			EMERGENCY CLOSING OF LID UNOBSTRUCTED	YES <input type="checkbox"/> NO <input type="checkbox"/>	SPENT SOLVENT MEETS ACCEPTANCE CRITERIA	YES <input type="checkbox"/> NO <input type="checkbox"/>

USEPA TRANSPORTER 1 ID NO. USEPA TRANSPORTER 2 ID NO. GENERATOR USEPA ID NO. GENERATOR STATE ID NO.

400000000000 110005111411 0000000000

11. US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)

WASTE OILS AND GREASES, N.O.S. (EXTRACTUM NAPHTHA) NALPH
PG 111 RD (0000) (FRG0124) 6.2 LBS/GAL (0000,0000,0000)

12. CONTAINERS NO.	13. TOTAL QUANTITY	14. UNIT W/T/VOL	SK DOT NUMBER	15. CERTIFY THAT MY TOTAL WASTE STREAMS ARE WITHIN ONE OF THE FOLLOWING CATEGORIES
1	26	G	000	0 TO 220 LBS./MONTH
				INITIALS
				220 LBS. TO 2,200 LBS./MONTH
				INITIALS
				GREATER THAN 2,200 LBS./MONTH
				INITIALS

DESIGNATED FACILITY NAME AND ADDRESS
SAPPHY KITCH SYSTEMS INC
1100 F VILLAS ST
COLUMBIA SC 29201

I CERTIFY THAT NO MATERIAL CHANGE HAS OCCURRED EITHER IN THE CHARACTERISTICS OF THE WASTE MATERIALS OR IN THE PROCESS GENERATING THE WASTE MATERIALS
USA EPA ID NO. 110000000000
STATE ID NO. 0000000000

CASH <input type="checkbox"/>	TOTAL RECEIVED	APPLY PAYMENT TO:
CHECK NUMBER		TODAY'S SERVICE/SALE
		PREVIOUS BALANCE AS IN INVOICES
INVOICE #	AMOUNT \$	INVOICE #
		AMOUNT \$
PREVIOUS CREDIT CARD NO.		
CREDIT CARD NO.	AMEX	EXP DATE

MANIFEST NO.	11
LDR MESSAGE	
MANIFEST CODE	11
SEQ #	11

I AGREE TO PAY THE ABOVE CHARGES AND TO BE BOUND BY THE TERMS AND CONDITIONS SET FORTH ABOVE AND ON THE REVERSE SIDE OF THIS DOCUMENT. PLEASE CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. THE INDIVIDUAL SIGNING THIS DOCUMENT IS DULY AUTHORIZED TO SIGN AND BIND CUSTOMER TO ITS TERMS.
Print Customer Name
A. FRANCISCO

TOTAL CHARGE (FROM ABOVE)	195.60
WASTE MIN. (FROM ABOVE)	
TOTAL DUE	195.60
DO NOT WRITE IN THE AREA BELOW	

PLEASE TYPE

(Form designed for use on 12 pitch typewriter.)

EPA Form 8700-22 (Rev. 6-88)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 005163811		Manifest Document No. 06677		2. Page 1 of 1		Information in the shaded areas is required by Federal law, but is required by Illinois law.					
3. Generator's Name and Mailing Address AMES SUPPLY CO 2537 CURTISS ST DOWNERS GROVE IL 60515						A. Illinois Manifest Document Number IL 9474523 FEE PAID IF APPLICABLE							
4. "24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS" 630 964-2440						B. Generator's IL ID Number 10430305022							
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC						C. Transporter's IL ID Number UPW15128811							
6. US EPA ID Number SCR 000075150						D. 847 468-6510 Transporter's PI							
7. Transporter 2 Company Name						E. Transporter's IL ID Number							
8. US EPA ID Number						F. Transporter's PI							
9. Designated Facility Name and Site Address SAFETY KLEEN SYSTEMS INC 1500 E VILLA ST ELGIN IL 60120						G. Facility's IL ID Number 0314380001							
10. US EPA ID Number ILD 000805911						H. Facility's Phone 847 468-6560							
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII RG (D001)ERG#128 (6.7#/GL) (D018, D039, D040)						No. 001 Type DM		00026		G		EPA HW Numbr D001 D040	
b.												EPA HW Numbr	
c.												EPA HW Numbr	
d.												EPA HW Numbr	
J. Additional Description for Materials Listed Above I (A) D039 D01B						K. Handling Codes for Wastes Listed Above in Item #14							
15. Special Handling Instructions and Additional Information EMERGENCY RESP#800-468-1760 24HR						0033 099337267 0003706677 0000207985 27							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name A. Francisco						Signature A. Francisco						Date 08/6	
17. Transporter 1 Acknowledgement of Receipt of Materials												Date 08/6	
Printed/Typed Name Samie A. Kexley						Signature [Signature]						Date 08/6	
18. Transporter 2 Acknowledgement of Receipt of Materials												Date	
Printed/Typed Name						Signature						Date	
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.												Date	
Printed/Typed Name Antonia A. Shannon						Signature [Signature]						Date 08/6	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation or imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 1 TSD MAIL TO GENERATOR

AMES SUPPLY CO

MANIFEST NO. :
OR SALES SERVICE NO. :J9474523
3706677

CUST#: 0000-2079-85

IN ACCORDANCE WITH 40 CFR 268.70 (A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS
WASTE RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A. GENERAL WASTE NOTIFICATION

LDR FORM LINE NO. : 1 MANIFEST PAGE/LINE# 01A SK PROFILE NO. : 000

SKDOT# 0000801

EPA WASTE CODES & LDR SUBCATEGORIES (IF ANY):

D001 LG LIQUID \geq 10% TOC
D018
D039
D040

TREATABILITY GROUP NONWASTEWATERS

WASTE CONSTITUENT NOTIFICATION:

102 P-CRESOL (DIFFICULT TO DISTINGUISH FROM
M-CRESOL)
118 P-DICHLOROBENZENE
229 TETRACHLOROETHYLENE
237 TRICHLOROETHYLENE
250 CADMIUM
251 CHROMIUM (TOTAL)
255 LEAD
67 BENZENE

NOTE:
EXP NOTICE: THIS LDR EXPIRES ON 12/31/2000.

A. Francisco
GENERATOR'S AUTHORIZED
SIGNATURE

A. Francisco
NAME & TITLE
(PRINTED OR TYPED)

8/16/00
DATE

350# 7106 LOC 507401

TERR: 27 REF# 3706677 SU 000

TOP COPY GENERATOR

MIDDLE COPY FACILITY

BOTTOM COPY TRANSFER



Safety-Kleen®

P.O. BOX 11273
COL RJA SC 29211-1393

DUNS NO. 05-397-6551
FED. ID NO. 39-6090019

SK SERVICE FACILITY: SK ELGIN01, IL	TAX STATUS/NUMBER:	INVOICE DATE: 06/27/2000	Invoice Number 00012963669
FACILITY PHONE NUMBER: (847) 468-6510	VENDOR NUMBER:	TERMS: N30	

SERVICE LOCATION:



AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

ACCOUNT NUMBER: 0000-2079-85	SERVICE NUMBER: 0000-2079-85	LOCATION NUMBER: 503401	SPECIAL BILLING CODE:
--	--	-----------------------------------	-----------------------

Department: Department Name:
Service Date: 06/23/2000 Service Doc Number: 0003094086
Release Number: Transporter:

PO Number:
Manifest Number:

QUANTITY	DESC./REFERENCE NUMBER	PRICE PER	SALES TAX	ITEM TOTAL
1.0000	CUSTOMER OWNED MACH W/105 RECY 000054000-000018515-00000000	195.6000 EA	0.00	195.60
1.0000	TEMPORARY FUEL SURCHARGE 000100001-000000000-00000000	2.9000 EA	0.00	2.90

INVOICE TOTAL: **\$198.50**

119581
JUL 12 2000

14897
7-28

JUN 28 2000

5590-11

COMMENTS:

1301 Gervais Street - Suite 300
Columbia, South Carolina 29201

CUSTOMER NO.

'WE CARE'

DUNS NO. 05-391/-6551

FED. ID NO. 75-2171828

UNSUBS

FOI SERVICE CALL	BRANCH MANAGER	DOC. EXP.	SCHEDULED SERVICE WEEK	SCHEDULED TERRITORY	REFERENCE NUMBER
447 468-6510	ED GUGLIEMINI	02/19/00	00-25	07	000307400
			CREDIT CODE	PREVIOUS BALANCE	BAL OVER 60 DAYS
			C	191.55	
BUSINESS TYPE		CHAIN	OUTER COUNTY	SVC. P/C	PROD.
59		NC	NC	291	00
LOCATION			TAX EXEMPTION NO.		
000001					

AMES SUPPLY CO
2572 CORTLAND ST
DUBLIN, OH 43017-1115

B I T O

SERVICE DATE		SALES REP NO		CUSTOMER P.O. NUMBER		CUSTOMER PHONE #		TAX CODE		HANDLING CODE		ASSOC CODE		SERVICE TAX		C.O. I.S. TAX		PRODUCT TAX					
6-7-90		317				1-8-88-2447		14-212-0002		14								671					
REP	SERVICE/PRODUCT	ALPHABETIC	HAZARD CLASS	QUAN	CHARGE	SALES TAX	TOTAL CHARGE	WASTE MIN.	SOLVENT/DRUMS		CC	SERVICE TERM	CHANGE SERVICE TERM (WEEKS)(INITIAL)	CHANGE GEN (DAY)(WEEK)	INV CODE	PROMO NO.	RELEASE NO.						
1	HAZARDOUS WASTE	HAZARDOUS WASTE	HAZARDOUS WASTE	1	195.15	0.00	195.15	0.00	CLEAN	1	1	6											
2																							
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							
TOTAL SERVICE/PRODUCTS							195.15	0.00	CHECK APPROPRIATE BOXES														
USEPA TRANSPORTER 1 ID NO.		USEPA TRANSPORTER 2 ID NO.		GENERATOR USEPA ID NO.		GENERATOR STATE ID NO.		MACHINE CONDITION & CLEANLINESS		GOOD		POOR		DECALS IN PLACE AND LEGIBLE		YES		NO					
1100000000000000		1100000000000000		1100000000000000		1100000000000000		LAMP ASSEMBLY CONDITION		GOOD		POOR		FUSIBLE LINK INSTALLED		YES		NO					
														EMERGENCY CLOSING OF LD UNOBSTRUCTED		YES		NO					
11. US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)										12. CONTAINERS NO		13. TOTAL QUANTITY		14. UNIT WT/VOL		SK DOT NUMBER		15. I CERTIFY THAT MY TOTAL WASTE STREAMS ARE WITHIN ONE OF THE FOLLOWING CATEGORIES					
HAZARDOUS WASTE, A.C.S. (POLYMER WASTE) A1100										1		260		1		1		0 TO 220 LBS/MONTH					
																		INITIALS					
																		220 LBS TO 2,200 LBS/MONTH					
																		INITIALS					
																		GREATER THAN 2,200 LBS/MONTH					
																		INITIALS					
DESIGNATED FACILITY NAME AND ADDRESS										I CERTIFY THAT NO MATERIAL CHANGE HAS OCCURRED EITHER IN THE CHARACTERISTICS OF THE WASTE MATERIALS OR IN THE PROCESS GENERATING THE WASTE MATERIALS										USA EPA ID NO.		STATE ID NO.	
1100000000000000																				1100000000000000		1100000000000000	
CASH		TOTAL RECEIVED		APPLY PAYMENT TO:		MANIFEST NO.		I AGREE TO PAY THE ABOVE CHARGES AND TO BE BOUND BY THE TERMS AND CONDITIONS SET FORTH ABOVE AND ON THE REVERSE SIDE OF THIS DOCUMENT PLEASE CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION THE INDIVIDUAL SIGNING THIS DOCUMENT IS DULY AUTHORIZED TO SIGN AND BIND CUSTOMER TO ITS TERMS.		TOTAL CHARGE (FROM ABOVE)													
CHECK NUMBER				TODAY'S SERVICE/SALE		LDR MESSAGE		This is to certify that the above named materials are properly classified, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.		WASTE MIN. (FROM ABOVE)													
INVOICE #		AMOUNT \$		INVOICE #		AMOUNT \$		Print Customer Name		TOTAL DUE		1983											
PREVIOUS CHECK/CARD NO										DO NOT WRITE IN THE AREA BELOW													
CREDIT CARD NO.				AMEX		EXP DATE																	

PLEASE TYPE

(Form designed for use on elite (12 pitch) typewriter.)

EPA Form 5700-22 (Rev. 8-89)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 005163811	Manifest Document No. 94086		2. Page 1 of 1	Information in the shaded areas is not required by Federal law, but is required by Illinois law.	
3. Generator's Name and Mailing Address AMES SUPPLY CO 2537 CURTISS ST DOWNERS GROVE				Location if Different IL 60515		A. Illinois Manifest Document Number IL 9203852 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*				6. 630 264-2440 US EPA ID Number		B. Generator's IL ID Number 10430305022	
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC				8. SCR 000075150 US EPA ID Number		C. Transporter's IL ID Number UPW151288IL	
7. Transporter 2 Company Name				8. US EPA ID Number		D. 847 468-6510 Transporter's Phone	
9. Designated Facility Name and Site Address SAFETY KLEEN SYSTEMS INC 1500 E VILLA ST ELGIN IL 60120				10. ILD 000805911 US EPA ID Number		E. Transporter's IL ID Number	
				F. () Transporter's Phone		G. Facility's IL ID Number 0314380001	
						H. Facility's Phone 847 468-6560	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)					12. Containers	13. Total Quantity	14. Unit Wt/Vol
a. WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII RG (D018)ERG#128 (6.7#/GL) (D001, D039, D040)					No. 001	Type DM	00026
b.							EPA HW Number D001
c.							EPA HW Number D040
d.							EPA HW Number
J. Additional Description for Materials Listed Above I(A) D039 D018					K. Handling Codes for Wastes Listed Above, In Item #14		
15. Special Handling Instructions and Additional Information EMERGENCY RESP#800-468-1760 24HR					0025 99064895 0003094086 0000207985 27		
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					A B01 B C D		
Printed/Typed Name Dan Carverko					Signature 		Date 6/23/94
17. Transporter 1 Acknowledgement of Receipt of Materials					Printed/Typed Name Denny Salvo		Date 6/23/94
18. Transporter 2 Acknowledgement of Receipt of Materials					Printed/Typed Name		Date
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19					Printed/Typed Name Sara Mahikel		Date 6/23/94

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

CCF. TSD MAIL TO GENERATOR.



Safety-Kleen
P.O. BOX 11393
COLUMBIA, SC 29211-1393

Safety-Kleen®

DUNS NO. 05-397-8551
FED. ID NO. 39-6090019

SK SERVICE FACILITY: SK ELGIN01, IL	TAX STATUS/NUMBER:	INVOICE DATE: 05/03/2000	Invoice Number 00012347228
FACILITY PHONE NUMBER: (847) 468-6510	VENDOR NUMBER:	TERMS: N30	

SERVICE LOCATION:



AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

ACCOUNT NUMBER: 0000-2079-85	SERVICE NUMBER: 0000-2079-85	LOCATION NUMBER: 503401	SPECIAL BILLING CODE:
--	--	-----------------------------------	-----------------------

Department: Department Name:
Service Date: 04/28/2000 Service Doc Number: 0002454080
Release Number: Transporter:

PO Number:
Manifest Number:

QUANTITY	DESC./REFERENCE NUMBER	PRICE PER	SALES TAX	ITEM TOTAL
1.0000	CUSTOMER OWNED MACH W/105 RECY 000054000-000018515-00000000	188.6500 EA	0.00	188.65
1.0000	TEMPORARY FUEL SURCHARGE 000100001-000000000-00000000	2.9000 EA	0.00	2.90

INVOICE TOTAL: \$191.55

MAY 5 2000

116121
5-26

14897

5-26

5590-11

COMMENTS:



Columbia, South Carolina 29201
CUSTOMER NO.



FOR SERVICE CALL	BRANCH MANAGER	DOC. EXP.
447 468-4560	ED GUGLIEMI	06/24/

SCHEDULED SERVICE WEEK	SCHEDULED TERRITORY	REFERENCE NUMBER		
00-1	27	0000000000		
CREDIT CODE	PREVIOUS BALANCE	BAL OVER 80 DAY		
C	689.65			
BUSINESS TYPE	CHAIN	OUTER COUNTRY	SVC. P/C	PROD
09	NO	NO	691	0
LOCATION		TAX EXEMPTION NO.		
501401				

CUSTOMER

AMES SUPPLY CO
2577 CURTISS ST
DUNTER GROVE IL 60118

BILL TO

SERVICE DATE	SALES REP NO.	CUSTOMER P.O. NUMBER	CUSTOMER PHONE #	TAX CODE	HANDLING CODE	ASSOC. CODE	SERVICE TAX	C.O.M.S. TAX	PRODUCT TAX
4-78 00	0165		610-464-244	14-280-2152	00				.675

LINE	SERVICE/PRODUCT	QUANTITY	UNIT PRICE	CHARGE	SALES TAX	TOTAL CHARGE	WASTE MIN.	SOLVENT/DRUMS			CC	SERVICE TERM	CHANGE SERVICE TERM (WEEKS) (INITIAL)	CHANGE BOX (BY WH)	BIN CODE	PROMO NO.	RELEASE NO.
								TRANSIT	TYPE	SK DOT							
1	GLASS	1	1.00	1.00	0.00	1.00	0.00										
2	GLASS	1	2.30	2.30		2.30											
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	

TOTAL-SERVICE/PRODUCTS				191.55	0.00	191.55	0.00	CHECK APPROPRIATE BOXES		GOOD POOR		DECALS IN PLACE AND LEGIBLE		YES NO		MACHINE PROPERLY GROUNDED		YES NO	
USEPA TRANSPORTER 1 ID NO.		USEPA TRANSPORTER 2 ID NO.		GENERATOR USEPA ID NO.		GENERATOR STATE ID NO.		MACHINE CONDITION & CLEANLINESS		<input checked="" type="checkbox"/>		FUSIBLE LINK INSTALLED		<input checked="" type="checkbox"/>		LOCAL PHONE NO. STICKER ATTACHED TO MACHINE		<input checked="" type="checkbox"/>	
								LAMP ASSEMBLY CONDITION		<input type="checkbox"/>		EMERGENCY CLOSING OF LID UNOBSTRUCTED		<input checked="" type="checkbox"/>		SPENT SOLVENT MEETS ACCEPTANCE CRITERIA		<input checked="" type="checkbox"/>	

11. US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)								12. CONTAINERS NO.	13. TOTAL QUANTITY	14. UNIT WT/VOL	15. SK DOT NUMBER	16. INITIALS	17. CERTIFY THAT MY TOTAL WASTE STREAMS ARE WITHIN ONE OF THE FOLLOWING CATEGORIES
PETROLEUM LIQUID, N.O.S. (PETROLEUM NAPHTHA) (H2902)								1	25				0 TO 220 LBS/MONTH
PETROLEUM LIQUID, N.O.S. (PETROLEUM NAPHTHA) (H2902)													220 LBS TO 2,200 LBS/MONTH
													GREATER THAN 2,200 LBS/MONTH

DESIGNATED FACILITY NAME AND ADDRESS	SAFETY KITCHEN SYSTEMS INC	11111 11111 11111	11111 11111 11111	I CERTIFY THAT NO MATERIAL CHANGE HAS OCCURRED EITHER IN THE CHARACTERISTICS OF THE WASTE MATERIALS OR IN THE PROCESS GENERATING THE WASTE MATERIALS	USA EPA ID NO.	11111 11111 11111	STATE ID NO.	11111 11111 11111
--------------------------------------	----------------------------	-------------------	-------------------	--	----------------	-------------------	--------------	-------------------

CASH <input type="checkbox"/>	TOTAL RECEIVED	APPLY PAYMENT TO:	MANIFEST NO.	I AGREE TO PAY THE ABOVE CHARGES AND TO BE BOUND BY THE TERMS AND CONDITIONS SET FORTH ABOVE AND ON THE REVERSE SIDE OF THIS DOCUMENT. PLEASE CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. THE INDIVIDUAL SIGNING THIS DOCUMENT IS DULY AUTHORIZED TO SIGN AND BIND CUSTOMER TO ITS TERMS.	TOTAL CHARGE (FROM ABOVE)
CHECK NUMBER		<input type="checkbox"/> TODAY'S SERVICE/SALE <input type="checkbox"/> PREVIOUS BALANCE AS FOLLOWS	LDR MESSAGE	"This is to certify that the above named materials are properly classified, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation."	WASTE MIN. (FROM ABOVE)
INVOICE #	AMOUNT \$	INVOICE #	AMOUNT \$	Print Customer Name	TOTAL DUE
PREVIOUS CREDIT CARD NO.					191.55
CREDIT CARD NO.		AMEX	EXP. DATE		DO NOT WRITE IN THE AREA BELOW

PLEASE TYPE

(Form designed for use on elite (12 pitch) typewriter.)

EPA Form 8700-22 (Rev. 8-89)

Form Approved: OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 005163811		Manifest Document No. 54080		2. Page 1 of 1		Information in the shaded areas is not required by Federal law, but is required by Illinois law.					
3. Generator's Name and Mailing Address AMES SUPPLY CO 2537 CURTISS ST DOWNERS GROVE IL 60515						A. Illinois Manifest Document Number IL 9195326 FEE PAID IF APPLICABLE							
4. "24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS"						B. Generator's IL ID Number 0430305022							
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC						C. Transporter's IL ID Number UPH15128871							
6. US EPA ID Number ILD 984908202						D. 847 468-6510 Transporter's Phone							
7. Transporter 2 Company Name						E. Transporter's IL ID Number							
8. US EPA ID Number						F. () Transporter's Phone							
9. Designated Facility Name and Site Address SAFETY KLEEN SYSTEMS INC 1500 E VILLA ST ELGIN IL 60120						G. Facility's IL ID Number 0314380001							
10. US EPA ID Number ILD 000805911						H. Facility's Phone 847 468-6560							
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		L. Waste No.	
a. WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII RQ (D018)ERG#128 (6.7#/GL) (D001, D039, D040)						No. 001		Type DM		00025		G	
b.												EPA HW Number D001	
c.												EPA HW Number D040	
d.												EPA HW Number	
J. Additional Description for Materials Listed Above I(A) D039 D018						K. Handling Codes for Wastes Listed Above in Item #14							
15. Special Handling Instructions and Additional Information EMERGENCY RESP#800-468-1760 24HR						0017 98783710 0002454080 0000207985 27							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.						A B C D							
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name x G. Myhre 4-28-00						Signature G. Myhre 4-28-00							
17. Transporter 1 Acknowledgement of Receipt of Materials						Date 04 28 00							
Printed/Typed Name Andree Altman						Signature Andree Altman							
18. Transporter 2 Acknowledgement of Receipt of Materials						Date 04 28 00							
Printed/Typed Name						Signature							
19. Discrepancy Indication Space													
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19						Date 04 28 00							
Printed/Typed Name Sara Mahike						Signature Sara Mahike							

This Agency is authorized to require, pursuant to Illinois Revised Statute 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation or imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY TO TSD MAIL TO GENERATOR

LOCATION: 503401 LDR NOTIFICATION FOR

GENERATOR NAME: AMES SUPPLY CO

MANIFEST NO.:
OR SALES SERVICE NO.:

2454080

CUST#: 0000-2079-85

PURSUANT TO 40 CFR 268.7(A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS
WASTE RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A. GENERAL WASTE NOTIFICATION

LDR FORM LINE NO.: 1 MANIFEST PAGE/LINE# 01A SK PROFILE NO.: 0000
SKDOT#: 0000801

EPA WASTE CODES & LDR SUBCATEGORIES (IF ANY):

D001 LG LIQUID >= 10% TOC
D018
D039
D040

TREATABILITY GROUP: NONWASTEWATERS

WASTE CONSTITUENT NOTIFICATION:

102 P-CRESOL (DIFFICULT TO DISTINGUISH FROM
M-CRESOL)
118 P-DICHLOROBENZENE
229 TETRACHLOROETHYLENE
237 TRICHLOROETHYLENE
250 CADMIUM
251 CHROMIUM (TOTAL)
255 LEAD
67 BENZENE

EXPIRATION DATE: 12/31/2000

GENERATOR'S AUTHORIZED
SIGNATURE

NAME & TITLE
(PRINTED OR TYPED)

4 / 28 / 00
DATE

SEG# 3857 LOC# 503401

TERR 27 REF#: 2454080 SW: 001

TOP COPY: GENERATOR

MIDDLE COPY: FACILITY

BOTTOM COPY: TRANSFER



Safety-Kleen Systems, Inc.
P.O. BOX 11393
COLUMBIA, SC 29211-1393

DUNS NO. 05-397-6551
FED. ID NO. 39-0090019

SK SERVICE FACILITY: SK ELGIN01, IL	TAX STATUS/NUMBER:	INVOICE DATE: 03/06/2000	Invoice Number 0011707552
FACILITY PHONE NUMBER: (847) 468-6510	VENDOR NUMBER:	TERMS: N30	

SERVICE LOCATION:



AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

ACCOUNT NUMBER: 0000-2079-85	SERVICE NUMBER: 0000-2079-85	LOCATION NUMBER: 503401	SPECIAL BILLING CODE:
--	--	-----------------------------------	-----------------------

Department: Department Name: PO Number:
Service Date: 03/03/2000 Service Doc Number: 0001833172 Manifest Number:
Release Number: Transporter:

QUANTITY	DESC./REFERENCE NUMBER	PRICE PER	SALES TAX	ITEM TOTAL
1.0000	CUSTOMER OWNED MACH W/105 RECY 000054000-000018515-0000000	188.6500 EA	0.00	188.65

INVOICE TOTAL: **\$188.65**

DATE MOSE REC'D _____ REBILLED ON # _____
DATE INV REC'D MAR 13 2000
VENDOR # 11489-71 DISCOUNT DATE _____
DUE DATE 4-7 DISCOUNT AMT. _____
DISTRIBUTION ACCT. SHIP ACCT. AMOUNT
5590 1111111 116663

COMMENTS:



1301 Gervais Street - Suite 300
Columbia, South Carolina 29201
CUSTOMER NO.

W. CARE

DUNS NO. 05-387-6551

FED. ID NO. 75-2178928

CUSTOMER

FOR SERVICE CALL	BRANCH MANAGER	DOC. EXP.	SCHEDULED SERVICE WEEK	SCHEDULED TERRITORY	REFERENCE NUMBER
847 46A-6510	ED GUGLIEMINI	04/29/00	00-09	37	000243717
			CREDIT CODE	PREVIOUS BALANCE	BAL. OVER 90 DAYS
				372.31	188.65
			BUSINESS TYPE	CHAIN	CITY COUNTY
			09	NH	NH 291.00
			LOCATION		
			5113411		
			TAX EXEMPTION NO.		

CUSTOMER

AMES SUPPLY CO
2537 CURTISS ST
WINNERS DRIVE IL 60515

BILL TO

SERVICE DATE	SALES REP NO.	CUSTOMER P.O. NUMBER	CUSTOMER PHONE #	TAX CODE	HANDLING CODE	ASSOC CODE	SERVICE TAX	C.O.M.S. TAX	PRODUCT TAX
5-1-00			847-964-2440	14-210-2052	124				76.75

DEPT	SERVICE/PRODUCT	SERIAL NUMBER	REMARKS	QUAN	CHARGE	SALES TAX	TOTAL CHARGE	WASTE MIN.	SOLVENT/DRUMS	CC	SERVICE TERM	CHANGE SERVICE TERM	CHANGE BGN DATE	INV CODE	PROMO NO.	RELEASE NO.
1	850000	000000	AMES	1	188.65	0.00	188.65	0.00	2	847	8					
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																

TOTAL-SERVICE/PRODUCTS

188.65 0.00 188.65 0.00

CHECK APPROPRIATE BOXES

MACHINE CONDITION & CLEANLINESS
LAMP ASSEMBLY CONDITION

GOOD

POOR

DECALS IN PLACE AND LEGIBLE
PUSABLE LINK INSTALLED
EMERGENCY CLOSING OF LID UNOBSTRUCTED

YES

NO

MACHINE PROPERLY GROUNDED
LOCAL PHONE NO STICKER AFFIXED TO MACHINE
SPENT SOLVENT MEETS ACCEPTANCE CRITERIA

YES

NO

USEPA TRANSPORTER 1 ID NO. USEPA TRANSPORTER 2 ID NO. GENERATOR USEPA ID NO. GENERATOR STATE ID NO.

11-044444-2012 11-044444-2012 11-044444-2012 11-044444-2012

11. US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)

WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1793

PG11 20 (UNLATERAL) (L. 24/GI) (0001.0039.0040)

12. CONTAINERS NO. TYPE

13. TOTAL QUANTITY

14. UNIT W/CKL

SK DOT NUMBER

15. 16. 17. 18. 19. 20.

21. 22. 23. 24. 25. 26.

27. 28. 29. 30. 31. 32.

33. 34. 35. 36. 37. 38.

39. 40. 41. 42. 43. 44.

45. 46. 47. 48. 49. 50.

51. 52. 53. 54. 55. 56.

57. 58. 59. 60. 61. 62.

63. 64. 65. 66. 67. 68.

69. 70. 71. 72. 73. 74.

75. 76. 77. 78. 79. 80.

81. 82. 83. 84. 85. 86.

87. 88. 89. 90. 91. 92.

93. 94. 95. 96. 97. 98.

99. 100. 101. 102. 103. 104.

105. 106. 107. 108. 109. 110.

111. 112. 113. 114. 115. 116.

117. 118. 119. 120. 121. 122.

123. 124. 125. 126. 127. 128.

129. 130. 131. 132. 133. 134.

DESIGNATED FACILITY NAME AND ADDRESS

SAFETY KIFEN SYSTEMS INC
ELGIN IL 60120

I CERTIFY THAT NO MATERIAL CHANGE HAS OCCURRED EITHER IN THE CHARACTERISTICS OF THE WASTE MATERIALS OR IN THE PROCESS GENERATING THE WASTE MATERIALS

USA EPA ID NO.

11-00000005911

STATE ID NO.

7314730001

PAYMENT INFORMATION	CASH <input type="checkbox"/>	TOTAL RECEIVED	APPLY PAYMENT TO:
	CHECK NUMBER		<input type="checkbox"/> TODAY'S SERVICE/SALE
			<input type="checkbox"/> PREVIOUS BALANCE AS FOLLOWS
	INVOICE #	AMOUNT \$	INVOICE #
PREVIOUS CREDIT CARD NO.			

MANIFEST NO. 119222378	
LDR MESSAGE	
LDR NO. 11	
MANIFEST CODE	SEQ #
11	343

I AGREE TO PAY THE ABOVE CHARGES AND TO BE BOUND BY THE TERMS AND CONDITIONS SET FORTH ABOVE AND ON THE REVERSE SIDE OF THIS DOCUMENT. PLEASE CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. THE INDIVIDUAL SIGNING THIS DOCUMENT IS DULY AUTHORIZED TO SIGN AND BIND CUSTOMER TO ITS TERMS.

This is to certify that the above named materials are properly classified, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

Print Customer Name

TOTAL CHARGE (FROM ABOVE)	
WASTE MIN. (FROM ABOVE)	
TOTAL DUE	188.65
DO NOT WRITE IN THE AREA BELOW	

PLEASE TYPE

(Form designed for use on elite (12 pitch) typewriter.)

EPA Form 5700-22 (Rev. 6-88)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 005163811		Manifest Document No. 33172		2. Page 1 of 1		Information in the shaded areas is required by Federal law, but is required Illinois law.									
3. Generator's Name and Mailing Address AMES SUPPLY CO 2537 CURTISS ST DOWNERS GROVE						Location if Different IL 60515											
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS* 630 964-2440						A. Illinois Manifest Document Number IL 9222378 FEE PAID IF APPLICABLE											
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC						B. Generator's IL ID Number 10430305022											
6. US EPA ID Number ILD 984908202						C. Transporter's ID Number UPW1512881L											
7. Transporter 2 Company Name						D. 847 468-6510 Transporter's Phone											
8. US EPA ID Number						E. Transporter's ID Number											
9. Designated Facility Name and Site Address SAFETY KLEEN SYSTEMS INC 1500 E VILLA ST ELGIN IL 60120						F. Transporter's Phone											
10. US EPA ID Number ILD 000805911						G. Facility's IL ID Number 0314380001											
H. Facility's Phone 847 468-6560																	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.					
a. WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII RG (D018) ERG#12B (6.7#/GL) (D001, D039, D040)						No. 001 Type DM		00025		G		D001 D040					
b.												EPA HW Number					
c.												EPA HW Number					
d.												EPA HW Number					
J. Additional Description for Materials Listed Above I(A) D039 D018						K. Handling Codes for Wastes Listed Above in Item #14											
15. Special Handling Instructions and Additional Information EMERGENCY RESP#800-468-1760 24HR						0009 98505660 0001833172 0000207985 27 A: B01 B: C: D:											
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.										Date 02/02/00							
Printed/Typed Name DAN Cervenka						Signature <i>[Signature]</i>				Date 02/02/00							
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name Michael Schera				Signature <i>[Signature]</i>				Date 02/02/00			
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name				Signature				Date			
19. Discrepancy Indication Space																	
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.																	
Printed/Typed Name Norman Bennett						Signature <i>[Signature]</i>				Date 03/30/00							

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 1 TSD MAIL TO GENERATOR

LOCATION: 503401

LDR NOTIFICATION FORM

GENERATOR NAME: AMES SUPPLY CO

MANIFEST NO.: 119222378
OR SALES SERVICE NO.: 1833172

CUST#: 0000-2079-85

PURSUANT TO 40 CFR 268.7(A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS
WASTE RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A. GENERAL WASTE NOTIFICATION

LDR FORM LINE NO.: 1 MANIFEST PAGE/LINE# 01A SK PROFILE NO.: 000
SKDOT#: 0000801

EPA WASTE CODES & LDR SUBCATEGORIES (IF ANY):

D001 LG LIQUID >= 10% TOC
D018
D039
D040

TREATABILITY GROUP: NONWASTEWATERS

WASTE CONSTITUENT NOTIFICATION:

102 P-CRESOL (DIFFICULT TO DISTINGUISH FROM
M-CRESOL)
118 P-DICHLOROBENZENE
229 TETRACHLOROETHYLENE
237 TRICHLOROETHYLENE
250 CADMIUM
251 CHROMIUM (TOTAL)
255 LEAD
67 BENZENE

-----NOTES-----
EXP NOTICE: THIS LDR EXPIRES ON 12/31/2000.

[Signature]
GENERATOR'S AUTHORIZED
SIGNATURE

NAME & TITLE
(PRINTED OR TYPED)

3/3/00
DATE

SEQ#: 3320 LOC: 503401

TERR: 27 REF#: 1833172 SW: 00

TOP COPY: GENERATOR

MIDDLE COPY: FACILITY

BOTTOM COPY: TRANSFER



Safety-Kleen Systems, Inc.
P.O. BOX 11393
COLUMBIA, SC 29211-1393

DUNS NO. 05-397-8551
FED. ID NO. 38-6080019

SK SERVICE FACILITY: SK ELGIN01, IL	TAX STATUS/NUMBER:	INVOICE DATE: 01/08/2000	Invoice Number 0011127202
FACILITY PHONE NUMBER: (847) 468-6510	VENDOR NUMBER:	TERMS: N30	

SERVICE LOCATION:



AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

AMES SUPPLY CO
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

ACCOUNT NUMBER: 0000-2079-85	SERVICE NUMBER: 0000-2079-85	LOCATION NUMBER: 503401	SPECIAL BILLING CODE:
--	--	-----------------------------------	-----------------------

Department: Department Name: PO Number:
Service Date: 01/06/2000 Service Doc Number: 0001221039
Release Number: Transporter: Manifest Number:

QUANTITY	DESC./REFERENCE NUMBER	PRICE PER	SALES TAX	ITEM TOTAL
1.0000	CUSTOMER OWNED MACH W/105 RECY 000054000-000018515-00000000	188.6500 EA	0.00	188.65

INVOICE TOTAL: \$188.65

JAN 12 2000
JAN 12 2000
VENDOR # 14897
DATE 2-4
DISCOUNT DATE
DISCOUNT AMT.
AMOUNT
5590-11
DATE ENTERED
115190

COMMENTS:

WE CARE

L	G	.	-	1	.	2	3	-	4	5	
---	---	---	---	---	---	---	---	---	---	---	--

AMES SUPPLY CO
2537 CURTISS ST
OWNERS GROVE IL 60450

07/07

FOR SERVICE CALL	BRANCH MANAGER	DOC EXP.	SCHEDULED SERVICE WEEK	SCHEDULED TERRITORY	REFERENCE NUMBER		
442 410-1111	ED GUGLIOTTA	07/01/00	07-01	7	0000000000		
			CREDIT CODE	PREVIOUS BALANCE	BAL. OVER 60 DAYS		
			BUSINESS TYPE	CHAIN	OUTER COUNTY	SVC. P/C	PROD. P/C
			001	000	000	000	000
			LOCATION		TAX EXEMPTION NO.		
			501411				

SERVICE DATE	SALES REP NO.	CUSTOMER P.O. NUMBER	CUSTOMER PHONE #	TAX CODE	HANDLING CODE	ASSOC CODE	SERVICE TAX	C.O.M.S. TAX	PRODUCT TAX
01/06/00			630-364-2440	14-218-2052		PH			2.0129

[illegible]

TOTAL SERVICE/PRODUCTS		18A.6	0.0	18A.6	0.0	CHECK APPROPRIATE BOXES	MACHINE CONDITION & CLEANLINESS	GOOD	POOR	DECAL IN PLACE AND LEGIBLE	YES	NO	MACHINE PROPERLY GROUNDED	YES	NO
USEPA TRANSPORTER 1 ID NO.	USEPA TRANSPORTER 2 ID NO.	GENERATOR USEPA ID NO.		GENERATOR STATE ID NO.		→	LAMP ASSEMBLY CONDITION	<input checked="" type="checkbox"/>	<input type="checkbox"/>	FUSIBLE LINK INSTALLED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	LOCAL PHONE NO STICKER AFFIXED TO MACHINE	<input checked="" type="checkbox"/>	<input type="checkbox"/>
110704460A012		110705116A011		0403030520				<input checked="" type="checkbox"/>	<input type="checkbox"/>	EMERGENCY CLOSING OF LID UNOBSTRUCTED	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SPENT SOLVENT MEETS ACCEPTANCE CRITERIA	<input checked="" type="checkbox"/>	<input type="checkbox"/>

11. US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID)	12. CONTAINERS NO.	13. TOTAL QUANTITY	14. UNIT WT/VOL	15. SK DOT NUMBER	16. 11	17. 12	18. 13	19. 14	20. 15	21. 16	22. 17	23. 18	24. 19	25. 20	26. 21	27. 22	28. 23	29. 24	30. 25	31. 26	32. 27	33. 28	34. 29	35. 30	36. 31	37. 32	38. 33	39. 34	40. 35	41. 36	42. 37	43. 38	44. 39	45. 40	46. 41	47. 42	48. 43	49. 44	50. 45	51. 46	52. 47	53. 48	54. 49	55. 50	56. 51	57. 52	58. 53	59. 54	60. 55	61. 56	62. 57	63. 58	64. 59	65. 60	66. 61	67. 62	68. 63	69. 64	70. 65	71. 66	72. 67	73. 68	74. 69	75. 70	76. 71	77. 72	78. 73	79. 74	80. 75	81. 76	82. 77	83. 78	84. 79	85. 80	86. 81	87. 82	88. 83	89. 84	90. 85	91. 86	92. 87	93. 88	94. 89	95. 90	96. 91	97. 92	98. 93	99. 94	100. 95	101. 96	102. 97	103. 98	104. 99	105. 100	106. 101	107. 102	108. 103	109. 104	110. 105	111. 106	112. 107	113. 108	114. 109	115. 110	116. 111	117. 112	118. 113	119. 114	120. 115	121. 116	122. 117	123. 118	124. 119	125. 120	126. 121	127. 122	128. 123	129. 124	130. 125	131. 126	132. 127	133. 128	134. 129	135. 130	136. 131	137. 132	138. 133	139. 134	140. 135	141. 136	142. 137	143. 138	144. 139	145. 140	146. 141	147. 142	148. 143	149. 144	150. 145	151. 146	152. 147	153. 148	154. 149	155. 150	156. 151	157. 152	158. 153	159. 154	160. 155	161. 156	162. 157	163. 158	164. 159	165. 160	166. 161	167. 162	168. 163	169. 164	170. 165	171. 166	172. 167	173. 168	174. 169	175. 170	176. 171	177. 172	178. 173	179. 174	180. 175	181. 176	182. 177	183. 178	184. 179	185. 180	186. 181	187. 182	188. 183	189. 184	190. 185	191. 186	192. 187	193. 188	194. 189	195. 190	196. 191	197. 192	198. 193	199. 194	200. 195	201. 196	202. 197	203. 198	204. 199	205. 200	206. 201	207. 202	208. 203	209. 204	210. 205	211. 206	212. 207	213. 208	214. 209	215. 210	216. 211	217. 212	218. 213	219. 214	220. 215	221. 216	222. 217	223. 218	224. 219	225. 220	226. 221	227. 222	228. 223	229. 224	230. 225	231. 226	232. 227	233. 228	234. 229	235. 230	236. 231	237. 232	238. 233	239. 234	240. 235	241. 236	242. 237	243. 238	244. 239	245. 240	246. 241	247. 242	248. 243	249. 244	250. 245	251. 246	252. 247	253. 248	254. 249	255. 250	256. 251	257. 252	258. 253	259. 254	260. 255	261. 256	262. 257	263. 258	264. 259	265. 260	266. 261	267. 262	268. 263	269. 264	270. 265	271. 266	272. 267	273. 268	274. 269	275. 270	276. 271	277. 272	278. 273	279. 274	280. 275	281. 276	282. 277	283. 278	284. 279	285. 280	286. 281	287. 282	288. 283	289. 284	290. 285	291. 286	292. 287	293. 288	294. 289	295. 290	296. 291	297. 292	298. 293	299. 294	300. 295	301. 296	302. 297	303. 298	304. 299	305. 300	306. 301	307. 302	308. 303	309. 304	310. 305	311. 306	312. 307	313. 308	314. 30
---	--------------------	--------------------	-----------------	-------------------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	---------	---------	---------	---------	---------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	---------

DESIGNATED FACILITY NAME AND ADDRESS	SAFETY KLEEN SYSTEMS, INC	I CERTIFY THAT NO MATERIAL CHANGE HAS OCCURRED EITHER IN THE CHARACTERISTICS OF THE WASTE MATERIALS OR IN THE PROCESS GENERATING THE WASTE MATERIALS.	USA EPA ID NO. IL011471001
1500 E VILLA ST	ELGIN IL 60120		STATE ID NO. 0143801

<div style="writing-mode: vertical-rl; transform: rotate(180deg);"> PAYMENT RECEIVED SECTION </div>	CASH <input type="checkbox"/>	TOTAL RECEIVED	APPLY PAYMENT TO:		WASTE MATERIALS I AGREE TO PAY THE ABOVE CHARGES AND TO BE BOUND BY THE TERMS AND CONDITIONS SET FORTH ABOVE AND ON THE REVERSE SIDE OF THIS DOCUMENT PLEASE CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. THE INDIVIDUAL SIGNING THIS DOCUMENT IS DULY AUTHORIZED TO SIGN AND BIND CUSTOMER TO ITS TERMS. <small>(This is to certify that the above named materials are properly classified, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.)</small>	TOTAL CHARGE (FROM ABOVE)	188.65	
	CHECK NUMBER		<input type="checkbox"/> TODAY'S SERVICE/SALE <input type="checkbox"/> PREVIOUS BALANCE AS FOLLOWS	MANIFEST NO. <div style="font-size: 2em; font-family: cursive;">#9150789</div> LDR MESSAGE LDR REF # 0		WASTE MIN. (FROM ABOVE)	—	
	INVOICE #	AMOUNT \$	INVOICE #			AMOUNT \$	TOTAL DUE	188.65
						DO NOT WRITE IN THE AREA BELOW		
PREVIOUS CREDIT CARD NO.					MANIFEST CODE	SEQ #		
					IL	565		
CREDIT CARD NO.				AMEX	EXP. DATE	IN THE EVENT OF AN <div style="font-size: 1.5em; font-family: cursive;">[Signature]</div>		
				1984				

174-R5732
ATION: 503401

SAFETY-KLEEN
LDR NOTIFICATION FORM

12/13/99 PAGE:

11:36:31

ERATOR NAME: AMES SUPPLY CO

MANIFEST NO.:
OR SALES SERVICE NO.:

1221039

CUST#: 0000-2079-85

SUANT TO 40 CFR 268.7(A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS
E RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A. GENERAL WASTE NOTIFICATION

FORM LINE NO.: 1 MANIFEST PAGE/LINE# 01A SK PROFILE NO.: 0000
SKDOT#: 0000801

WASTE CODES & LDR SUBCATEGORIES (IF ANY):
01 LG LIQUID >= 10% TOC
18
39
40

ATABILITY GROUP: NONWASTEWATERS

TE CONSITITUENT NOTIFICATION:

2 P-CRESOL (DIFFICULT TO DISTINGUISH FROM
M-CRESOL)
8 P-DICHLOROBENZENE
9 TETRACHLOROETHYLENE
7 TRICHLOROETHYLENE
0 CADMIUM
1 CHROMIUM (TOTAL)
5 LEAD

Timothy Roman

NOTES

NOTICE: THIS LDR EXPIRES ON 12/31/2000.

ERATOR'S AUTHORIZED
SIGNATURE

NAME & TITLE
(PRINTED OR TYPED)

DATE

01, 06, 00

J#: 1938 LDC: 503401

TERR: 27 REF#: 1221039 SW: 0001

MIDDLE COPY: FACILITY

BOTTOM COPY: TRANSFE

5-034-01

State Form LPC 62 8/81 IL532-0610

ASE TYPE

(Form designed for use on elite (12 pitch) typewriter.)

EPA Form 6700-22 (Rev. 6-89)

Form Approved OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD 005163811	Manifest Document No. 21039		2. Page 1 of 1	Information in the shaded areas is not required by Federal law, but is required by Illinois law.	
3. Generator's Name and Mailing Address AMES SUPPLY CO 2537 CURTISS ST DOWNERS GROVE				Location if Different IL 60515		A. Illinois Manifest Document Number IL 9050989 FEE PAID IF APPLICABLE	
4. *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*				6. 630-961-2440 US EPA ID Number		B. Generator's IL ID Number 10430305022	
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC				8. ILD 984908202 US EPA ID Number		C. Transporter's ID Number UPW15128811	
7. Transporter 2 Company Name				8. US EPA ID Number		D. 847 468-6510 Transporter's Phone	
9. Designated Facility Name and Site Address SAFETY KLEEN SYSTEMS INC 1500 E VILLA ST				10. ILD 000805911 US EPA ID Number		E. Transporter's ID Number	
ELGIN IL 60120						F. () Transporter's Phone	
						G. Facility's IL ID Number 0314380001	
						H. Facility's Phone 847 468-6560	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)					12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. RG WASTE COMBUSTIBLE LIQUID, N.O.S. (PETROLEUM NAPHTHA) NA1993 PGIII (D001, D018, D039, D040) (ERG128) (6.7#/GL)					0.01 DM	660.28	G
b.							EPA HW Number D001
c.							EPA HW Number D040
d.							EPA HW Number
J. Additional Description for Materials Listed Above I(A) D039 D018					K. Handling Codes for Wastes Listed Above In Item #14		
15. Special Handling Instructions and Additional Information 0001 98223815 0001221039 0000207985 27 EMERGENCY RESP#800-468-1760 24HR A: 801 B: C: D:							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name Tim Roman				Signature Timothy Roman		Date 01 06 00	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature John Jasper		Date 01 06 00	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature		Date	
Printed/Typed Name				Signature		Month Day Year	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.							
Printed/Typed Name Norma Binnot				Signature Norma Binnot		Date 01 06 00	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989, Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide this information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62

Document No. 3

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : CHEMLOK 233
PRODUCT USE/CLASS : ADHESIVE

DATE PRINTED: 11/04/97

LORD CORPORATION
CHEMICAL PRODUCTS DIVISION
2000 WEST GRANDVIEW BLVD
ERIE, PA 16514

EMERGENCY TELEPHONE: 814 763-2345
24 HOURS A DAY

INFORMATION TELEPHONE : 814 868-3611

PREPARE DATE: 12/17/96

PREVIOUS MSDS REVISION DATE: 02/07/96

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt % Less Than	Exposure Guidelines					
			ACGIH		OSHA		Units	Skin
			TWA	STEL	TWA	Ceil		
4,4'-Diphenylmethane diisocyanate	101-68-8	3.0%	.005	N.E.	N.E.	0.02	ppm	
Aromatic polyisocyanate	Proprietary	4.0%	N.E.	N.E.	N.E.	N.E.		
Carbon black	1333-86-4	4.0%	3.5	N.E.	3.5	N.E.	mg/m3	
Diphenylmethane diisocyanate	26447-40-5	1.0%	.005	N.E.	N.E.	0.02	ppm	
Ethyl benzene	100-41-4	10%	100	125	100	N.E.	ppm	
Trichloroethylene	79-01-6	35%	50	200	100	200	ppm	
Xylene	1330-20-7	35%	100	150	100	N.E.	ppm	

N.E. - Not Established, S - Skin Designation, C - Ceiling

SECTION 3 - HAZARDS IDENTIFICATION

*** EMERGENCY OVERVIEW ***: Black Liquid, with Solvent odor. Flammable liquid and vapor. May cause allergic skin reaction. May cause allergic respiratory reaction. Vapor harmful; may affect the brain or nervous system causing dizziness, headache or nausea. Causes skin and eye irritation. Causes respiratory tract irritation.

EFFECTS OF OVEREXPOSURE - EYE CONTACT: Causes eye irritation.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: May cause skin sensitization. May cause dermatitis. Causes skin irritation.

EFFECTS OF OVEREXPOSURE - INHALATION: Possible irritation of the respiratory system can occur causing a variety of symptoms such as dryness
(Continued on Page 2)

SECTION 3 - HAZARDS IDENTIFICATION

of the throat, tightness of the chest, and shortness of breath. Allergic conditions can occur in certain individuals with high sensitivity to isocyanates; this may result in asthma-like symptoms. May cause central nervous system depression characterized by the following progressive steps: headache, dizziness, staggering gait, confusion, unconsciousness or coma. May cause respiratory sensitization. May cause lung damage.

EFFECTS OF OVEREXPOSURE - INGESTION: Harmful if swallowed. Ingestion is not an expected route of entry in industrial or commercial uses.

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS: May cause liver or kidney damage. Repeated or prolonged solvent overexposure may result in permanent central nervous system damage. May cause long-term lung damage. May affect the gastrointestinal system. May affect the blood and blood-forming organs. Chronic skin contact may cause dermatitis. IARC has designated trichloroethylene as Group 2A - limited evidence for carcinogenicity in humans and sufficient evidence in experimental animals. IARC has designated carbon black as Group 2B - inadequate evidence for carcinogenicity in humans, but sufficient evidence in experimental animals.

PRIMARY ROUTE(S) OF ENTRY: INHALATION INGESTION EYE CONTACT SKIN CONTACT

SECTION 4 - FIRST AID MEASURES

FIRST AID - EYE CONTACT: Flush eyes immediately with large amount of water for at least 15 minutes holding eyelids open while flushing. Get prompt medical attention.

FIRST AID - SKIN CONTACT: Flush contaminated skin with large amounts of water while removing contaminated clothing. Wash affected skin areas with soap and water. Get medical attention if symptoms occur.

FIRST AID - INHALATION: Move person to fresh air. Restore and support continued breathing. If breathing is difficult, give oxygen. Get immediate medical attention.

FIRST AID - INGESTION: If swallowed, do not induce vomiting. Give victim one or two glasses of water or milk. Call a physician or poison control center immediately for further instructions. Never give anything by mouth to an unconscious person.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT: 92F, 33C
(SETAFLASH CLOSED CUP)

LOWER EXPLOSIVE LIMIT: 1.0 %
UPPER EXPLOSIVE LIMIT: 44.8 %

(Continued on Page 3)

SECTION 5 - FIRE FIGHTING MEASURES

AUTOIGNITION TEMPERATURE: N.D.

OSHA FLAMMABILITY CLASSIFICATION: FLAMMABLE LIQUID - CLASS IC

EXTINGUISHING MEDIA: CO2 DRY CHEMICAL FOAM WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: Flammable liquid and vapor. Keep containers tightly closed. Isolate from heat, electrical equipment, sparks, open flame, and other sources of ignition. Closed containers may rupture when exposed to extreme heat. Use water spray to keep fire exposed containers cool.

SPECIAL FIREFIGHTING PROCEDURES: Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA). Water spray may be ineffective. If water is used, fog nozzles are preferable. During a fire, irritating and/or toxic gases and particulate may be generated by thermal decomposition or combustion.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Keep non-essential personnel a safe distance away from the spill area. Remove all sources of ignition (flame, hot surfaces, and electrical, static or frictional sparks). Avoid breathing vapors. Use self-contained breathing equipment. Notify appropriate authorities if necessary. Contain and remove with inert absorbent material and non-sparking tools. Avoid contact. Before attempting cleanup, refer to hazard caution information in other sections of the MSDS form.

SECTION 7 - HANDLING AND STORAGE

HANDLING: Keep closure tight and container upright to prevent leakage. Ground and bond containers when transferring material. Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing of vapor or spray mists. Do not handle until all safety precautions have been read and understood. Empty containers should not be re-used. Avoid using pressurizable equipment which has aluminum or zinc parts; this product contains chlorinated solvents. Use with adequate ventilation. Because empty containers may retain product residue and flammable vapors, keep away from heat, sparks and flame; do not cut, puncture or weld on or near the empty container. Do not smoke where this product is used or stored.

STORAGE: Do not store or use near heat, sparks, or open flame. Refer to OSHA 29CFR Part 1910.106 "Flammable and Combustible Liquids" for specific storage requirements. Store only in well-ventilated areas. Do not puncture, drag, or slide container. Keep container closed when not in use.

(Continued on Page 4)

SECTION 10 - STABILITY AND REACTIVITY

HAZARDOUS DECOMPOSITION PRODUCTS: Monomeric isocyanate, traces of hydrogen cyanide, nitrogen dioxide. Carbon dioxide, carbon monoxide, chlorine, hydrogen chloride. Phosgene.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

SECTION 11 - TOXICOLOGICAL PROPERTIES

PRODUCT LD50 (ORAL) : No Data

(DERMAL) :

PRODUCT LC50 : No Data

SECTION 12 - ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No Information.

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Disposal should be done in accordance with Federal (40CFR Part 261), state and local environmental control regulations. If waste is determined to be hazardous, use licensed hazardous waste transporter and disposal facility.

SECTION 14 - TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: ADHESIVE

DOT HAZARD CLASS: 3

EMERGENCY RESPONSE GUIDE NUMBER: 127

DOT UN/NA NUMBER: UN 1133

PACKING GROUP

: III

SECTION 15 - REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: AS FOLLOWS -

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)

(Continued on Page 6)

SECTION 15 - REGULATORY INFORMATION**SARA SECTION 313:**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

----- CHEMICAL NAME -----	CAS NUMBER	WT % IS LESS THAN
Xylene	1330-20-7	35%
Trichloroethylene	79-01-6	35%
Ethyl benzene	100-41-4	10%
Aromatic polyisocyanate	Proprietary	4.0%
4,4'-Diphenylmethane diisocyanate	101-68-8	3.0%

TOXIC SUBSTANCES CONTROL ACT:**INVENTORY STATUS**

The chemical substances in this product are on the TSCA Section 8 Inventory.

INTERNATIONAL REGULATIONS: AS FOLLOWS -

CANADIAN WHMIS: This MSDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings.

CANADIAN WHMIS CLASS: No information available.

SECTION 16 - OTHER INFORMATION

HMIS RATINGS - HEALTH: 2* **FLAMMABILITY:** 3 **REACTIVITY:** 0

* - Indicates a chronic hazard; see Section 3

REASON FOR REVISION: Revision of Sections 2 and 3

VOLATILE ORGANIC COMPOUNDS (VOCs): 6.99 lbs/gal, 837 grams/ltr

LEGEND: N.A. - Not Applicable, N.E. - Not Established,
N.D. - Not Determined

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

<END OF MSDS>

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62

Document No. 4



ChemRep, Inc.

Please remit to:

2340 S. Arlington Heights Road
Arlington Heights, IL 60005-4510
Phone: 800-433-8982
Fax: 847-952-8933
E-Mail: chemrep@mcs.net

INVOICE

Invoice Number:

522

Invoice Date:

Mar 28, 2000

Page:

1

Sold To:

AMES SUPPLY COMPANY
2537 CURTISS STREET
DOWNERS GROVE, IL 60515

Ship to:

AMES SUPPLY CO.
2537 CURTISS STREET
DOWNERS GROVE, IL 60515

Customer ID

AMES

Customer PO

4-8203

Payment Terms

Net 30 Days

Sales Rep ID

JTD

Shipping Method

UPS COLLECT

Ship Date

3/28/00

Due Date

4/27/00

Quantity	Item	Description	Unit Price	Extension
4.00	LD-CHEM205-1GAL	CHEMLOK 205 - 1 GALLON	32.51000	130.04
4.00	LD-CHEM233-1GAL	CHEMLOK 233 - 1 GALLON	58.52000	234.08
1.00	PA-UPS	UPS HAZMAT HANDLING CHARGE	10.00000	10.00

DATE MOST REC'D 3/29 REBILLED ON 5
DATE INV REC'D MAR 30 2000
VENDOR 116,093 DISCOUNT DATE 4-28
DUE DATE 4-28 DISCOUNT AMT. 0
DISTRIBUTION ACCT. 5596-11 SUB ACCT. 111392 AMOUNT 374.12
DATE ENTERED APR 6 2000 REFERENCE 111392

Plated DEPT

Check No:

Subtotal	374.12
Sales Tax	
Freight	
Total Invoice Amount	374.12
Payment Received	0.00
TOTAL	374.12

LORD

Chemical Products Division

Mail Payment To:
Lord Corporation
P.O. Box 360511M
Pittsburgh, PA 15251-6511 USA

Wire Transfer Payment To:
Lord Corporation
C/O Mellon Bank A/C #114-7442
Pittsburgh, PA 15251-6511 USA

D-U-N-S 04-820-3822

Invoice

Lord Corporation 2000 West Grandview Blvd. P.O. Box 10038 Erie, PA 16514-0038 USA (814)868-3611

Page 1

Invoice No. 0000184454		Customer Order No. 4-7369		Customer Code 4703400		Payment Terms NET 30 DAYS			
Invoice Date 8/18/98		CSR JHW		Sales Rep. 11102		Entry Date 8/13/98		Order No. 0182205	
Ship To: AMES SUPPLY CO 2537 CURTISS ST DOWNERS GROVE, IL 60515-0734					Sold To: AMES SUPPLY CO 2537 CURTISS ST DOWNERS GROVE IL 60515-0734 AA 0 081998 9:35:00				
Terms of Sale ORIGIN - SAEGERTOWN				Freight PREPAY AND CHARGE			Requested LIMITED PARCEL SERVICE X		
Line	Pricing Quantity		Unit Price	Product		Lot	Std	Lot	Extended Amount
	Ordered	Shipped	US\$			Quantity	UM	No.	US\$
1	3.00	3.00	55.21	CHEMLOK 233 GALLON		3.00	EA	816610	165.63
2	3.00	3.00	30.67	CHEMLOK 205 GALLON		3.00	EA	819110	92.01
ORDER FREIGHT CHARGE									39.62
Product Amount									257.64
Other Charges									39.62
SUPPLIES AMOUNT DUE									297.26
DATE MDSE REC'D _____ REBILLED ON # _____									
DATE INV REC'D AUG 21 1998									
VENDOR # 114161517 DISCOUNT DATE _____									
DUE DATE 9-18 DISCOUNT AMT. _____									
DISTRIBUTION ACCT. SUB ACCT. AMOUNT									
15594-1111111111 297.26									
DATE ENTERED _____ REFERENCE 103332									
AUG 24 1998									
ALL SHIPMENTS F.O.B. LORD PLANT									
THESE PRODUCTS FOR USE IN THE UNITED STATES ONLY.									
THIS ORDER IS NOT PACKAGED OR AUTHORIZED BY LORD									
CORPORATION FOR EXPORT FROM THE UNITED STATES TO									
ANY FOREIGN DESTINATION.									
WE CERTIFY THAT THE PRODUCTS IN THIS STATEMENT									
MEET CURRENT LORD PRODUCT SPECIFICATIONS AND THAT									

LORD

Chemical Products Division

Mail Payment To:
Lord Corporation
P.O. Box 360511M
Pittsburgh, PA 15251-6511 USA

Wire Transfer Payment To:
Lord Corporation
C/O Mellon Bank A/C #114-7442
Pittsburgh, PA 15251-6511 USA

L-U-N-S 04-820-3822

Invoice

Lord Corporation 2000 West Grandview Blvd. P.O. Box 10038 Eric, PA 16514-0038 USA (814)868-3611

Page 1

Invoice No. 0000164564		Customer Order No. 4-3009		Customer No. 470940		Payment Terms NET 30 DAYS				
Invoice Date 2/10/98		CSR JHW		Sales Rep. 11102		Entry Date 2/05/98		Order No. 0165905		
Ship To: AMES SUPPLY CO 2537 CURTISS ST DOWNERS GROVE, IL 60515-0734					Sold To: AMES SUPPLY CO 2537 CURTISS ST DOWNERS GROVE IL 60515-0734 AA 0 021198 9:09:11					
Terms of Sale ORIGIN - SAEGERTOWN				Freight PREPAY AND CHARGE			Requested Service UNITED PARCEL SERVICE			
Line	Pricing Quantity			Unit Price	Product	Lot	Std	Lot	Extended Amount	
	Ordered	Shipped	UM	US\$		Quantity	UM	No.	US\$	
1	6.00	6.00	GA	30.67	CHEMLOK 205 GALLON	6.00	EA	801610	184.02	
2	3.00	3.00	GA	55.21	CHEMLOK 233 GALLON	3.00	EA	724810	165.63	
					ORDER FREIGHT CHARGE					53.04
DATE ADSE REC'D 2/13					REBILLED ON					349.65
DATE INV REC'D FEB 14 1998					Product Amount					53.04
VENDOR # 1114161517					Other Charges					402.69
DUE DATE 3-20					AMOUNT DUE					
DISCOUNT DATE										
DISCOUNT AMT.										
DISTRIBUTION ACCT.										
SUB ACCT.										
AMOUNT 402.69										
98627										
FEB 19 1998										
REFERENCE										
					ALL SHIPMENTS F.O.B. LORD PLANT					
					THESE PRODUCTS FOR USE IN THE UNITED STATES ONLY.					
					THIS ORDER IS NOT PACKAGED OR AUTHORIZED BY LORD					
					CORPORATION FOR EXPORT FROM THE UNITED STATES TO					
					ANY FOREIGN DESTINATION.					
					WE CERTIFY THAT THE PRODUCTS IN THIS STATEMENT					
					MEET CURRENT LORD PRODUCT SPECIFICATIONS AND THAT					

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62


Document No. 5

MATERIAL SAFETY DATA SHEET

HEALTH	3
FLAMMABILITY	1
REACTIVITY	0

HMIS
SEVERE
SERIOUS
MODERATE
SLIGHT
MINIMAL

NFPA
EXTREME
HIGH
MODERATE
SLIGHT
INSIGNIFICANT



1399K21,22,23p24

PRODUCT NAME TAPMATIC #1 CUTTING FLUID

Section I

TAPMATIC
CORPORATION

1851 Kettering Street • Irvine, CA 92714
(714) 261-9302 • TWX: 9105951915 • CABLE: Tapco Irvine
FAX: 714 261-1944

Emergency Telephone Number:

CHEMTREC
(800) 424-9300
24 Hours

No. 178

Date Prepared May 14, 1990 (revised)

Section II - Ingredients

Ingredient	CAS NO.	CONC. %	ACCM. TV	Exposure Limit Respiratory	%
1,1,1 Trichloroethane	71-55-6	350 ppm	350 ppm	450 ppm STEL	84.5
Chlorinated Paraffin	63449-39-8	-	-	-	9.5
Glyceridic Oil	8016-28-2	-	-	-	3
Dimethoxymethane	109-87-5	-	1000 ppm	1250 ppm STEL	2
Tert-Butyl Alcohol	75-65-0	100 ppm	100 ppm	150 ppm STEL	< 1
1,2 - Butylene Oxide	106-88-7	-	-	40 ppm	< .5
Methyl Ester	119-36-8	-	-	-	< .2

RESOURCE CENTER

AUG 7 1991

100

Section III - Physical/Chemical Characteristics

Boiling Point	165°F	Specific Gravity (H ₂ O = 1)	1.32
Vapor Pressure (mm Hg.)	150	Melting Point	Not Applicable
Vapor Density (AIR = 1)	4.5	Evaporation Rate (Butyl Acetate = 1)	.37

Solubility in Water Negligible

Appearance and Odor Light brown liquid. Wintergreen scent

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	None (T.C.C.)	Flammable Limits	LEL 7.5	UEL 15.0
---------------------------	---------------	------------------	---------	----------

Extinguishing Media Water spray, dry chemical, carbon dioxide

Special Fire Fighting Procedures

Concentrated vapors can be ignited by high intensity ignition source. Firefighters should wear pressure demand, self-contained breathing apparatus.

Unusual Fire and Explosion Hazards

At high temperatures decomposition could release toxic gasses such as hydrogen chloride and phosgene.

Section V — Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	Under normal conditions product is stable.

Incompatibility (Materials to Avoid) Strong alkalies, open flames, electrical arcs.

Hazardous Decomposition or Byproducts Hydrogen chloride, phosgene.

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	Product is not known to polymerize.

Section VI — Health Hazard Data

Routes of Entry	Inhalation? Note 1	Skin? Note 2	Ingestion? Note 3
-----------------	--------------------	--------------	-------------------

Health Hazards (Acute and Chronic)

Note 1 - Levels above 1000 ppm may cause throat irritation, drowsiness or dizziness.
Levels above 2000 ppm may cause loss of coordination.
Levels above 20,000 ppm could result in respiratory depression endangering life and health.

Note 2 - Prolonged or repeated skin contact may cause skin defatting.

Note 3 - Irritation of the gastrointestinal tract.

Eyes - Possible eye irritation.

Carcinogenicity	NTP? No	IARC Monographs? No	OSHA Regulated? No
-----------------	---------	---------------------	--------------------

Signs and Symptoms of Exposure

Note 1 - Dizziness, nausea, headache, loss of coordination.

Note 2 - Skin irritation, rash.

Note 3 - Nausea; possible vomiting.

Eyes - Irritation, inflammation.

Medical Conditions

Generally Aggravated by Exposure None reported.

Emergency and First Aid Procedures

If Inhaled: Get person out of contaminated area to fresh air. If breathing has stopped artificial respiration should be started. Oxygen may be administered if available. Seek medical attention immediately.

For Skin: Wash with soap and water. If rash develops seek medical attention.

If Swallowed: If conscious give several glasses of water to drink. Keep airway clear. NEVER give anything by mouth to an unconscious person. Seek medical attention immediately.

For Eyes: Immediately flush with plenty of water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire eye surface. Seek medical attention immediately.

Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Spills should be contained and cleaned up immediately. Smaller spills may be soaked up with compatible absorbent materials which should then be placed in approved containers, labeled, and stored in a safe place out of doors to await proper disposal. The spill area should then be flushed with water.

Persons performing clean-up work should wear appropriate personal protective equipment and clothing. Significant spills should be reported to appropriate agencies.

Waste Disposal Method

The materials resulting from clean-up operations may be hazardous wastes, and therefore, subject to specific regulations. Package, store, transport, and dispose of all clean-up materials and any contaminated equipment in accordance with all applicable Federal, State, and local health and environmental regulations. Shipments of waste materials are subject to manifesting requirements per applicable regulations. Appropriate disposal will depend on the nature of each material and should be performed by competent and properly permitted contractors. Ensure that all responsible Federal, State and local agencies receive proper notification of spill and disposal method.

Precautions to Be Taken in Handling and Storing

Do NOT take internally.

Use with adequate ventilation.

Wash thoroughly after using.

Avoid contact with flame, hot glowing surfaces, or alkali metals to prevent decomposition resulting in toxic and irritating vapors.

Other Precautions

Use according to directions.

Always obey hazard warnings. Practice good housekeeping.

Store in a cool, well ventilated place.

Section VIII — Control Measures

Respiratory Protection Not required under normal conditions of use.

Ventilation	Local Exhaust	Recommended	Special	No
	Mechanical (General)	Yes	Other	Provide adequate ventilation.

Protective Gloves

Not required under normal conditions of use.

Eye Protection

Safety goggles with side shields.

Other Protective Clothing or Equipment

Not required under normal conditions of use.

Work/Hygiene Practices

Practice good personal hygiene.

ADDITIONAL INFORMATION

REGULATORY REQUIREMENTS

D.O.T. I.D. #UN2831

D.O.T. Hazard Class: ORM-A

D.O.T. Shipping name 1,1,1-Trichloroethane

EPA Hazardous waste #F001

RCRA Hazardous waste #U226

Calif. Hazardous waste #311

CERLA reportable quantity: 1000#

Subject to reporting requirements of SARA Title III

California Prop. 65-contains no listed substances requiring warning label.

State Right-To-Know Laws: As of date of preparation we believe this MSDS is in full compliance with laws of California, Oregon, Massachusetts, New Jersey, Pennsylvania, Washington and all other states.

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62

Document No. 6

DOWNERS GROVE, IL 60515



PRODUCTS

LPS LABORATORIES, INC.

4647 Hugh Howell Road, Box 105052, Tucker Georgia 30085-5052
1-800-241-8334 • GA 770-934-7800 • FAX 770-493-9206

AMES SUPPLY COMPANY
2537 CURTISS ST
DOWNERS GROVE, IL 60515

INVOICE

NO RETURNS WITHOUT PRIOR
WRITTEN CONSENT.

PLEASE PAY FROM THIS INVOICE
NO STATEMENT WILL BE SENT

VOICE NO.	PG	INVOICE DATE	DATE OF ORDER	CUSTOMER P.O. NUMBER	SHIP VIA
16085	1	0817 1998	0804 1998	4-7217	FALCON & RUDOLPH
CUSTOMER NO.	SLSM NO.	ORDER NO.	TERMS		
60	010	000063236 01	1.5%/15 Net 30	1-10- 100-CH	REG

ED	QTY B.O.	SHIPPED	ITEM NO.	UOM	DESCRIPTION	UNIT PRICE	Disc %	Net Price	EXTENSION
1	0	1	04701	CASE	4 - 1 GAL V-CLEAN	33.640000		33.640000	33.64
1	0	1	40320	CASE	12 - 16 OZ TAPMATIC #1 GOLD	49.920000		49.920000	49.92
<p>DATE ADSE REC'D <u>8-13</u> REBILLED ON # _____</p> <p>DATE INV REC'D <u>AUG 20 1998</u></p> <p>VENDOR # <u>11013141</u> DISCOUNT DATE <u>8-28</u></p> <p>DUE DATE _____ DISCOUNT AMT. <u>1.26</u></p> <p>DISTRIBUTION ACCT. _____ SUB ACCT. _____ AMOUNT _____</p> <p><u>33.64</u> _____</p> <p><u>49.92</u> _____</p> <p>_____</p> <p>DATE END REC'D _____ REFERENCE _____</p> <p><u>AUG 20 1998</u></p>						<p>CLEANER MACHINE SHOP SUPPLIES</p>			
SUBTOTAL						83.56			

ALL ACCOUNTS ARE SUBJECT TO A SERVICE CHARGE OF 1.5% PER MONTH (18% ANNUALLY) TOTAL ORDER AMT.

DUE WITHIN 30 DAYS - SEND PAYMENTS TO: LPS LABORATORIES, INC.
P.O. Box 101009
Atlanta, GA 30392

van

US DOLLARS

CUSTOMER ORIGINAL

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62

Document No. 7

MATERIAL SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Date of Prep: 2/1/00

SECTION 1

SUNNYSIDE CORPORATION
225 CARPENTER AVENUE
WHEELING, ILLINOIS 60090
EMERGENCY TELEPHONE

(847) 541-5700
(800) 424-9300

FOR INFORMATION:

(847) 541-5700

- SUNNYSIDE CORPORATION
- CHEM TREC

Product Class: Chlorinated Hydrocarbon
Trade Name: TRICHLOROETHYLENE
(Carbo-Sol)

Manufacturer's Code:
NPCA HMIS:

864
HEALTH: 2
FIRE: 1
REACTIVITY: 0

Product Appearance and Odor: Clear, colorless liquid with sweet odor.

SECTION 2 -- HAZARDOUS INGREDIENTS

OCCUPATIONAL EXPOSURE LIMITS

INGREDIENT	CAS #	PERCENT	ACGIH TLV (TWA)	ACGIH TLV (STEL)	OSHA PEL (TWA)	OSHA PEL (STEL)	VAPOR PRESSURE
Trichloroethylene	79-01-6		50 PPM	100 PPM	100 PPM	200 PPM	73 MM Hg @ 25° C.

SECTION 3 -- EMERGENCY AND FIRST AID PROCEDURES

Inhalation:
Eye Contact:
Skin Contact:

Remove to fresh air. If breathing has stopped, administer artificial respiration. Get medical attention immediately.
Flush eyes immediately with water for at least 15 minutes. Get medical attention.
Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. Get medical attention if irritation persists.

Ingestion:
NOTE TO PHYSICIAN:

Do not induce vomiting. Contact physician or emergency medical facility immediately.
Adrenalin should never be given to persons overexposed to Trichloroethylene.

SECTION 4 -- PHYSICAL DATA

The following data represent approximate or typical values. They do not constitute product specifications.

Boiling Range:	188° (F) - I.B.P.	Vapor Density:	Heavier than air
Evaporation Rate:	Slower than ether		
Weight Per Gallon:	12.11 lbs.	% Volatile By Volume:	100%
Solubility in Water:	1.11% (By Weight)		

SECTION 5 -- FIRE AND EXPLOSION DATA

Flammability Classification:	Non-Flammable.
Flash Point:	None (Tag, Closed Cup)
Autoignition Temperature:	770° F.
Lower Explosive Limit:	8.0%
Extinguishing Media:	Water fog, dry chemical, foam, carbon dioxide. Do not use direct water stream. It will spread fire.
Unusual Fire and Explosion Hazards:	Concentrated vapors can be ignited by high intensity ignition source. Thermal decomposition generates toxic and irritating vapors.
Special Fire Fighting Procedures:	Firefighters should wear self-contained positive pressure breathing apparatus. Storage containers exposed to fire should be kept cool with a water spray, in order to prevent pressure build-up.

SECTION 6 -- HEALTH HAZARD DATA**THRESHOLD LIMIT VALUE:
EFFECTS OF OVEREXPOSURE**

50 PPM TWA-8 hour (ACGIH)

Acute:

Excessive inhalation may produce symptoms of central nervous system depression ranging from light-headedness to unconsciousness and death. Ingestion may produce gastrointestinal irritation with nausea, vomiting, stomach cramps and diarrhea. Exposure of eyes and skin may produce irritation.

Chronic:

Can cause headache, mental confusion, depression, fatigue, loss of appetite, nausea, vomiting, cough, loss of sense of balance and vision disturbances. Chronic overexposure to Trichloroethylene has caused toxic effects in the liver, lymphatic, kidney and cardiovascular system of laboratory animals. Humans exposed to Trichloroethylene can become intolerant to Ethyl Alcohol, with small quantities causing inebriation and skin blotches.

ROUTES OF EXPOSURE:**Inhalation:**

Major route of potential exposure. Depresses the central nervous system. Symptoms of overexposure include headache, nausea, vomiting, dizziness, vertigo, fatigue, lightheadedness and coughing.

Skin:

Absorption of liquid through intact skin is a possible but unlikely route of significant exposure. Prolonged or repeated contact may cause irritation, defatting of skin, and dermatitis.

Eyes:

Liquid may cause pain, and slight temporary injury to eyes. Vapors can irritate eyes.

Ingestion:

Unlikely route of exposure. Single dose toxicity low to moderate. If vomiting occurs, Trichloroethylene can be aspirated into lungs, which can cause chemical pneumonia and systemic effects.

Medical Conditions Aggravated by Exposure:

Acute and chronic liver and kidney disease, rhythm disorders of the heart, neuritis and other nervous system disorders.

Carcinogenicity:

The International Agency for Research on Cancer (IARC) has concluded that there is sufficient evidence for the carcinogenicity of Trichloroethylene to experimental animals, and limited evidence for the carcinogenicity of Trichloroethylene to humans, resulting in a classification in Group 2A as a substance probably carcinogenic to humans. The ACGIH has classified Trichloroethylene in category A5 as an agent not suspected as a human carcinogen. Trichloroethylene is listed on the IARC carcinogen list, but not by OSHA or NTP.

Reproductive Toxicity:

Reproductive toxicity tests have been conducted to evaluate the adverse potential effects Trichloroethylene may have on reproduction and offspring of laboratory animals. Results indicate that Trichloroethylene does not cause birth defects in mice, rats or rabbits.

Note to Physician:

Adrenalin should never be given to persons overexposed to Trichloroethylene.

SECTION 7 -- REACTIVITY DATA**Stability:**

Stable under normal conditions.

Conditions to Avoid:

Heat, open flame or electrical arcs.

Incompatibility (Materials to Avoid):

Avoid contacting this product with pure oxygen or alkali metals.

Hazardous Decomposition Products:

At high temperatures this product decomposes to give off hydrogen chloride vapor and small quantities of other toxic and irritating vapors.

Hazardous Polymerization:

Not known to occur.

SECTION 8 -- SPILL OR LEAK PROCEDURES

Steps to be taken in case material is spilled or released: Remove ignition sources, evacuate area, avoid breathing vapor or contact with liquid. Recover free liquid or stop leak if possible. Dike large spills and use absorbent material for small spills. Keep spilled material out of sewers, ditches and bodies of water. Avoid contaminating ground and surface waters.

Waste disposal method: Send to a licensed reclaimer or incinerator. Dispose of in accordance with local, state and federal regulations.

SECTION 9 -- SAFE HANDLING AND USE INFORMATION**Respiratory Protection:**

Not required under normal use. Use a NIOSH/MSHA approved respirator where mist, spray or vapor is generated and exceeds TLV.

Ventilation:

Do not use in closed or confined space. Open doors and/or windows. Use ventilation to maintain exposure levels below 50 PPM (TWA).

Protective Gloves:

Wear solvent-resistant gloves such as Viton, Polyvinyl Alcohol or Polyfluorinated Polyethylene.

Eye Protection:

Chemical goggles and/or face shield should be worn where splashing is possible. Contact lenses should not be worn.

Other Protective Equipment

Impervious clothing or boots, if needed. Wash contaminated clothing before reuse.

SECTION 10 - SPECIAL PRECAUTIONS

Dept. of Labor Storage Category:
Hygienic Practices:

Non-flammable.
Avoid contact with skin and avoid breathing vapors. Do not eat, drink or smoke in work areas. Wash hands prior to eating, drinking or using rest room.

Additional Precautions:

Do not store where Zinc or Aluminum are used.

Empty Container Warning:

"Empty" containers retain residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks or other sources of ignition. They may explode and cause injury or death. Do not attempt to clean since residue is difficult to remove. "Empty" drums should be completely drained, properly buried and promptly returned to supplier or disposed of in an environmentally safe manner and in accordance with governmental regulations.

SECTION 11 - ADDITIONAL INFORMATION

This product contains the following toxic chemical(s) which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

TOXIC CHEMICAL	CAS #	APPROXIMATE % BY WEIGHT
Trichloroethylene	79-01-6	100.00%

SARA Title III Hazard Categories:

Immediate (Acute) Health, Delayed
(Chronic) Health

Common Names:

Ethylene Trichloride
Trichloroethylene

California Proposition 65:

The State of California has listed
Trichloroethylene under Proposition 65 as a
chemical known to the state to cause
cancer.

TRANSPORTATION (U.S. D.O.T. land transportation in packages of 119 gallons or less)

U.S. D.O.T. Proper Shipping Name:

Trichloroethylene

U.S. D.O.T. Hazard Class & Packing Group:

6.1, PG III

U.S. D.O.T. Identification Number:

UN 1710

U.S. D.O.T. Hazardous Substance:

Trichloroethylene RQ 100 lbs.

Refer to 49 CFR for additional information. Exceptions or exemptions may exist for smaller quantities.

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62

Document No. 8

ORIGINAL INVOICE

REPRINT



AMES SUPPLY COMPANY

A Century of Solutions

2537 CURTISS STREET
 DOWNERS GROVE, IL 60515
 PHONE: 630/964-2440 FAX: 630/964-0497

S
O
L
D

T
O

AMES SUPPLY CO
 2537 CURTISS STREET
 DOWNERS GROVE IL

60515

S
H
I
P

T
O

*** DO NOT SHIP ****
 GIVE TO DEPT:RECOVERY
 ATTN:DAN/RAY

CUSTOMER NO.	INVOICE NO.	INVOICE DATE	TERMS	CUSTOMER ORDER NO.	PACKAGE NO.	PAGE NO.
04-000004	871834	08-14-00	NET 30	000814	583325	1

PRODUCT NUMBER	QUANTITY SHIPPED	QUANTITY BACK ORDERED	DESCRIPTION	UNIT PRICE	AMOUNT
2606521-99	20		CLNR,CARBO-SOL 1 GAL 864G1,HZ,	13.18	263.60
			SHIPPING AND HANDLING		3.75
			THANK YOU FOR YOUR ORDER !		
			CALL & ASK ABOUT OUR MONTHLY SPECIALS		
			CALL:800-323-3856 OR FAX:800-848-8780		
			ONLINE ORDERING NOW AVAILABLE		
			www.amesupply.com		

PLEASE PAY FROM THIS INVOICE

ALL RETURNS MUST HAVE
 PRIOR AUTHORIZATION FROM
 AMES SUPPLY COMPANY
 CUSTOMER-SERVICE DEPT
 Call 1-800-323-3856 to place your Order
 24 Hour Fax Line 1-800-848-8780

PLEASE PAY THIS AMOUNT
 THANK YOU FOR YOUR ORDER !!!

267.35

PLEASE PAY FROM THIS INVOICE

DETACH AND RETURN WITH PAYMENT

REMIT TO: AMES SUPPLY COMPANY
 2537 CURTISS STREET
 DOWNERS GROVE, IL 60515
 630-964-2440

CUSTOMER NO.

04-000004

PACKAGE NO.

583325

INVOICE DATE

08-14-00

INVOICE NO.

871834

INVOICE TOTAL

267.35

ORIGINAL INVOICE



AMES SUPPLY COMPANY

A Century of Solutions

REPRINT

2537 CURTISS STREET
 DOWNERS GROVE, IL 60515
 PHONE: 630/964-2440 FAX: 630/964-0497

**S
O
L
D
T
O**
 AMES SUPPLY CO
 2537 CURTISS STREET
 DOWNERS GROVE IL
 60515

**S
H
I
P
T
O**
 *** DO NOT SHIP ***
 GIVE TO DEPT:RECOVERY
 ATTN:DAN/RAY

CUSTOMER NO.	INVOICE NO.	INVOICE DATE	TERMS	CUSTOMER ORDER NO.	PACKAGE NO.	PAGE NO.
04-000004	865423	06-08-00	NET 30	000608	577192	1

PRODUCT NUMBER	QUANTITY SHIPPED	QUANTITY BACK ORDERED	DESCRIPTION	UNIT PRICE	AMOUNT
2606521-99	20		CLNR,CARBO-SOL 1 GAL 864G1,HZ, THANK YOU FOR YOUR ORDER ! CALL & ASK ABOUT OUR MONTHLY SPECIALS CALL:800-323-3856 OR FAX:800-848-8780 ONLINE ORDERING NOW AVAILABLE www.amesupply.com	13.18	263.60

PLEASE PAY FROM THIS INVOICE

ALL RETURNS MUST HAVE
 PRIOR AUTHORIZATION FROM
 AMES SUPPLY COMPANY
 CUSTOMER SERVICE DEPT
 Call 1-800-323-3856 to place your Order
 24 Hour Fax Line 1-800-848-8780

PLEASE PAY THIS AMOUNT
 THANK YOU FOR YOUR ORDER !!!

263.60

PLEASE PAY FROM THIS INVOICE

REMIT TO: AMES SUPPLY COMPANY
 2537 CURTISS STREET
 DOWNERS GROVE, IL 60515
 630-964-2440

DETACH AND RETURN WITH PAYMENT

CUSTOMER NO.	PACKAGE NO.	INVOICE DATE	INVOICE NO.	INVOICE TOTAL
04-000004	577192	06-08-00	865423	263.60

ORIGINAL INVOICE



AMES SUPPLY COMPANY

A Century of Solutions

REPRINT

2537 CURTISS STREET
 DOWNERS GROVE, IL 60515
 PHONE: 630/964-2440 FAX: 630/964-0497

S
O
L
D
T
O
 AMES SUPPLY CO
 2537 CURTISS STREET
 DOWNERS GROVE IL
 60515

S
H
I
P
T
O
 *** DO NOT SHIP ***
 GIVE TO DEPT:RECOVERY
 ATTN:DAN/RAY

CUSTOMER NO.	INVOICE NO.	INVOICE DATE	TERMS	CUSTOMER ORDER NO.	PACKAGE NO.	PAGE NO.
04-000004	860218	04-21-00	NET 30	000421	572413	1

PRODUCT NUMBER	QUANTITY SHIPPED	QUANTITY BACK ORDERED	DESCRIPTION	UNIT PRICE	AMOUNT
2606521-99	20		CLNR, CARBO-SOL 1 GAL 864G1, HZ, THANK YOU FOR YOUR ORDER ! CALL & ASK ABOUT OUR MONTHLY SPECIALS CALL:800-323-3856 OR FAX:800-848-8780 ONLINE ORDERING NOW AVAILABLE www.amesupply.com	13.18	263.60

PLEASE PAY FROM THIS INVOICE

ALL RETURNS MUST HAVE
 PRIOR AUTHORIZATION FROM
 AMES SUPPLY COMPANY
 CUSTOMER SERVICE DEPT
 Call 1-800-323-3856 to place your Order
 24 Hour Fax Line 1-800-848-8780

PLEASE PAY THIS AMOUNT
 THANK YOU FOR YOUR ORDER !!!

263.60

PLEASE PAY FROM THIS INVOICE

REMIT TO: AMES SUPPLY COMPANY
 2537 CURTISS STREET
 DOWNERS GROVE, IL 60515
 630-964-2440

DETACH AND RETURN WITH PAYMENT

CUSTOMER NO.	PACKAGE NO.	INVOICE DATE	INVOICE NO.	INVOICE TOTAL
04-000004	572413	04-21-00	860218	263.60

ORIGINAL INVOICE



AMES SUPPLY COMPANY

A Century of Solutions

REPRINT

2537 CURTISS STREET
 DOWNERS GROVE, IL 60515
 PHONE: 630/964-2440 FAX: 630/964-0497

S
O
L
D

T
O

AMES SUPPLY CO
 2537 CURTISS STREET
 DOWNERS GROVE IL

60515

S
H
I
P

T
O

*** DO NOT SHIP ***
 GIVE TO DEPT:SPECIALS
 ATTN:TIM ROMAN

CUSTOMER NO.	INVOICE NO.	INVOICE DATE	TERMS	CUSTOMER ORDER NO.	PACKAGE NO.	PAGE NO.
04-000004	852193	02-17-00	NET 30	000216	564766	1

PRODUCT NUMBER	QUANTITY SHIPPED	QUANTITY BACK ORDERED	DESCRIPTION	UNIT PRICE	AMOUNT
2606521-99	20		CLNR, CARBO-SOL 1 GAL 864G1, HZ, THANK YOU FOR YOUR ORDER ! CALL & ASK ABOUT OUR MONTHLY SPECIALS CALL: 800-323-3856 OR FAX: 800-848-8780 ONLINE ORDERING NOW AVAILABLE www.amessupply.com	13.18	263.6

PLEASE PAY FROM THIS INVOICE

ALL RETURNS MUST HAVE
 PRIOR AUTHORIZATION FROM
 AMES SUPPLY COMPANY
 CUSTOMER SERVICE DEPT
 Call 1-800-323-3856 to place your Order
 24 Hour Fax Line 1-800-848-8780

PLEASE PAY THIS AMOUNT
 THANK YOU FOR YOUR ORDER !!!

263.60

PLEASE PAY FROM THIS INVOICE

REMIT TO: AMES SUPPLY COMPANY
 2537 CURTISS STREET
 DOWNERS GROVE, IL 60515
 630-964-2440

DETACH AND RETURN WITH PAYMENT

CUSTOMER NO.	PACKAGE NO.	INVOICE DATE	INVOICE NO.	INVOICE TOTAL
04-000004	564766	02-17-00	852193	263.60

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62

Document No. 9



Please print or type. Form designed for use on elite (12-pitch) typewriter.

Form Approved. OMB No. 2050-0039. Expires 9-3.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. <i>ILD 005163811</i>	Manifest Document No. <i>000011</i>	2. Page 1 of 1	Information in the shaded area is not required by Federal law	
3. Generator's Name and Mailing Address <i>Ames Supply 2537 Curtis, PL 60515 Downers Grove, IL 60515</i>				A. State Manifest Document Number <i>WI J337729</i>		
4. Generator's Phone <i>(708) 964-2440</i>				B. State Generator's ID <i>2066</i>		
5. Transporter 1 Company Name <i>Hydrite Chemical</i>		6. US EPA ID Number <i>WID 080509359</i>		C. State Transporter's ID <i>(608) 257-1414</i>		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone		
9. Designated Facility Name and Site Address <i>Hydrite Chemical 114 MAIN ST Cottage Grove, WI 53</i>		10. US EPA ID Number <i>WID 000808824</i>		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone <i>(608) 257-1414</i>		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No.	Type	13. Total Quantity	14. Unit wt/vol	I. Waste No.
a. <i>RG, waste oil - combustible, LIQUID</i>		<i>0.02</i>	<i>dr</i>	<i>0.01035</i>	<i>gal</i>	<i>0010</i>
b. <i>Hazardous waste liquid, NOS, OPM</i>		<i>0.05</i>	<i>dr</i>	<i>0.01275</i>	<i>gal</i>	<i>0013</i>
c. <i>Waste OPM-A, NOS, OPM-F, F001</i>		<i>0.01</i>	<i>dr</i>	<i>0.00155</i>	<i>gal</i>	<i>F001</i>
d. <i>RG, waste Flammable liquid, NOS, LIQUID</i>		<i>0.01</i>	<i>dr</i>	<i>0.00055</i>	<i>gal</i>	<i>F001</i>
J. Additional Descriptions for Materials Listed Above <i>oil, water mix</i>				K. Handling Codes for Wastes Listed Above		
15. Special Handling Instructions and Additional Information <i>Authorization #A) 105949-H-52872 Emergency ph# (708) 964-2440</i>						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations and according to the requirements of the Wisconsin Department of Natural Resources. If I am a large quantity generator, I also certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment.						
OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name & Position Title <i>GREGORY MYHRE</i>				Signature <i>[Signature]</i>		Date Month Day Year <i>4/13/92</i>
17. TRANSPORTER 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name & Position Title <i>MIKE SWADER DRIVER</i>				Signature <i>[Signature]</i>		Date Month Day Year <i>04/13/92</i>
18. TRANSPORTER 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name & Position Title				Signature		Date Month Day Year
19. Discrepancy Indication Space						
20. FACILITY OWNER OR OPERATOR: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name & Position Title				Signature		Date Month Day Year



CHEMICAL CO.

INCOMING SAMPLE ANALYSIS FORM

114 N. MAIN STREET

P.O. BOX 247

COTTAGE GROVE, WI 53527

608/257-5892

FACSIMILE: 608/839-4475

SHEET #: AO73186

LAB #: 1304-249

DATE: 4/15/1993

LAB TYPE: QCA

BATCH #:

LOT #: 1304-249

COMPANY: AMES SUPPLY

WASTE MASTER: 105868

AUTH #: 52870

BRANCH: H

MATERIAL: HALO/FLAM DISPO

SALESPERSON: BRUEBACH

PART # RWD00401

CUSTOMER # AM4550

WET CHEMISTRY DATA

DENSITY: 0.974

pH: 7

TOTAL DIST:

% YIELD:

SOLIDS:

BTU/LB: 6,249

% CHLORIDES: 12.4%

WATER BY KF:

COLOR

ACID ACC.

FLASH POINT (TCC DEG F):

PCB #: P304-159

PCB RESULTS: N

COMMENTS:

2 DRUMS

ALCOHOLS:

N-BUTANOL

ETHANOL

ISOBUTANOL

METHANOL

WATER

ISOPROPANOL

N-PROPANOL

DILUENTS:

HEPTANE

HEXANE

MINERAL SPIRITS

100 FLASH NAPHTHA

STODDARD SOLVENT

TOLUENE

XYLENE

VM&P NAPHTHA

CHLORINATED:

METHYLENE CHLORIDE

PERCHLOROETHYLENE

1,1,1 TRICHLOROETHANE

FLUOROCARBON

TRICHLOROETHYLENE

ACTIVES:

ACETONE

N-BUTYL ACETATE

ETHYL ACETATE

ISOBUTYL ACETATE

ISOPROPYL ACETATE

METHYL ETHYL KETONE

METHYL ISOBUTYL KETONE

N-PROPYL ACETATE

GLYCOL ETHER EB

GLYCOL ETHER EEAC

GLYCOL ETHER PM

GLYCOL ETHER PMA

CYCLOHEXANONE

TETRAHYDROFURAN

GLYCOL ETHER EE

GLYCOL ETHER EM

GLYCOL ETHER EEP

GLYCOL ETHER EP

OTHERS:

ANALYZED BY SS/TA

TOTAL: 0 %



CHEMICAL CO.

114 N. MAIN STREET

P.O. BOX 247

COTTAGE GROVE, WI 53527

608/257-5892

FACSIMILE: 608/839-4475

WASTE PROCESSING CERTIFICATION OF DESTRUCTION

FOR: AMES SUPPLY

WASTE MASTER #: 105868

AUTHORIZATION #: 52870

Manifest #: WIJ337729

This document certifies that the material listed on the referenced/attached manifest, will be beneficially recycled or reused by Hydrite Chemical Co., located in Cottage Grove, WI (EPA# WID000808824). The waste residue from our operations will be utilized in a secondary fuel stream and thermally destroyed in a RCRA permitted cement kiln.

Any material which can not be treated as indicated above will be thermally destroyed at a licensed incinerator or aggregate kiln.

Containers used to transfer material to Hydrite Chemical Co., will be recycled for further use at an approved drum reconditioner.

Authorized Signature

Hydrite Chemical Company

Cottage Grove, WI 53527



CHEMICAL CO.

INCOMING SAMPLE ANALYSIS FORM

114 N. MAIN STREET

P.O. BOX 247

COTTAGE GROVE, WI 53527

608/257-5892

FACSIMILE: 608/839-4475

SHEET #: AO73187

LAB #: 1304-250

DATE: 4/14/1993

LAB TYPE: QCA

BATCH #:

LOT #: 1304-250

COMPANY: AMES SUPPLY CO.

WASTE MASTER: 105950

AUTH.#: 52871

BRANCH: H

MATERIAL: LOW BTU LIQUID

SALESPERSON: BRUEBACH

PART # RWD00901

CUSTOMER # AM4550

WET CHEMISTRY DATA

DENSITY: 0.82

pH: 5

TOTAL DIST: 15/25

% YIELD: 40 %

SOLIDS: F

BTU/LB:

% CHLORIDES:

WATER BY KF:

COLOR

ACID ACC.

FLASH POINT (TCC DEG F):

PCB #: P304-158

PCB RESULTS:

COMMENTS:

SAMPLE CONTAINS 90% FREE WATER

2 DRUMS

DISTILLATE - 5 MLS WATER

ANALYZED BY SN/SS

ALCOHOLS:

N-BUTANOL
ETHANOL
ISOBUTANOL
METHANOL
WATER
ISOPROPANOL
N-PROPANOL

DILUENTS:

HEPTANE
HEXANE
MINERAL SPIRITS
100 FLASH NAPHTHA
96.5 % STODDARD SOLVENT
0.5 % TOLUENE
XYLENE
VM&P NAPHTHA

CHLORINATED:

METHYLENE CHLORIDE
PERCHLOROETHYLENE
3 % 1,1,1 TRICHLOROETHANE
FLUOROCARBON
TRICHLOROETHYLENE

ACTIVES:

ACETONE
N-BUTYL ACETATE
ETHYL ACETATE
ISOBUTYL ACETATE
ISOPROPYL ACETATE
METHYL ETHYL KETONE
METHYL ISOBUTYL KETONE
N-PROPYL ACETATE
GLYCOL ETHER EB
GLYCOL ETHER EEAC
GLYCOL ETHER PM
GLYCOL ETHER PMA
CYCLOHEXANONE
TETRAHYDROFURAN
GLYCOL ETHER EE
GLYCOL ETHER EM
GLYCOL ETHER EEP
GLYCOL ETHER EP

OTHERS:

TOTAL: 100 %



CHEMICAL CO.

114 N. MAIN STREET

P.O. BOX 247

COTTAGE GROVE, WI 53527

608/257-5892

FACSIMILE: 608/839-4475

WASTE PROCESSING
CERTIFICATION OF DESTRUCTION

FOR: AMES SUPPLY CO.

WASTE MASTER #: 105950

AUTHORIZATION #: 52871

Manifest #: WIJ337729

This document certifies that the material listed on the referenced/attached manifest, will be beneficially recycled or reused by Hydrite Chemical Co., located in Cottage Grove, WI (EPA# WID000808824). The waste residue from our operations will be utilized in a secondary fuel stream and thermally destroyed in a RCRA permitted cement kiln.

Any material which can not be treated as indicated above will be thermally destroyed at a licensed incinerator or aggregate kiln.

Containers used to transfer material to Hydrite Chemical Co., will be recycled for further use at an approved drum reconditioner.

Authorized Signature

Hydrite Chemical Company

Cottage Grove, WI 53527



HYDRITE CHEMICAL CO.

INCOMING SAMPLE ANALYSIS FORM

114 N. MAIN STREET

P.O. BOX 247

COTTAGE GROVE, WI 53527

608/257-5892

FACSIMILE: 608/839-4475

SHEET #: AO73189

LAB #: I304-251

DATE: 4/15/1993

LAB TYPE: QCA

BATCH #:

LOT #: I304-251

COMPANY: AMES SUPPLY CO.

WASTE MASTER: 105949

AUTH.#: 52872

BRANCH: H

MATERIAL: FLAMMABLE DISPOSAL

SALESPERSON: BRUEBACH

PART # RWD00101

CUSTOMER # AM4550

WET CHEMISTRY DATA

DENSITY: 0.801

pH: 5

TOTAL DIST:

% YIELD:

SOLIDS:

BTU/LB:

% CHLORIDES: 8.3%

WATER BY KF:

COLOR

ACID ACC.

FLASH POINT (TCC DEG F):

PCB #: P304-158

PCB RESULTS:

COMMENTS:

FUEL OIL FIVE DRUMS

18576 BTU/LB.

NON-CONFORMING - RESAMPLE 11.7% CHL STILL

NON-CONFORMING

ANALYZED BY SS/TA/KH

ALCOHOLS:

N-BUTANOL

ETHANOL

ISOBUTANOL

METHANOL

WATER

ISOPROPANOL

N-PROPANOL

DILUENTS:

HEPTANE

HEXANE

MINERAL SPIRITS

100 FLASH NAPHTHA

STODDARD SOLVENT

TOLUENE

XYLENE

VM&P NAPHTHA

CHLORINATED:

METHYLENE CHLORIDE

PERCHLOROETHYLENE

1,1,1 TRICHLOROETHANE

FLUOROCARBON

TRICHLOROETHYLENE

ACTIVES:

ACETONE

N-BUTYL ACETATE

ETHYL ACETATE

ISOBUTYL ACETATE

ISOPROPYL ACETATE

METHYL ETHYL KETONE

METHYL ISOBUTYL KETONE

N-PROPYL ACETATE

GLYCOL ETHER EB

GLYCOL ETHER EEAC

GLYCOL ETHER PM

GLYCOL ETHER PMA

CYCLOHEXANONE

TETRAHYDROFURAN

GLYCOL ETHER EE

GLYCOL ETHER EM

GLYCOL ETHER EEP

GLYCOL ETHER EP

OTHERS:

TOTAL: 0 %



CHEMICAL CO.

114 N. MAIN STREET

P.O. BOX 247

COTTAGE GROVE, WI 53527

608/257-5892

FACSIMILE: 608/839-4475

WASTE PROCESSING
CERTIFICATION OF DESTRUCTION

FOR: AMES SUPPLY CO.

WASTE MASTER #: 105949

AUTHORIZATION #: 52872

Manifest #: J337729

This document certifies that the material listed on the referenced/attached manifest, will be beneficially recycled or reused by Hydrite Chemical Co., located in Cottage Grove, WI (EPA# WID000808824). The waste residue from our operations will be utilized in a secondary fuel stream and thermally destroyed in a RCRA permitted cement kiln.

Any material which can not be treated as indicated above will be thermally destroyed at a licensed incinerator or aggregate kiln.

Containers used to transfer material to Hydrite Chemical Co., will be recycled for further use at an approved drum ~~reconditioner~~.

Authorized Signature

Hydrite Chemical Company

Cottage Grove, WI 53527



HYDRITE CHEMICAL CO.

INCOMING SAMPLE ANALYSIS FORM

114 N. MAIN STREET

P.O. BOX 247

COTTAGE GROVE, WI 53527

608/257-5892

FACSIMILE: 608/839-4475

SHEET #: AO73185

LAB #: 1304-248

DATE: 4/14/1993

LAB TYPE: QCA

BATCH #:

LCT #: 1304-248

COMPANY: AMES SUPPLY CO

WASTE MASTER: 105952

AUTH.#: 52873

BRANCH: H

MATERIAL: HALO/FLAM DISPO

SALESPERSON: BRUEBACH

PART # RWD00401

CUSTOMER # AM4550

WET CHEMISTRY DATA

DENSITY: 1.041

pH: 9

TOTAL DIST: 15/27

% YIELD: 55 %

SOLIDS: F

BTU/LB:

% CHLORIDES: 39.3%

WATER BY KF:

COLOR

ACID ACC.

FLASH POINT (TCC DEG F):

PCB #: P304-159

PCB RESULTS:

COMMENTS:

1 DRUM

CHLORIDES CALCULATED

ALCOHOLS:

N-BUTANOL

1.5 % ETHANOL

ISOBUTANOL

METHANOL

6.5 % WATER

ISOPROPANOL

N-PROPANOL

DILUENTS:

HEPTANE

0.5 % HEXANE

MINERAL SPIRITS

100 FLASH NAPHTHA

STODDARD SOLVENT

4.5 % TOLUENE

XYLENE

2 % VM&P NAPHTHA

CHLORINATED:

METHYLENE CHLORIDE

PERCHLOROETHYLENE

81 % 1,1,1 TRICHLOROETHANE

1.5 % FLUOROCARBON

1.5 % TRICHLOROETHYLENE

ACTIVES:

0.5 % ACETONE

N-BUTYL ACETATE

ETHYL ACETATE

ISOBUTYL ACETATE

ISOPROPYL ACETATE

METHYL ETHYL KETONE

METHYL ISOBUTYL KETONE

N-PROPYL ACETATE

GLYCOL ETHER EB

GLYCOL ETHER EEAC

GLYCOL ETHER PM

GLYCOL ETHER PMA

CYCLOHEXANONE

TETRAHYDROFURAN

GLYCOL ETHER EE

GLYCOL ETHER EM

GLYCOL ETHER EEP

GLYCOL ETHER EP

OTHERS:

0.5 % HB NOS NAPHTHA

TRACES MEOH,

AND MECL

ANALYZED BY SN

TOTAL: 100 %



CHEMICAL CO.

114 N. MAIN STREET

P.O. BOX 247

COTTAGE GROVE, WI 53527

608/257-5892

FACSIMILE: 608/839-4475

WASTE PROCESSING CERTIFICATION OF DESTRUCTION

FOR: AMES SUPPLY CO

WASTE MASTER #: 105952

AUTHORIZATION #: 52873

Manifest #: WIJ337729

This document certifies that the material listed on the referenced/attached manifest, will be beneficially recycled or reused by Hydrite Chemical Co., located in Cottage Grove, WI (EPA# WID000808824). The waste residue from our operations will be utilized in a secondary fuel stream and thermally destroyed in a RCRA permitted cement kiln.

Any material which can not be treated as indicated above will be thermally destroyed at a licensed incinerator or aggregate kiln.

Containers used to transfer material to Hydrite Chemical Co., will be recycled for further use at an approved drum reconditioner.

Authorized Signature

Hydrite Chemical Company

Cottage Grove, WI 53527

WASTE CODE WORKSHEET

CUSTOMER: Ames Supply Co WPM#: 105452-H
 PSN: Waste CRM-A, W.C.S.
 ADD'L DESCRIPTION: (6.11 Trickle-down, Mineral Sprites)
 HAZARD CLASS: CRM-A
 UN/NA NO. NA 1693 RQ: _____

I. EPA AREA
 EPA WASTE CODES: PRIMARY: F001

D028 D040 D08 D035

II. LAND BAN FORM RECOMMENDATIONS
 CHECK F001 - F005 BOXES BELOW

old for _____

III. CHARACTERISTIC WASTE:
 WASTE CODE SUBCAT PBSTD STSTD

D028 None None At This Time
D040 4 4
D019 7 4
D035 4 7

IV. CALIFORNIA LIST



HYDRITE CHEMICAL CO.

SALES SAMPLE ANALYSIS REPORT FORM

COMPANY: AMES SUPPLY CO.

114 N. MAIN STREET
P.O. BOX 247
COTTAGE GROVE, WI 53527
608/257-5872
FACSIMILE: 608/839-4475

DATE: 1/27/1989

WASTE MASTER #: 105962

CHROMATOGRAPHIC ANALYSISAlcohol

N Butanol
Isobutanol
Ethanol
Methanol
2.5 % Isopropanol
N Propanol
Water

Diluents

Hexane
Heptane
8.5 % Toluene
Xylene
39.5 % Mineral Spirits
Stoddard Sol.
VM&P Naphtha
100 Flash Naphtha

Chlorinated

Methylene Chloride
Perchloroethylene
49.5 % 111 Trichloroethane
Trichloroethylene
112 trichloro
112 Trifluoroethane

Actives

Acetone
N Butyl Acetate
Isobutyl Acetate
N Propyl Acetate
Isopropyl Acetate
Ethyl Acetate
Glycol Ether EB
Glycol Ether EEAC
Glycol Ether PM
Glycol Ether PMA
Glycol Ether EE
Glycol Ether EM
Glycol Ether EEP
Cyclohexanone
Methyl Ethyl Ketone
Methyl Isobutyl Ketone

Other

TRACES OF WATER
ACE AND MEK

MATERIAL: 111/MS/OIL

SALESPERSON: MILLER

LAB NUMBER: S301-129

PART NUMBER: FWD00401

WET CHEMISTRY DATA

pH 3 WASTE DENSITY 0.898

BTU/LB 12.539 BTU/GAL 101,276 CHLORIDES 27.9%

YIELD 65 % SOLIDS F COLOR

WATER BY KARL FISCHER

FLASH POINT (TCC DEG F)

RECOMMENDATIONS:

LABEL NONFLAMMABLE

DOT HAZARD CLASS ORM-A

EPA WASTE CODE NUMBER F001

DOT PSN WASTE ORM-A, N.O.S.

COMMENTS

"MS, OIL": DISTILLATION STOPPED EARLY DUE
TO SMOKE; FLASHPOINT >200 DEGREES F

TOTALS:

2.5% ALCOHOL
48 % DILUENTS
49.5% CHLORINATED
0 % ACTIVES
0 % OTHERS
TOTALS

CERTIFIED BY: SS/MM



HYDRITE CHEMICAL CO.

GENERATOR'S WASTE PROFILE

No. 010595

SALES REP _____
DISTRIBUTOR _____SAMPLE DATE _____
DATE REC'D LAB _____
MNAFR _____GENERATOR'S NAME: _____
STREET ADDRESS: _____
CITY: _____
STATE: _____ ZIP: _____
EPA ID # _____

OFFICE USE ONLY

CUSTOMER # _____
WASTE MASTER # _____
PART # IN: _____
PART # OUT: _____
METHOD OF DISP. _____
WASTE GA/MON. _____ %YIELD _____CONTACT 1 _____ PHONE # _____ TITLE _____
CONTACT 2 _____ PHONE # _____ TITLE _____
FAX # () _____ 24 HOUR EMERGENCY # () _____
MANIFEST RETURN TO: _____

B. GENERATING INFORMATION

Quantity Generated 55 Gal./Lbs. Per _____ Day _____ Week _____ Month _____ Year ☒ One Tin
Type of Storage ☒ Drums _____ Bulk (bulk tank size) _____ gal. Is this a tank mix error? _____ Y ☒
Is this material currently being recycled? _____ Yes ☒ No _____ If so, by whom? _____
Can generator reuse this material? _____ Yes ☒ No _____ % Recover _____

C. WASTE INFORMATION

Description of Process Generating Waste Degreasing of steel rollers
☒ Off Spec. Product _____ ☐ Spill Residue _____ ☐ Container Residue _____ ☐ Obsolete Product _____ ☐ By-Product
☒ Degreaser _____ ☐ Clean Up _____ ☐ Gun Flush _____ ☐ Intermediate _____ ☐ Cold Cleaning _____ ☐ Other _____

Typical Solvent Composition Before Use	Solids Composition	Odor	pH Range	Specific Gravity	Physical State
<u>Miscel Sol. 90%</u>	<u>1%</u> _____ %	None _____	{ 2.0 - 12.5 Acceptable }	<input type="checkbox"/> < .8 <input type="checkbox"/> 1.0 - 1.4	<input type="checkbox"/> SOLID
<u>Int. 10%</u>	<u>5%</u> _____ %	Mild _____		<input type="checkbox"/> .8 - 1.0 <input type="checkbox"/> > 1.4	<input type="checkbox"/> SEMI-SOLID
_____ %	_____ %	Strong _____			<input type="checkbox"/> LIQUID
_____ %	_____ %	Describe _____			<input type="checkbox"/> LAYERED
_____ %	_____ %	_____			<input type="checkbox"/> MULTI-LAYERED
_____ %	_____ %	_____			
_____ %	_____ %	_____			
_____ %	_____ %	_____			
Total	Water _____ %	_____			

D. OTHER HAZARDOUS MATERIALS

Does this material contain anything on "Material Not Acceptable for Recycling" sheet? _____ Yes ☒ No
If YES, what? _____Is this solvent usually handled by Hydrite? ☒ Yes _____ No _____ If NO, are MSDS Sheets attached? _____ Yes ☒
Is other analytical data available? _____ Yes ☒ No _____ Is it o.k. to send sample for TCLP? _____ Yes ☒ No
Does this material come from a herbicide, pesticide or pharmaceutical related industry? _____ Yes _____ No

E. SPECIFICATIONS NEEDED/REQUESTED ON RETURN/FRACTIONATION/DRYING

Component

Specification

F. CERTIFICATION STATEMENT

I hereby certify that all the information, to the best of my knowledge, on this and any attached documents, is complete, correct, and that all known hazards are accurately have been disclosed. If this waste changes in hazardous characteristics Hydrite will immediately be notified.

PRINT NAME

Bob H. [unclear]

P.O. # FOR BILLING

SIGNATURE

DATE

WASTE CODE WORKSHEET

CUSTOMER: Ames Supply Co WPM#: 1055628
 PSN: 100 Waste Flammable liquid, n.s.
 ADD'L DESCRIPTION: (Toluene, Ethanol)
 HAZARD CLASS: Flammable Liquid
 UN/NA NO. 1993 RQ:

I. EPA WASTE CODES: EPA AREA PRIMARY: F001

<u>D001</u>	<u>D018</u>	<u>D035</u>	<u>D036</u>
<u>D040</u>			

II. LAND BAN FORM RECOMMENDATIONS
 CHECK F001 - F005 BOXES BELOW

<u>1,1,1-Trichloroethane</u>			
<u>Toluene</u>			
<u>1,1,1,2,2,2-Hexachloroethane</u>			

III. CHARACTERISTIC WASTE:
 WASTE CODE SUBCAT PBSTD STSTD

<u>D001</u>	<u>Liquid - High Vol</u>		<u>Extr, Bags, Tins</u>
<u>D018</u>	<u>None</u>		<u>None to the line</u>
<u>D035</u>	"		"
<u>D036</u>	"		"
<u>D040</u>	"		"

IV. CALIFORNIA LIST



HYDRITE CHEMICAL CO.

SALES SAMPLE ANALYSIS REPORT FORM

COMPANY: AMES SUPPLY CO.

114 N. MAIN STREET
P.O. BOX 247
COTTAGE GROVE WI 53527
608/257-5892
FACSIMILE: 608/839-4475

DATE: 1/27/1993

WASTE MASTER #: 105868

CHROMATOGRAPHIC ANALYSISAlcohol

N Butanol
Isobutanol
8 % Ethanol
Methanol
0.5 % Isopropanol
N Propanol
1 % Water

Diluents

Hexane
Heptane
5 % Toluene
2 % Xylene
5.5 % Mineral Spirits
Standard Oil
100 Flash Naphtha

Chlorinated

Methylene Chloride
Perchloroethylene
75 % 111 Trichloroethane
Trichloroethylene
112 trichloro
1 % 112 Trifluoroethane

Actives

0.5 % Acetone
0.5 % N Butyl Acetate
Isobutyl Acetate
N Propyl Acetate
Isopropyl Acetate
Ethyl Acetate
Glycol Ether EB
Glycol Ether EEAC
Glycol Ether PM
Glycol Ether PMA
Glycol Ether EE
Glycol Ether EM
Glycol Ether EEP
Cyclohexanone
Methyl Ethyl Ketone
1 % Methyl Isobutyl Ketone

Other

TRACES OF MECH
TRI AND MEK

MATERIAL: 111, MS, ALCOHOLS, OIL

SALESPERSON: MILLER

LAB NUMBER: S301-128

PART NUMBER: RWD00401

WET CHEMISTRY DATA

pH 4 WASTE DENSITY 1.02

BTU/LB 1,449 BTU/GAL 12,312 CHLORIDES 47.3%

YIELD 65 % SOLIDS F COLOR

WATER BY KARL FISCHER

FLASH POINT (TCC DEG F)

RECOMMENDATIONS:

LABEL FLAMMABLE

DOT HAZARD CLASS FLAMMABLE L

EPA WASTE CODE NUMBER F001

DOT PSN RQ, WASTE FLAMMABLE LIQUID, NOS

COMMENTS

"111", SAMPLE IS 15% FREE OIL MATERIAL
FLASHPOINT <66 DEGREES F; DISTILLATION
STOPPED EARLY DUE TO SMOKE; LOW BTU MATERIAL

TOTALS:

8.5% ALCOHOL
12.5% DILUENTS
76 % CHLORINATED
0 % ACTIVES
0 % OTHERS
TOTALS

CERTIFIED BY: SS/MM



DATE _____

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62

Document No. 10



P.O. BOX 11393
COLUMBIA, SC 29211-1393

DUNS NO. 05-397-6551
FED. ID NO. 39-6090019

SK SERVICE FACILITY: SK ELGIN01, IL	TAX STATUS/NUMBER:	INVOICE DATE: 02/20/2001	Invoice Number 00015452075
FACILITY PHONE NUMBER: 847/468-6600	VENDOR NUMBER:	TERMS: N30	

SERVICE LOCATION:



AMES SUPPLY
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

AMES SUPPLY
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

ACCOUNT NUMBER: 0002-5303-22	SERVICE NUMBER: 0002-5303-22	LOCATION NUMBER: 503401	SPECIAL BILLING CODE:
--	--	-----------------------------------	-----------------------

Department: Department Name:
Service Date: 02/19/2001 Service Doc Number: 0005872234
Release Number: Transporter:

PO Number:
Manifest Number:

QUANTITY	DESC./REFERENCE NUMBER	PRICE PER	SALES TAX	ITEM TOTAL
1.0000	ORGANIC LIQ INT BTU/H HAL 55 000088888-002307635-0890545 000088888-12 STAIN	550.0000 DR	0.00	550.00
1.0000	ORGANIC LIQ H/BTU L/HAL 55G 000088888-002310617-0890500 000088888-12 VARNISH/WATER MIX	205.0000 DR	0.00	205.00
1.0000	ORGANIC LIQ H/BTU L/HAL 55G 000088888-002310618-0890500 000088888-12 STAIN/WATER MIX	205.0000 DR	0.00	205.00
1.0000	ORGANIC LIQ HIGH BTU/HALGN 55G 000088888-002310621-0890455 000088888-12 OIL/SPIRITS MIX	455.0000 DR	0.00	455.00

INVOICE TOTAL: **\$1,415.00**

COMMENTS: BE SURE TO LOG ONTO WWW.SAFETY-KLEENCUSTOMERS.COM TO SEE THE NEW SAFETY-KLEEN CUSTOMER MAGAZINE, "CUSTOMER CENTRAL".

PLEASE RETURN THIS PORTION WITH PAYMENT. MAKE ANY ADDRESS CORRECTIONS BELOW.

AMES SUPPLY, 2537 CURTISS ST. DOWNERS GROVE, IL 60515-4085



ACCOUNT NUMBER	INVOICE NUMBER	INVOICE DATE	SERVICE NUMBER	AMOUNT PAID
0002-5303-22	00015452075	02/20/2001	0002-5303-22	

000154520750002530322900001415000

SEND PAYMENTS ONLY TO:
SAFETY-KLEEN
P.O. BOX 12349
COLUMBIA, SC 29211-2349

AMOUNT DUE
1,415.00

PLEASE TYPE

5-034-01
(Form designed for use on elite (12 pitch) typewriter.)

EPA Form 8700-22 (Rev. 8-89)

Form Approved, OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. ILD005163811	Manifest Document No. 72234		2. Page 1 of 2	Information in the shaded areas required by Federal law, but is required by Illinois law	
3. Generator's Name and Mailing Address AMES SUPPLY 2537 CURTISS DOWNERS GROVE, IL 60515					A. Illinois Manifest Document Number IL9407199 FEE PAID IF APPLICABLE		
4. 24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS 630 964 2440					B. Generator's IL ID Number 0430805022		
5. Transporter 1 Company Name SAFETY-KLEEN SYSTEMS, INC					C. Transporter's ID Number UPW151288IL		
6. US EPA ID Number SCR000075150					D. () Transporter's ID Number		
7. Transporter 2 Company Name SAFETY-KLEEN (TG), INC.					E. Transporter's ID Number UPW2039540H		
8. US EPA ID Number SCR000074591					F. 708 225 8100 Transporter's ID Number		
9. Designated Facility Name and Site Address SAFETY-KLEEN SYSTEMS, INC. 633 E 138TH ST DOLTON, IL 60419					G. Facility's IL ID Number 0310699006		
10. US EPA ID Number ILD980613913					H. Facility's Phone 708 225-8100		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers	13. Total Quantity	14. Unit Wt/Vol	L. Waste No.
a. WASTE TOXIC LIQUIDS, ORGANIC, N.O.S. TRICHLOROETHYLENE, 111-TRICHLOROETHANE) 6.1 UN2810 PG III (ERG#153)				00 DM	00,055		EPA HW Nur F001
b. RO WASTE PAINT RELATED MATERIAL UN1263 PG III (DO01)(ERG#127)				00 PM	00,055		EPA HW Nur F001
c. RO WASTE FLAMMABLE LIQUIDS, N.O.S. (ALIPHATIC AND AROMATIC HYDROCARBONS) UN1993 PG III (DO01)(ERG#128)				00 PM	00,055		EPA HW Nur F001
d. WASTE TOXIC LIQUIDS, ORGANIC, N.O.S. (1,1,1-TRICHLOROETHANE, TRICHLOROETHYLENE) 6.1 UN2810 PG III				00 PM	00,055		EPA HW Nur F001
J. Additional Description for Materials Listed Above IA) DO08 DO40 IB) DO01 IC) DO05 ID) DO08 DO39 DO40				K. Handling Codes for Wastes Listed Above in Item #14 A-D M061			
15. Special Handling Instructions and Additional Information 5872234 MFST R/T#100284941 0002-5303-22 EMERGENCY RESP 800-468-1760(24 HR). IF UNDELIVERABLE RETURN TO GENERATOR. SK CORP AUTHORIZED TO RETAIN LICENSED SUBSEQUENT CARRIERS AS NECESSARY. SKDOT# A: 8963 B: 1152 C: 3004 D: 5124							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name San Cervantes				Signature <i>[Signature]</i>		Date 02/9	
17. Transporter 1 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 02/9	
Printed/Typed Name Steve A. K...				Signature <i>[Signature]</i>		Date 02/9	
18. Transporter 2 Acknowledgement of Receipt of Materials				Signature <i>[Signature]</i>		Date 220	
Printed/Typed Name Dave Carlile				Signature <i>[Signature]</i>		Date 220	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19							
Printed/Typed Name EMILIE BRETTKE				Signature <i>[Signature]</i>		Date 02/9	

This Agency is authorized to require, pursuant to Illinois Revised Statute, 1989 Chapter 111 1/2, Section 1004 and 1021, that this information be submitted to the Agency. Failure to provide information may result in a civil penalty against the owner or operator not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation or imprisonment up to 5 years. This form has been approved by the Forms Management Center.

COPY 1 TSD MAIL TO GENERATOR

A) 2071458/2307635 B) 2071452/2310617
C) 2071459/2310618 D) 2071423/2310621

0 0 0 2 - 5 3 0 3 - 2 2

AMES SUPPLY
2537 CURTISS
DOWNERS GROVE IL 60515

B
1
6

ORDER
CODE
MEVOLS BALANCE
2940 00
DATE
09 0000
LOCATION
NO 0691 0001
TAX EXEMPTION NO.

INVOICE DATE SALES REP NO. CUSTOMER P.O. NUMBER CUSTOMER PHONE # TAX CODE HANDLING CODE ASSOC. CODE SERVICE TAX C.O.M.S. TAX PRODUCT TAX

SERVICE/PRODUCT	SERIAL NUMBER	REMARKS/UNIT PRICE	QUAN.	CHARGE	SALES TAX	TOTAL CHARGE	WASTE MIN.	SOLVENT/DRLIMS	CC	SERVICE TERM	CHANGE SERVICE TERM	CHANGE AMT	PROMO NO.	RELEASE	MSDS
1000001	02307635	2.90000	1	510.00	-	510.00	0	12	12	12	12	12	12	800500	
00000	02310617	205.00000	1	205.00	-	205.00	12	12	12	12	12	12	12	800500	
00000	02310618	205.00000	1	205.00	-	205.00	12	12	12	12	12	12	12	800500	
00000	02310619	205.00000	1	205.00	-	205.00	12	12	12	12	12	12	12	800500	
00000	2310621	415.00	1	415.00	-	415.00	12	12	12	12	12	12	12	800500	

TOTAL-SERVICE/PRODUCTS

EPA TRANSPORTER 1 ID NO. USEPA TRANSPORTER 2 ID NO. GENERATOR USEPA ID NO. GENERATOR STATE ID NO.
C.R.0000075150 IL.D005163811 0430305022
US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)

SIGNATURED FACILITY NAME AND ADDRESS
See manifest

CASH <input type="checkbox"/>	TOTAL RECEIVED	APPLY PAYMENT TO:
CHECK NUMBER		TODAY'S SERVICE/SALE
INVOICE #	AMOUNT \$	INVOICE #
AMOUNT \$		AMOUNT \$
CREDIT CARD NO.		AMEX VISA MC
EXP. DATE		
MANIFEST NO.		
LDR MESSAGE		
LDR NOT REQ'D		
MANIFEST CODE		
SEQ #		
3 D		
IN THE EVENT OF AN EMERGENCY CALL		
Print Customer Name		
By <i>AD-C</i> 2/19/01		
Customer's Authorized Representative		
I AGREE TO PAY THE ABOVE CHARGES AND TO BE BOUND BY THE TERMS AND CONDITIONS SET FORTH ABOVE AND ON THE REVERSE SIDE OF THIS DOCUMENT. RELEASE CHARGE BY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. THE INDIVIDUAL SIGNING THIS DOCUMENT IS ONLY AUTHORIZED TO SIGN AND BOND CUSTOMER TO ITS TERMS. This is to certify that the above information is true and correct and is not to be used for any other purpose. The undersigned hereby certifies that the above information is true and correct and is not to be used for any other purpose. The undersigned hereby certifies that the above information is true and correct and is not to be used for any other purpose.		
STATE ID NO.		
TOTAL CHARGE (FROM ABOVE)		
WASTE MIN (FROM ABOVE)		
TOTAL DUE		
(DO NOT WRITE IN THIS AREA)		

GENERATOR NAME AMES SUPPLY

MANIFEST NO. LC9407199
MANIFEST PAGE/LINE# 11A

SECTION 30.40 CFR 268.7(A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS
WASTE RESTRICTED UNDER 30 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A. GENERAL WASTE NOTIFICATION
EPA WASTE CODES & LDR SUBCATEGORIES (IF ANY)
D01 D02 D03 D04 D05 D06 D07 D08 D09 D10 D11 D12 D13 D14 D15 D16 D17 D18 D19 D20 D21 D22 D23 D24 D25 D26 D27 D28 D29 D30 D31 D32 D33 D34 D35 D36 D37 D38 D39 D40 D41 D42 D43 D44 D45 D46 D47 D48 D49 D50 D51 D52 D53 D54 D55 D56 D57 D58 D59 D60 D61 D62 D63 D64 D65 D66 D67 D68 D69 D70 D71 D72 D73 D74 D75 D76 D77 D78 D79 D80 D81 D82 D83 D84 D85 D86 D87 D88 D89 D90 D91 D92 D93 D94 D95 D96 D97 D98 D99

FEASIBILITY GROUP: NONWASTEWATERS

WASTE CONSTITUENT NOTIFICATION

LEGEND
NUMBER

CONSTITUENT

101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

TOLUENE
1,1,1-TRICHLOROETHANE
TRICHLOROETHYLENE

GENERATOR'S AUTHORIZED
SIGNATURE

NAME & TITLE
(PRINTED OR TYPED)

DATE

PROFILE REFERENCE NUMBER

2307133

CONTROL NUMBER

2071458-

GENERATOR NAME: AMES SUPPLY

MANIFEST NO.
MANIFEST PAGE/LINE#

IL9407199
C12

URGENT TO 40 CFR 268.70(A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS WASTE RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A. GENERAL WASTE NOTIFICATION
EPA WASTE CODES & LDR SUBCATEGORIES (IF ANY)
D001 D001 LIQUID >= 10% TOC D005

TREATABILITY GROUP: NONWASTEWATERS

WASTE CONSTITUENT NOTIFICATION:

LEGEND
NUMBER

CONSTITUENT

035

1, 1, 1-TRICHLOROETHANE

GENERATOR'S AUTHORIZED
SIGNATURE

NAME & TITLE
(PRINTED OR TYPED)

DATE

WASTE PROFILE REFERENCE NUMBER: 2010618

CONTROL NUMBER: 2071459-

GENERATOR NAME: AMES SUPPLY

MANIFEST NO.

MANIFEST PAGE/LINE#

IL9407199
11B

PURSUANT TO 40 CFR 268.7(a), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS WASTE RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).

A GENERAL WASTE NOTIFICATION
EPA WASTE CODES & LDR SUBCATEGORIES (IF ANY)
F001 F005 D001 LIQUID >= 10% TOC

TREATABILITY GROUP: NONWASTEWATERS

WASTE CONSTITUENT NOTIFICATION:

LEGEND
NUMBER

CONSTITUENT

231
235

TOLUENE
1,1,1-TRICHLOROETHANE

GENERATOR'S AUTHORIZED
SIGNATURE

NAME & TITLE
(PRINTED OR TYPED)

DATE

E-W PROFILE REFERENCE NUMBER: 2010617

CONTROL NUMBER:

2071452-

GENERATOR NAME: AMEE SUPPLY

MANIFEST NO.
MANIFEST PAGE/LINE#IL9407199
11.PURSUANT TO 40 CFR 268.7(A), I HEREBY NOTIFY THAT THIS SHIPMENT CONTAINS
WASTE RESTRICTED UNDER 40 CFR PART 268 LAND DISPOSAL RESTRICTIONS (LDR).A. GENERAL WASTE NOTIFICATION
WASTE CODES & LDR SUBCATEGORIES (IF ANY)
D001 D005 D008 D039 D040

TREATABILITY GROUP: NONWASTEWATERS

WASTE CONSTITUENT NOTIFICATION:

LEGEND
NUMBER

CONSTITUENT

120	TETRACHLOROETHYLENE
121	TOLUENE
122	1,1,1-TRICHLOROETHANE
123	1,1,2-TRICHLOROETHANE
124	TRICHLOROETHYLENE
125	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE

GENERATOR'S AUTHORIZED
SIGNATURENAME & TITLE
(PRINTED OR TYPED)

DATE

EPA PROFILE REFERENCE NUMBER: 2310621

CONTROL NUMBER: 2071423-



P.O. BOX 11393
COLUMBIA, SC 29211-1393

DUNS NO. 05-397-8551
FED. ID NO. 39-8090019

SK SERVICE FACILITY: SK ELGIN01, IL	TAX STATUS/NUMBER:	INVOICE DATE: 01/23/2001	Invoice Number 00015161158
FACILITY PHONE NUMBER: 847 468-6510	VENDOR NUMBER:	TERMS: N30	

SERVICE LOCATION:



AMES SUPPLY
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

AMES SUPPLY
2537 CURTISS ST
DOWNERS GROVE, IL 60515-4085

ACCOUNT NUMBER: 0002-5303-22	SERVICE NUMBER: 0002-5303-22	LOCATION NUMBER: 503401	SPECIAL BILLING CODE:
--	--	-----------------------------------	-----------------------

Department: Department Name:
Service Date: 01/23/2001 Service Doc Number: P000414817
Release Number: Transporter:

PD Number:
Manifest Number:

QUANTITY	DESC./REFERENCE NUMBER	PRICE PER	SALES TAX	ITEM TOTAL
6.0000	PRE-QUAL ANALYSIS 000082100-0000000000-00000000 000082100-00	490.0000 EA	0.00	2,940.00

DATE MDSE REC'D _____ REBILLED ON # _____

DATE INV REC'D 01/23/01

VENDOR # 1411071 DISCOUNT DATE _____

DUE DATE 2-23-01 DISCOUNT AMT. _____

DISTRIBUTION ACCT. SUB ACCT. AMOUNT

5510 11 2940.00

D - EN FEB - 7 84 REFERENCE 123413

INVOICE TOTAL:

\$2,940.00

COMMENTS: BE SURE TO LOG ONTO WWW.SAFETY-KLEENCUSTOMERS.COM TO SEE THE NEW SAFETY-KLEEN CUSTOMER MAGAZINE, "CUSTOMER CENTRAL".



1001 COLUMBIA STREET
Columbia, South Carolina 29201
CUSTOMER NO.

FOR SERVICE CALL	BRANCH MANAGER	DOC. EXP.	SCHEDULED SERVICE WEEK	SCHEDULED TERRITORY	REFERENCE NUMBER
47 468-6600	ED GUGLIELMI		00		M00053214

CREDIT CODE	PREVIOUS BALANCE	BAL. OVER 60 DAYS		
BUSINESS TYPE	CHAIN	OUTER COUNTY	SVC. P/C	PROI
LOCATION		TAX EXEMPTION NO		
503401				

SERVICE DATE	SALES REP NO	CUSTOMER P.O. NUMBER	CUSTOMER PHONE #	TAX CODE	HANDLING CODE	ASSOC. CODE	SERVICE TAX	C.O.M.S. TAX	PRODUCT TAX
					FW				

DEPT	SERVICE/PRODUCT	SERIAL NUMBER	REMARKS/UNIT PRICE	QUAN	CHARGE	SALES TAX	TOTAL CHARGE	WASTE MIN.	SOLVENT/DRUMS		CC	SERVICE TERM	CHANGE SERVICE TERM (WEEKS) INITIALS	CHANGE RSN DATE (YR) WTH	INV CODE	PROMO NO.
1							295/0000									
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																

TOTAL-SERVICE/PRODUCTS						CHECK APPROPRIATE BOXES	GOOD	POOR	DECALS IN PLACE AND LEGIBLE	YES	NO	MACHINE PROPERLY GROUNDED	YES	NO
USEPA TRANSPORTER 1 ID NO.						MACHINE CONDITION & CLEARLINESS	<input type="checkbox"/>	<input type="checkbox"/>	FUSIBLE LINK INSTALLED	<input type="checkbox"/>	<input type="checkbox"/>	LOCAL PHONE NO. STICKER AFFIXED TO MACHINE	<input type="checkbox"/>	<input type="checkbox"/>
USEPA TRANSPORTER 2 ID NO.						LAMP ASSEMBLY CONDITION	<input type="checkbox"/>	<input type="checkbox"/>	EMERGENCY CLOSING OF LID UNOBSTRUCTED	<input type="checkbox"/>	<input type="checkbox"/>	SPENT SOLVENT MEETS ACCEPTANCE CRITERIA	<input type="checkbox"/>	<input type="checkbox"/>
GENERATOR USEPA ID NO.														
GENERATOR STATE ID NO.														

11. US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID.)	12. CONTAINERS NO	13. TOTAL QUANTITY	14. UNIT WT/VOL	SK DOT NUMBER	51	6	3	0	5	5

CERTIFY THAT MY TOTAL WASTE STREAMS ARE WITHIN ONE OF THE FOLLOWING CATEGORIES:

0 TO 220 LBS/MONTH

INITIALS

220 LBS TO 2,200 LBS/MONTH

INITIALS

GREATER THAN 2,200 LBS/MONTH

INITIALS

DESIGNATED FACILITY NAME AND ADDRESS	SAFETY-KLEEN SYSTEMS, INC.	I CERTIFY THAT NO MATERIAL CHANGE HAS OCCURRED EITHER IN THE CHARACTERISTICS OF THE WASTE MATERIALS OR IN THE PROCESS GENERATING THE WASTE MATERIALS	USA EPA ID NO.	STATE ID NO.
--------------------------------------	----------------------------	--	----------------	--------------

CASH <input type="checkbox"/>	TOTAL RECEIVED	APPLY PAYMENT TO	MANIFEST NO.	I AGREE TO PAY THE ABOVE CHARGES AND TO BE BOUND BY THE TERMS AND CONDITIONS SET FORTH ABOVE AND ON THE REVERSE SIDE OF THIS DOCUMENT. PLEASE CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. THE INDIVIDUAL SIGNING THIS DOCUMENT IS DULY AUTHORIZED TO SIGN AND BIND CUSTOMER TO ITS TERMS. <small>*This is to certify that the above named materials are properly classified, packaged, marked and labeled, and are in proper condition for transportation in conformance with the applicable regulations of the Department of Transportation.</small>	TOTAL CHARGE (FROM ABOVE)
CHECK NUMBER		<input type="checkbox"/> TODAY'S SERVICE/SALE <input type="checkbox"/> PREVIOUS BALANCE AS FOLLOWS	LDR MESSAGE		WASTE MIN. (FROM ABOVE)
INVOICE #	AMOUNT \$	INVOICE #	AMOUNT \$		TOTAL DUE
PREVIOUS CHECK #					2940.00
CREDIT CARD NO		EXPIRATION DATE	MANIFEST CODE	SEQ #	DO NOT WRITE IN THESE AREAS

M000532140

RESPONSE OF AMES SUPPLY COMPANY
TO SUBPOENA DUCES TECUM
CASE NO. 01 CH 62

Document Nos. 11 - 20

Page 1 of 4

#169
2606985-8
2606986-

Hodson Laboratories Inc.
P.O. Box 41
Layton, UT 84041

THIS NUMBER IS AVAILABLE DAYS,
NIGHTS, AND WEEKENDS FOR
EMERGENCY CALLS:
(801) 544-7754

MATERIAL SAFETY DATA SHEET
EFFECTIVE 4/1/99

SECTION 1-PRODUCT IDENTIFICATION AND USE

Product Name: HL-Platen Cleaner
Chemical Family: Chlorinated Solvent Based Cleaner
Use: For Use in Cleaning and Rejuvenating Platens, Rollers and Feed Belts
Hazardous Materials Description (49 CFR 172.101): Toxic, liquids, organic n.o.s.
(Trichloroethylene)

SECTION 2-PHYSICAL DATA

Boiling Point: 86 C	Freeze Point: None Under Normal Use
Specific Gravity: @ 25/25 C 1.34	Vapor Density: 4.54
Vapor Pressure: @ 20 C. 57mm. HG.	Solubility In Water: Less Than 10%
Appearance: Clear Liquid	Odor: Chlorinated Solvent
Percent Volatile: Above 80%	Evaporation Rate: (Ethyl Ether =1) 0.27
Flash Point: None When Tested In Accordance With DOT Requirements	

SECTION 3-HAZARDOUS INGREDIENTS

Trichloroethylene	CAS# 0000079-01-6	Above 50%	50 ppm	TLV
Aliphatic Solvents	CAS# 64-17-5, 67-63-0	Below 50%	100ppm	TLV
Wetting Agents	N/A	Below 20%	-----	-----

SECTION 4-EXPOSURE GUIDELINES

Permissible Exposure Limits: OSHA PEL and ACGIH TLV are 50ppm. TWA. STEL 200ppm.

SECTION 5-FIRE AND EXPLOSION HAZARD

Do Not Expose To Open Flames As Toxic Gas Will Evolve
Special Fire Fighting Procedure: Wear Self Contained, Positive Pressure Respirator
Unusual Fire and Explosion Hazards: Toxic Gases Will Evolve From Burning of Chlorinated Solvents

SECTION 6-HEALTH HAZARD DATA

Threshold Limit Value: 50 ppm.

Effects of Overexposure: Can Produce Headache, Dizziness, Eye, Nose and Throat Irritation. High Levels May Cause Unconsciousness. Use With Adequate Ventilation.

See Special Attachment On Page 3.

Emergency and First Aid Procedures: Eye and Skin Contact-Flush With Cold Water

Internal: Do Not Induce Vomiting. Call a Physician. Keep Patient Warm and Calm Until Physician or Paramedic Arrives. Use This Product With Adequate Ventilation Only.

SECTION 7-REACTIVITY DATA

Stability: Product Is Stable for Intended Use

Conditions to Avoid: Keep Away From Fire and Open Flames. Keep Out Of Reach Of Children

Incompatibility: Materials To Avoid-Strong Bases; Oxidizing Agents

Hazardous Decomposition Products: Toxic Gases Will Evolve When This Product Is Burned

Hazardous Polymerization: Will Not Occur

SECTION 8-SPILL OR LEAK PROCEDURE

Steps To Be Taken If Material Is Released or Spilled: Clean Up Spilled Material With Absorbent Materials and Remove to a Certified Waste Disposal or Chemical Waste Burn Center

Waste Disposal Method: Dispose of in Accordance with Local, State and Federal Regulations

SECTION 9-SPECIAL PROTECTION INFORMATION

Respiratory Protection: Use OSHA Approved Respirator for Solvents When Using This Product in a Closed Non-Ventilated Area

Ventilation: Mechanical Fan Exhaust System Fresh Air Displacement Type

Protective Gloves: Wear Protective Neoprene Gloves When Using This Product

Eye Protection: Wear Protective Goggles When Using This Product

Other Protective Equipment: N/A

SECTION 10-SPECIAL PRECAUTIONS

Labeling Requirements Under U.N. Designation for Overseas Shipments and National Requirements: This Product is Classified as a Toxic Liquid

UN Number: 2810 **Hazard Class:** 6.1

D.O.T. Guide Number Emergency Response: Guide #153

Packaging Group Number: III

Hazardous Label Required: Keep Away From Food. This product may be classified as-

Page 3 of 4

LIMITED QUANTITIES. Permitted only if each of the following exceptions are met. Product references section 173.153 in the hazardous material table 172.101(C.F.R. 49). Each package may not exceed 66 pounds gross weight and inner packagings not over 1 gallon net capacity. Product references 173.203; product is shipped in a Fiberboard Box(outer packaging) and Plastic Receptacles (inner packaging).

This product may also be classified as-CONSUMER COMMODITY ORM-D. Permitted if the above exceptions are met and inner packagings do not exceed 8 ounces.

It is the responsibility of the supplier to meet the requirements above and those listed on the previous page.

Manufacturer makes no warranty, either expressed or implied, as to the use of this product. Liability is limited to replacement of defective product only.

KEEP THIS PRODUCT OUT OF REACH FROM CHILDREN. DO NOT TAKE INTERNALLY. MAY BE HARMFUL OR FATAL IF TAKEN INTERNALLY. USE WITH ADEQUATE VENTILATION. FOR INDUSTRIAL USE ONLY. STORE IN COOL, DRY AREA. AWAY FROM OPEN FLAMES.
TRICHLOROETHYLENE

Is Trichloroethylene Listed As A Carcinogen Or Potential Carcinogen?

NTP- No

IARC- No

OSHA- No

Medical Conditions Generally Aggravated By Exposure: None Known

Permissible Exposure Limits: OSHA: 50 ppm, 8-Hour TWA(Time Weighted Average); 200ppm, 15 minute STEL(Short-Term Exposure Limit); 29 CFR 1910.1000, Table Z.2, REV. 3/1/89

ACUTE:

INHALATION: TRICHLOROETHYLENE IS A CENTRAL NERVOUS SYSTEM DEPRESSANT WHICH CAN CAUSE IRRITATION OF THE RESPIRATORY TRACT, DIZZINESS, NAUSEA, HEADACHE, LOSS OF COORDINATION AND EQUILIBRIUM, POSSIBLE CENTRAL NERVOUS SYSTEM DAMAGE, UNCONSCIOUSNESS AND DEATH IN CONFINED OR POORLY VENTILATED AREAS. FATALITIES FOLLOWING SEVERE ACUTE EXPOSURE HAVE BEEN ATTRIBUTED TO VENTRICULAR FIBRILLATION RESULTING IN CARDIAC FAILURES.

EYE AND SKIN: LIQUID SPLASHED IN THE EYE CAN RESULT IN DISCOMFORT, PAIN AND IRRITATION. PROLONGED OR REPEATED CONTACT WITH LIQUID ON THE SKIN CAN CAUSE IRRITATION AND DERMATITIS. THE PROBLEM MAY BE

Page 4 of 4

ACCENTUATED BY LIQUID BECOMING TRAPPED AGAINST THE SKIN BY CONTAMINATED CLOTHING AND SHOES, ALLOWING SKIN ABSORPTION TO OCCUR.

INGESTION: SWALLOWING OF THIS MATERIAL MAY RESULT IN IRRITATION OF THE MOUTH AND GASTROINTESTINAL TRACT ALONG WITH OTHER EFFECTS AS LISTED ABOVE FOR INHALATION. VOMITING AND SUBSEQUENT ASPIRATION INTO THE LUNGS MAY LEAD TO CHEMICAL PNEUMONIA AND PULMONARY EDEMA WHICH IS A POTENTIALLY FATAL CONDITION.


CHRONIC: PROLONGED EXPOSURE ABOVE THE OSHA PERMISSIBLE LIMITS MAY RESULT IN LIVER AND KIDNEY DAMAGE. TRICHLOROETHYLENE HAS BEEN EXTENSIVELY STUDIED FOR CHRONIC EFFECTS IN ANIMALS. WHILE THERE ARE STUDIES IN WHICH TUMORS WERE INDUCED IN MICE, THERE IS NO EVIDENCE THAT TRICHLOROETHYLENE POSES A CARCINOGENIC RISK TO HUMANS. TRICHLOROETHYLENE IS LISTED IN GROUP 3 BY IARC AND IS NOT LISTED BY NTP OR OSHA.

TOXICITY DATA-AQUATIC DATA:

SHEEPSHEAD MINNOWS-96 HOUR LC50-52MG/L-SLIGHTLY TOXIC

MYSID SHRIMP-96 HOUR LC50-14 MG/L-SLIGHTLY TOXIC

MARINE ALGA-96 HOUR EC50-95 MG/L-SLIGHTLY TOXIC



MATERIAL SAFETY DATA SHEET

Kleen-All 1,1,1-Trichloroethane Heavy Duty Degreaser
1604 Aerosol

Post Office Box 949
Amarillo, TX 79105-0949
Phone: (806) 372-8523
FAX: (806) 372-8750
Toll-Free: (800) 858-4043
Hazardous Description:
Consumer Commodity ORM-D
(For Shipping Purposes Only)

68
6000490
6000500-16
6000505-24
6000501-12

Hazard Rating Health: 3 Fire: 1 Reactivity: 1
0-Least 1-Slight 2-Moderate 3-High 4-Extreme

I - HAZARDOUS COMPONENTS			
Ingredient	CAS No.	%	Hazard
1,1,1-Trichloroethane	71-55-6	79-84	OSHA PEL 350ppm ACGIH TWA 350ppm
Propellants: Chlorodifluoromethane	75-45-6	15-20	OSHA TWA 1000ppm ACGIH TLV 1000ppm Ozone Depletion Unit of .02
Carbon Dioxide	124-38-9	1	OSHA TWA 5,000ppm ACGIH TLV 5,000ppm

II - PHYSICAL DATA

Boiling Point: 74 C 165F
Density: 1.306
Solubility in Water: 0
Vapor Density (Air=1): 4.5
Appearance: Clear, mobile liquid with mildly sweet odor.
pH: NIF
% Volatile: 100
% Solids: 0
Evaporation Rate (H2O=1): NIF

III - FIRE AND EXPLOSION HAZARD DATA

Flash Point: None TCC Method
Explosion Limits
LEL: NA UEL: NA

Extinguishing Media: Water, foam, dry chemical, carbon dioxide.

Special Fire Fighting Procedures:

Fire fighters should wear self contained, positive-pressure breathing apparatus and avoid skin contact. Concentrated vapors can be ignited by high intensity ignition source.

Unusual Fire and Explosion Hazards:

Aerosol cans may erupt with force at temperatures above 120 degrees F.

IV - HEALTH HAZARD DATA

Effects of Overexposure

INHALATION: Major potential rout of exposure. Minimal effects observed below 1000 ppm. Dizziness, drowsiness, and throat irritation possible at levels above 1,000 ppm. Unconsciousness and death at levels above 10,000 ppm. Blood pressure depression, cardiac sensitization, and ventricular arrhythmia can result from exposure to near-anesthetic levels.

EYES: Liquid can cause slight, temporary irritation with slight temporary corneal injury. Vapors can irritate eyes.

SKIN: Prolonged or repeated skin contact can cause irritation, defatting of tissues, and dermatitis. Absorption through intact skin is possible if contact with liquid is prolonged.

INGESTION: Single dose toxicity is low to moderate. If vomiting occurs the liquid can be aspirated into the lungs, which can cause chemical pneumonia and systemic effects. Human psychotropic, gastrointestinal, and central nervous system effects possible.

Acute and chronic liver diseases and rhythm disorders of the heart can be aggravated by overexposure to this product.

NL=Not Listed NIF=No Information Found <OVER> NE=Not Established NA=Not Applicab.

SOLUTIONS ENGINEERED FOR YOUR PROBLEMS

1604 Aerosol

Emergency and First Aid Procedures

INHALATION: Remove to fresh air. If breathing has stopped, administer artificial respiration. Seek medical attention.

EYES: Flush eyes for at least fifteen minutes with clear water. If irritation persists, seek medical attention.

SKIN: Remove contaminated clothing and shoes. Wash exposed area with soap and water. Wash contaminated clothing before reuse.

INGESTION: DO NOT INDUCE VOMITING! Give 2 glasses of water and immediately seek medical attention.

NOTE: Adrenalin and other similar cardiac stimulants should NOT be used to treat effects of overexposure to this product. See section I.

The finding of chronic toxic effects in laboratory animals indicate toxicity to humans. Overexposure should be avoided, failure to do so could result in injury, illness or even death. Chronic overexposures to 1,1,1-trichloroethane have caused liver toxic effects in experimental animals. The available data indicates that 1,1,1-trichloroethane is not carcinogenic in laboratory animals. None of the ingredients in this product are listed on OSHA, IARC, or NTP carcinogen list.

V - REACTIVITY DATA

Stability: STABLE **Conditions to Avoid:** Contact with open flame, heat

Incompatibility (materials to avoid)

Strong bases, oxidizers, reducing agents, aluminum, and other type metals

Hazardous Decomposition Products:

Hydrogen chloride, phosgene, chlorine, carbon dioxide, and carbon monoxide

Hazardous Polymerization: WILL NOT OCCUR

Conditions to Avoid: None

VI - SPILL OR LEAK PROCEDURES

Evacuate area, ventilate, and avoid breathing vapors. Dike area to contain spill. Clean up area by mopping or with suitable absorbent material and place in closed containers for disposal. Avoid contamination of ground and surface waters. Do NOT flush to sewer. If spill is indoors, shut off air conditioning and heating systems to prevent contaminating of building.

VII - WASTE DISPOSAL METHODS

Material may be disposed of by a licensed reclaimer or incineration facility. Consult local, state, and federal disposal authorities for approved procedures.

Do not incinerate or destroy aerosol cans.

VIII - EMPLOYEE PROTECTION

Respiratory Protection:

If vapor levels exceed TWA, use NIOSH approved organic vapor mask.

Ventilation: Do not use in closed space. Ventilation required.

Hands: Solvent resistant gloves such as Viton, Polyvinyl alcohol.

Eyes: Wear splash proof safety goggles or glasses.

Special Precautions:

Keep aerosol cans in cool place out of direct sunlight. Keep this and all chemicals out of reach of children. This product for industrial use only.

IX - OTHER INFORMATION

1,1,1-Trichloroethane (CAS 71-55-6) Reportable under SARA sec 302 and 313.

Material Safety Data Sheet

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-0
Internal ID: 2109-2110/F3

MSDS No: USP / 2
Revision: 4
Date: January 2, 1992

National Paint
and Coatings
Association

Hazardous Material
Identification
System

HEALTH HAZARD	1 - Slight
FLAMMABILITY HAZARD	1 - Slight
REACTIVITY HAZARD	0 - Minimal
PERSONAL PROTECTION	B - Glasses, Gloves

SECTION I. MATERIAL IDENTIFICATION

Trade/Material Name: AMES AQS-0

Description: DEGREASER

Chemical Name: CHLORINATED HYDROCARBON

PRODUCT MANUFACTURED BY U.S. PACKAGING CORPORATION FOR AMES SUPPLY COMPANY. PLEASE DIRECT ALL REQUESTS FOR MATERIAL SAFETY DATA SHEETS TO AMES SUPPLY.

Manufacturers: U.S. PACKAGING CORPORATION

AMES SUPPLY COMPANY

Phone: 708-459-5030

Phone: 708-964-2440

24 HOUR EMERGENCY MEDICAL

Phone: 800-942-5969

SECTION II. INGREDIENTS AND HAZARDS

Ingredient Name:	CAS Number:	Percent:	Exposure Limits:
1,1,1-TRICHLOROETHANE *	71-55-6	96	PEL:350 PPM; TLV:350 PPM
CARBON DIOXIDE (PROPELLANT)	124-38-9	4	TLV:10,000 PPM, PEL:10,000 PPM, STEL:30,000PPM

SARA (TITLE III):
THIS PRODUCT DOES NOT CONTAIN INGREDIENTS LISTED AS EXTREMELY HAZARDOUS UNDER SECTION 302. IF STORED IN EXCESS OF THE THRESHOLD QUANTITY, THIS PRODUCT SHOULD BE REPORTED UNDER SECTION 311 AND 312 AS A(N):

- DELAYED (CHRONIC) HEALTH HAZRD
- SUDDEN RELEASE HAZARD
- IMMEDIATE (ACUTE) HEALTH HAZARD

* THE INDICATED SUBSTANCES ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313.

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-0
Internal ID: 2109-2110/F3

MSDS No: USP / 2
Revision: 4
Date: January 2, 1992

HEALTH HAZARD INFORMATION continued from page 2

Chronic effect(s): OVEREXPOSURE TO THE INGREDIENTS OF THIS PRODUCT HAS BEEN SUGGESTED AS A CAUSE OF ANESTHETIC/NARCOTIC EFFECTS, CENTRAL NERVOUS SYSTEM EFFECTS AND LIVER OR KIDNEY ABNORMALITIES. ASPIRATION INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL. (SEE COMMENTS)

Signs & symptoms of overexposure:

Eye contact: REDNESS, TEARING, BLURRED VISION.

Skin contact: REDNESS, DRY SKIN.

Inhalation: DIZZINESS, HEADACHE, NAUSEA, UNCONSCIOUSNESS AND ASPHYXIATION ARE POSSIBLE.

Ingestion: NAUSEA, VOMITING, CRAMPS

First aid:

Eye contact: FLUSH WITH CLEAR WATER FOR 15 MINUTES, LIFTING EYELIDS OCCASIONALLY. GET MEDICAL ATTENTION.

Skin contact: WASH WITH SOAP AND WATER. IF IRRITATION DEVELOPS, SEE A PHYSICIAN.

Inhalation: REMOVE TO FRESH AIR. RESTORE NORMAL BREATHING. GET MEDICAL ATTENTION.

Ingestion: =DO NOT INDUCE VOMITING= CALL A PHYSICIAN OR LOCAL POISON CONTROL CENTER OR 1-800-942-5969 IMMEDIATELY FOR INSTRUCTIONS.

ASPIRATION OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES

Spill / Leak procedures: SMALL SPILL - CONTAIN AND COLLECT PRODUCT WITH INERT ABSORBENT.

LARGE SPILL - VENTILATE AREA. PERSONS NOT INVOLVED IN THE CLEAN-UP, AND NOT WEARING PROTECTIVE EQUIPMENT, SHOULD BE EVACUATED. CONTAIN AND COLLECT PRODUCT WITH INERT ABSORBENT. PLACE IN CLOSED CONTAINERS FOR DISPOSAL. KEEP PRODUCT FROM ENTERING WATER SUPPLY.

Waste management / Disposal: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES ACS-0
Internal ID: 2109-2110/F3

MSDS No: USP / 2
Revision: 4
Date: January 2, 1992

SECTION VIII. SPECIAL PROTECTION INFORMATION

Personal protective equipment:

Goggles: CHEMICAL SPLASH GOGGLES

Gloves: NITRILE RUBBER

Respirator: AIR-PURIFYING ORGANIC VAPOR RESPIRATOR IF VAPORS ARE A NUISANCE OR IF CONCENTRATIONS ARE AT OR ABOVE THE TLV OR PEL.

Workplace considerations:

Ventilation: PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR LOCAL) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.

Safety stations:
EYE WASH STATIONS.

Contaminated equipment:
LAUNDER BEFORE RE-USE.

PERSONAL PROTECTIVE EQUIPMENT SUGGESTIONS PERTAIN MAINLY TO EMERGENCY SITUATIONS INVOLVING A LARGE QUANTITY OF PRODUCT. EYE PROTECTION, ORGANIC VAPOR RESPIRATOR AND CLOTHING TO PREVENT PROLONGED SKIN CONTACT IS SUFFICIENT UNDER CONDITIONS OF NORMAL USE.

SECTION IX. SPECIAL PRECAUTIONS

Special handling / storage: AVOID BREATHING VAPORS. VAPORS ARE HEAVIER THAN AIR AND WILL COLLECT IN LOW AREAS. DO NOT ENTER THESE AREAS WITHOUT PROPER RESPIRATORY PROTECTION.

Other precautions: ALUMINUM IS NOT AN ACCEPTABLE MATERIAL FOR STORAGE VESSELS.

Data source code(s): THE INFORMATION CONTAINED IN THIS MATERIAL SAFETY DATA SHEET WAS GENERATED ON INFORMATION PROVIDED BY THE MANUFACTURERS OF THE RAW MATERIALS OF THIS PRODUCT.

Prepared/revised by: P.A. ZOUBEK

January 2, 1992

NOTICE: THE INFORMATION PROVIDED HEREIN IS BASED ON THE CONTENT OF MATERIAL SAFETY DATA SHEET(S) PROVIDED BY THE MANUFACTURER(S) OF THE VARIOUS COMPOUNDS WHICH ARE USED IN THE FORMULATION OF THIS PRODUCT. ALTHOUGH THE INFORMATION PROVIDED HEREIN IS AN ACCURATE PRESENTATION OF THE ORIGINAL MATERIAL SAFETY DATA SHEET(S) SAFETY INFORMATION, NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, IS MADE AS TO THE ACCURACY OR COMPLETENESS OF THE FOREGOING DATA AND SAFETY INFORMATION.

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 44-R1387

11/19/85

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME U.S. PACKAGING CORP.		EMERGENCY TELEPHONE NO. 312/459-5030
ADDRESS (Number, Street, City, State and ZIP Code) 440 DENNISTON COURT, WHEELING, IL 60090		
CHEMICAL NAME AND SYNONYMS		TRADE NAME AND SYNONYMS AQS 5 POWER CAM ROLL CLEANER
CHEMICAL FAMILY	FORMULA	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS	NA		BASE METAL	NA	
CATALYST	NA		ALLOYS	NA	
VEHICLE	NA		METALLIC COATINGS	NA	
SOLVENTS	NA		FILLER METAL PLUS COATING OR CORE FLUX	NA	
ADDITIVES	NA		OTHERS	NA	
OTHERS	NA				
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)
1,1,1 TRICHLOROETHANE				72.5	350
POLYALKYLENE GLYCOL				2.5	
PROPANE-ISOBUTANE				25.5	1000

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	N.D.	SPECIFIC GRAVITY (H ₂ O=1)	1.293
VAPOR PRESSURE (mm Hg.)	N.D.	PERCENT VOLATILE BY VOLUME (%)	95%
VAPOR DENSITY (AIR=1)	N.D.	EVAPORATION RATE (_____=1)	N.D.
SOLUBILITY IN WATER	NEGLEGIBLE		
APPEARANCE AND ODOR	COLORLESS LIQUID		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	305°F. COC (CONC.)	FLAMMABLE LIMITS	N.D.	Lel	Uel
EXTINGUISHING MEDIA WATER SPRAY, CO ₂ , DRY CHEMICAL, ALCOHOL OR UNIVERSAL TYPE FOAM.					
SPECIAL FIRE FIGHTING PROCEDURES USE PRESSURE DEMAND SELF-CONTAINED RESPIRATORY EQUIPMENT. WATER MAY BE USED TO COOL CONTAINERS PREVENTING PRESSURE BUILDUP AND EXPLOSION.					
UNUSUAL FIRE AND EXPLOSION HAZARDS CANS WILL RUPTURE FROM INTERNAL PRESSURE AT ABOUT 190°F. WHEN HEATED TO DECOMPOSITION TOXIC FUMES FORMED					

Material Safety Data Sheet

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-15 PRINT
WHEEL CLEANER
Internal ID: 300205/F535001

MSDS No: USP / 4
Revision: 4
Date: January 2, 1992

National Paint
and Coatings
Association

Hazardous Material
Identification
System

HEALTH HAZARD	1 - Slight
FLAMMABILITY HAZARD	1 - Slight
REACTIVITY HAZARD	0 - Minimal
PERSONAL PROTECTION	B - Glasses, Gloves

SECTION I. MATERIAL IDENTIFICATION

Trade/Material Name: AMES AQS-15 PRINT WHEEL CLEANER

Description: PRINT WHEEL CLEANER

Chemical Name: CHLORINATED HYDROCARBON

PRODUCT MANUFACTURED BY U.S. PACKAGING CORPORATION FOR AMES SUPPLY COMPANY. PLEASE DIRECT ALL REQUESTS FOR MATERIAL SAFETY DATA SHEETS TO AMES SUPPLY.

Manufacturers: U.S. PACKAGING CORPORATION

AMES SUPPLY COMPANY

Phone: 708-459-5030

Phone: 708-964-2440

24 HOUR EMERGENCY MEDICAL

Phone: 800-942-5969

SECTION II. INGREDIENTS AND HAZARDS

Ingredient Name:	CAS Number:	Percent:	Exposure Limits:
1,1,1-TRICHLOROETHANE *	71-55-6	86	PEL:350 PPM; TLV:350 PPM
CARBON DIOXIDE (PROPELLANT)	124-38-9	4	TLV:10,000 PPM, PEL 10,00 PPM, STEL:30,000 PPM
POLYALKYLENE GLYCOL	9003-13-8	10	NOT ESTABLISHED

SARA (TITLE III):
THIS PRODUCT DOES NOT CONTAIN INGREDIENTS LISTED AS EXTREMELY HAZARDOUS UNDER SECTION 302. IF STORED IN EXCESS OF THE THRESHOLD QUANTITY, THIS PRODUCT SHOULD BE REPORTED UNDER SECTION 311 AND 312 AS A(N):

- DELAYED (CHRONIC) HEALTH HAZARD
- SUDDEN RELEASE HAZARD
- IMMEDIATE (ACUTE) HEALTH HAZARD

* THE INDICATED SUBSTANCES ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313.

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-100 OFFICE
MACHINE OIL
Internal ID: 2117-2118/F537
MSDS No: USP / 43
Revision: 2
Date: January 3, 1992

HEALTH HAZARD INFORMATION continued from page 2

CAN CAUSE DIZZINESS, WITH NAUSEA AND UNCONSCIOUSNESS POSSIBLE AT PROGRESSIVELY HIGHER LEVELS.

Chronic effect(s): ASPIRATION INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL. (SEE COMMENTS)

Signs & symptoms of overexposure:

Eye contact: REDNESS, TEARING, BLURRED VISION.

Skin contact: REDNESS, DRY SKIN.

Inhalation: DIZZINESS, HEADACHE, NAUSEA, UNCONSCIOUSNESS AND ASPHYXIATION ARE POSSIBLE.

Ingestion: NAUSEA, VOMITING, CRAMPS

First aid:

Eye contact: FLUSH WITH CLEAR WATER FOR 15 MINUTES, LIFTING EYELIDS OCCASIONALLY. GET MEDICAL ATTENTION.

Skin contact: WASH WITH SOAP AND WATER. IF IRRITATION DEVELOPS, SEE A PHYSICIAN.

Inhalation: REMOVE TO FRESH AIR. RESTORE NORMAL BREATHING. GET MEDICAL ATTENTION.

Ingestion: =DO NOT INDUCE VOMITING= CALL A PHYSICIAN,
1-800-942-5969 OR LOCAL POISON CONTROL CENTER
IMMEDIATELY FOR INSTRUCTIONS.

ASPIRATION OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES

Spill / Leak procedures: SMALL SPILL - CONTAIN AND COLLECT PRODUCT WITH INERT ABSORBENT.

LARGE SPILL - VENTILATE AREA. PERSONS NOT INVOLVED IN THE CLEAN-UP, AND NOT WEARING PROTECTIVE EQUIPMENT, SHOULD BE EVACUATED. CONTAIN AND COLLECT PRODUCT WITH INERT ABSORBENT. PLACE IN CLOSED CONTAINERS FOR DISPOSAL. KEEP PRODUCT FROM ENTERING WATER SUPPLY.

Waste management / Disposal: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

Material Safety Data Sheet

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-100 OFFICE
MACHINE OIL
Internal ID: 2117-2118/F537
MSDS No: USP / 43
Revision: 2
Date: January 3, 1992

SECTION VIII. SPECIAL PROTECTION INFORMATION

Personal protective equipment:

Goggles: CHEMICAL SPLASH GOGGLES

Gloves: NITRILE RUBBER

Respirator: AIR-PURIFYING ORGANIC VAPOR RESPIRATOR IF VAPORS ARE A NUISANCE OR IF CONCENTRATIONS ARE ABOVE TLV OR PEL.

Workplace considerations:

Ventilation: PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR LOCAL) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.

Safety stations:
EYE WASH STATIONS.

Contaminated equipment:
LAUNDER BEFORE RE-USE.

PERSONAL PROTECTIVE EQUIPMENT SUGGESTIONS PERTAIN MAINLY TO EMERGENCY SITUATIONS INVOLVING A LARGE QUANTITY OF PRODUCT. EYE PROTECTION AND CLOTHING TO PREVENT PROLONGED SKIN CONTACT IS SUFFICIENT UNDER CONDITIONS OF NORMAL USE.

SECTION IX. SPECIAL PRECAUTIONS

Special handling / storage: AVOID BREATHING VAPORS. VAPORS ARE HEAVIER THAN AIR AND WILL COLLECT IN LOW AREAS. DO NOT ENTER THESE AREAS WITHOUT PROPER RESPIRATORY PROTECTION.

Other precautions: ALLMINUM IS NOT AN ACCEPTABLE MATERIAL FOR STORAGE VESSELS.

Data source code(s): THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET WAS GENERATED BASED ON INFORMATION SUPPLIED BY THE MANUFACTURERS OF THE RAW MATERIALS OF THIS PRODUCT.

Prepared/revised by: P.A. ZOUBEK

January 2, 1992

NOTICE: THE INFORMATION PROVIDED HEREIN IS BASED ON THE CONTENT OF MATERIAL SAFETY DATA SHEET(S) PROVIDED BY THE MANUFACTURER(S) OF THE VARIOUS COMPOUNDS WHICH ARE USED IN THE FORMULATION OF THIS PRODUCT. ALTHOUGH THE INFORMATION PROVIDED HEREIN IS AN ACCURATE PRESENTATION OF THE ORIGINAL MATERIAL SAFETY DATA SHEET(S) SAFETY INFORMATION, NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, IS MADE AS TO THE ACCURACY OR COMPLETENESS OF THE FOREGOING DATA AND SAFETY INFORMATION.

Material Safety Data Sheet

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-30 ALL
PURPOSE OIL & CLEANER
Internal ID: 2115-2116/F536

MSDS No: USP / 5
Revision: 4
Date: January 6, 1992

National Paint
and Coatings
Association

Hazardous Material
Identification
System

HEALTH HAZARD	1 - Slight
FLAMMABILITY HAZARD	3 - Serious
REACTIVITY HAZARD	0 - Minimal
PERSONAL PROTECTION	B - Glasses, Gloves

SECTION I. MATERIAL IDENTIFICATION

Trade/Material Name: AMES AQS-30 ALL PURPOSE OIL & CLEANER

Description: OIL/CLEANER

Chemical Name: CHLORINATED HYDROCARBON

PRODUCT MANUFACTURED FOR AMES SUPPLY COMPANY BY U.S. PACKAGING CORPORATION. PLEASE
DIRECT ALL REQUESTS FOR MATERIAL SAFETY DATA SHEETS TO AMES SUPPLY.

Manufacturers: U.S. PACKAGING CORPORATION

AMES SUPPLY COMPANY

Phone: 708-459-5030

Phone: 708-964-2440

24 HOUR EMERGENCY MEDICAL

Phone: 800-942-5969

SECTION II. INGREDIENTS AND HAZARDS

Ingredient Name:	CAS Number:	Percent:	Exposure Limits:
1,1,1-TRICHLOROETHANE *	71-55-6	60	PEL:350 PPM; TLV:350 PPM
PROPANE-ISOBUTANE-N-BUTANE	68476-86-8	25	TLV:1000 PPM
POLYALKYLENE GLYCOL	9003-13-8	15	NOT ESTABLISHED

SARA (TITLE III):
THIS PRODUCT DOES NOT CONTAIN INGREDIENTS LISTED AS EXTREMELY HAZARDOUS UNDER
SECTION 302. IF STORED IN EXCESS OF THE THRESHOLD QUANTITY, THIS PRODUCT SHOULD BE
REPORTED UNDER SECTION 311 AND 312 AS A(N):

- FIRE HAZARD
- SUDDEN RELEASE HAZARD
- IMMEDIATE (ACUTE) HEALTH HAZARD

* THE INDICATED SUBSTANCES ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313.

Material Safety Data Sheet

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-30 ALL
PURPOSE OIL & CLEANER
Internal ID: 2115-2116/F536

MSDS No: USP / 5
Revision: 4
Date: January 6, 1992

SECTION III. PHYSICAL DATA

Appearance & Odor: COLORLESS LIQUID - CHLORINATED SOLVENT ODOR

Boiling point: 165°F
Vapor pressure: 100 mmHg
Water solubility (%): .07g/100g
Vapor density (air=1): 4.55
Specific gravity (H₂O=1): 1.298
% volatile by volume: 99

SECTION IV. FIRE AND EXPLOSION DATA

Flash Point (method): 75 F Limits: LEL %: 1.8 UEL %: 9.5
NFPA Fire Hazard Symbol Codes: Flammability: 1 Health: 3 Reactivity: 0 Special:
Extinguishing Media: WATER FOG, DRY POWDER, CARBON DIOXIDE
Unusual fire or explosion hazards: VAPORS ARE HEAVIER THAN AIR AND MAY COLLECT IN LOW
AREAS. CANS WILL RUPTURE FROM INTERNAL PRESSURE AT
APPROXIMATELY 190°F AND DISCHARGE CONTENTS.
Special fire-fighting procedures: WEAR POSITIVE PRESSURE, SELF-CONTAINED BREATHING
APPARATUS WHEN FIGHTING FIRES INVOLVING THIS PRODUCT. WATER SPRAY MAY BE USED TO COOL
FIRE-EXPOSED CONTAINERS PREVENTING PRESSURE BUILD-UP AND EXPLOSION.

SECTION V. REACTIVITY DATA

Material IS stable Hazardous polymerization CANNOT occur
Chemical incompatibilities: STRONG OXIDIZING AGENTS
Conditions to avoid: HIGH TEMPERATURES
Hazardous decomposition Products: CARBON MONOXIDE, HYDROGEN CHLORIDE VAPORS, AND
SMALL AMOUNTS OF PHOSGENE.

SECTION VI. HEALTH HAZARD INFORMATION

This product IS NOT considered a carcinogen by OSHA, NTP, IARC.

Summary of risks: CONTACT WITH EYES CAUSES SEVERE IRRITATION. PROLONGED CONTACT WITH
SKIN MAY CAUSE IRRITATION. EXCESSIVE INHALATION OF VAPORS CAN CAUSE
RESPIRATORY IRRITATION.

Medical conditions which may be aggravated by contact: PRE-EXISTING EYE, SKIN, AND
RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

Target organs: LIVER, KIDNEY, CNS, AND LUNGS

Primary entry route(s): INHALATION, SKIN CONTACT

Acute effects: CONTACT WITH EYES MAY CAUSE PAIN, AND SLIGHT TRANSIENT IRRITATION.
PROLONGED OR REPEATED CONTACT WITH SKIN MAY CAUSE IRRITATION. INHALATION OF VAPORS

Material Safety Data Sheet

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-30 ALL
PURPOSE OIL & CLEANER
Internal ID: 2115-2116/F536

MSDS No: USP / 5
Revision: 4
Date: January 6, 1992

HEALTH HAZARD INFORMATION continued from page 2

CAN CAUSE DIZZINESS, WITH NAUSEA AND UNCONSCIOUSNESS POSSIBLE AT PROGRESSIVELY HIGHER LEVELS.

Chronic effect(s): ASPIRATION INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL. (SEE COMMENTS)

Signs & symptoms of overexposure:

Eye contact: REDNESS, TEARING, BLURRED VISION.

Skin contact: REDNESS, DRY SKIN.

Inhalation: DIZZINESS, HEADACHE, NAUSEA, UNCONSCIOUSNESS AND ASPHYXIATION ARE POSSIBLE.

Ingestion: NAUSEA, VOMITING, CRAMPS

First aid:

Eye contact: FLUSH WITH CLEAR WATER FOR 15 MINUTES, LIFTING EYELIDS OCCASIONALLY. GET MEDICAL ATTENTION.

Skin contact: WASH WITH SOAP AND WATER. IF IRRITATION DEVELOPS, SEE A PHYSICIAN.

Inhalation: REMOVE TO FRESH AIR. RESTORE NORMAL BREATHING. GET MEDICAL ATTENTION.

Ingestion: =DO NOT INDUCE VOMITING= CALL A PHYSICIAN, LOCAL POISON CONTROL CENTER OR 1-800-942-5969 IMMEDIATELY FOR INSTRUCTIONS.

ASPIRATION OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES

Spill / Leak procedures: SMALL SPILL - CONTAIN AND COLLECT PRODUCT WITH INERT ABSORBENT.

LARGE SPILL - VENTILATE AREA. PERSONS NOT INVOLVED IN THE CLEAN-UP, AND NOT WEARING PROTECTIVE EQUIPMENT, SHOULD BE EVACUATED. CONTAIN AND COLLECT PRODUCT WITH INERT ABSORBENT. PLACE IN CLOSED CONTAINERS FOR DISPOSAL. KEEP PRODUCT FROM ENTERING WATER SUPPLY.

Waste management / Disposal: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

Material Safety Data Sheet

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-30 ALL
PURPOSE OIL & CLEANER
Internal ID: 2115-2116/F536

MSDS No: USP / 5
Revision: 4
Date: January 6, 1992

SECTION VIII. SPECIAL PROTECTION INFORMATION

Personal protective equipment:

Goggles: CHEMICAL SPLASH GOGGLES

Gloves: NITRILE RUBBER

Respirator: AIR-PURIFYING ORGANIC VAPOR RESPIRATOR IF VAPORS ARE A NUISANCE OR IF CONCENTRATIONS ARE ABOVE PEL OR TLV.

Workplace considerations:

Ventilation: PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR LOCAL) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.

Safety stations:
EYE WASH STATIONS.

Contaminated equipment:
LAUNDER BEFORE RE-USE.

PERSONAL PROTECTIVE EQUIPMENT SUGGESTIONS PERTAIN MAINLY TO EMERGENCY SITUATIONS INVOLVING A LARGE QUANTITY OF PRODUCT. EYE PROTECTION, ORGANIC VAPOR RESPIRATOR AND CLOTHING TO PREVENT PROLONGED SKIN CONTACT IS SUFFICIENT UNDER CONDITIONS OF NORMAL USE.

SECTION IX. SPECIAL PRECAUTIONS

Special handling / storage: AVOID BREATHING VAPORS. VAPORS ARE HEAVIER THAN AIR AND WILL COLLECT IN LOW AREAS. DO NOT ENTER THESE AREAS WITHOUT PROPER RESPIRATORY PROTECTION.

Other precautions: ALUMINUM IS NOT AN ACCEPTABLE MATERIAL FOR STORAGE VESSELS.

Data source code(s): THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET WAS GENERATED BASED ON INFORMATION SUPPLIED BY THE MANUFACTURERS OF THE RAW MATERIALS OF THIS PRODUCT.

Prepared/revised by: P.A. ZOUBEK

January 6, 1992

NOTICE: THE INFORMATION PROVIDED HEREIN IS BASED ON THE CONTENT OF MATERIAL SAFETY DATA SHEET(S) PROVIDED BY THE MANUFACTURER(S) OF THE VARIOUS COMPOUNDS WHICH ARE USED IN THE FORMULATION OF THIS PRODUCT. ALTHOUGH THE INFORMATION PROVIDED HEREIN IS AN ACCURATE PRESENTATION OF THE ORIGINAL MATERIAL SAFETY DATA SHEET(S) SAFETY INFORMATION, NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, IS MADE AS TO THE ACCURACY OR COMPLETENESS OF THE FOREGOING DATA AND SAFETY INFORMATION.

Material Safety Data Sheet

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-100 OFFICE
MACHINE OIL
Internal ID: 2117-2118/F537

MSDS No: USP / 43
Revision: 2
Date: January 3, 1992

National Paint
and Coatings
Association

Hazardous Material
Identification
System

HEALTH HAZARD	1 - Slight
FLAMMABILITY HAZARD	1 - Slight
REACTIVITY HAZARD	0 - Minimal
PERSONAL PROTECTION	B - Glasses, Gloves

SECTION I. MATERIAL IDENTIFICATION

Trade/Material Name: AMES AQS-100 OFFICE MACHINE OIL

Description: OFFICE MACHINE OIL

Chemical Name: CHLORINATED HYDROCARBON

PRODUCT MANUFACTURED BY U.S. PACKAGING CORPORATION FOR AMES SUPPLY COMPANY. PLEASE DIRECT ALL REQUESTS FOR MATERIAL SAFETY DATA SHEETS TO AMES SUPPLY.

Manufacturers: U.S. PACKAGING CORPORATION

AMES SUPPLY COMPANY

Phone: 708-459-5030

Phone: 708-964-2440

24 HOUR EMERGENCY MEDICAL

Phone: 800-942-5969

SECTION II. INGREDIENTS AND HAZARDS

Ingredient Name:	CAS Number:	Percent:	Exposure Limits:
1,1,1-TRICHLOROETHANE *	71-55-6	92	PEL:350 PPM; TLV:350 PPM
CARBON DIOXIDE (PROPELLANT)	124-38-9	4	TLV:10,000 PPM, PEL 10,00 PPM, STEL:30,000 PPM
POLYALKYLENE GLYCOL	9003-13-8	3	NOT ESTABLISHED

SARA (TITLE III):
THIS PRODUCT DOES NOT CONTAIN INGREDIENTS LISTED AS EXTREMELY HAZARDOUS UNDER SECTION 302. IF STORED IN EXCESS OF THE THRESHOLD QUANTITY, THIS PRODUCT SHOULD BE REPORTED UNDER SECTION 311 AND 312 AS A(N):

- DELAYED (CHONIC) HEALTH HAZARD
- SUDDEN RELEASE HAZARD
- IMMEDIATE (ACUTE) HEALTH HAZARD

* THE INDICATED SUBSTANCES ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313.

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS-100 OFFICE
MACHINE OIL
Internal ID: 2117-2118/F537
MSDS No: USP / 43
Revision: 2
Date: January 3, 1992

HEALTH HAZARD INFORMATION continued from page 2

CAN CAUSE DIZZINESS, WITH NAUSEA AND UNCONSCIOUSNESS POSSIBLE AT PROGRESSIVELY HIGHER LEVELS.

Chronic effect(s): ASPIRATION INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL. (SEE COMMENTS)

Signs & symptoms of overexposure:

Eye contact: REDNESS, TEARING, BLURRED VISION.

Skin contact: REDNESS, DRY SKIN.

Inhalation: DIZZINESS, HEADACHE, NAUSEA, UNCONSCIOUSNESS AND ASPHYXIATION ARE POSSIBLE.

Ingestion: NAUSEA, VOMITING, CRAMPS

First aid:

Eye contact: FLUSH WITH CLEAR WATER FOR 15 MINUTES, LIFTING EYELIDS OCCASIONALLY. GET MEDICAL ATTENTION.

Skin contact: WASH WITH SOAP AND WATER. IF IRRITATION DEVELOPS, SEE A PHYSICIAN.

Inhalation: REMOVE TO FRESH AIR. RESTORE NORMAL BREATHING. GET MEDICAL ATTENTION.

Ingestion: =DO NOT INDUCE VOMITING= CALL A PHYSICIAN,
1-800-942-5969 OR LOCAL POISON CONTROL CENTER
IMMEDIATELY FOR INSTRUCTIONS.

ASPIRATION OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES

Spill / Leak procedures: SMALL SPILL - CONTAIN AND COLLECT PRODUCT WITH INERT ABSORBENT.

LARGE SPILL - VENTILATE AREA. PERSONS NOT INVOLVED IN THE CLEAN-UP, AND NOT WEARING PROTECTIVE EQUIPMENT, SHOULD BE EVACUATED. CONTAIN AND COLLECT PRODUCT WITH INERT ABSORBENT. PLACE IN CLOSED CONTAINERS FOR DISPOSAL. KEEP PRODUCT FROM ENTERING WATER SUPPLY.

Waste management / Disposal: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

Material Safety Data Sheet

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AQS NON-FLUID OIL
Internal ID: 2120/F211

MSDS No: USP / 58

Revision: 2

Date: December 30, 1991

National Paint
and Coatings
Association

Hazardous Material
Identification
System

HEALTH HAZARD	1 - Slight
FLAMMABILITY HAZARD	1 - Slight
REACTIVITY HAZARD	0 - Minimal
PERSONAL PROTECTION	B - Glasses, Gloves

SECTION I. MATERIAL IDENTIFICATION

Trade/Material Name: AMES AQS NON-FLUID OIL

Description: LUBRICANT

Chemical Name: CHLORINATED HYDROCARBON

PRODUCT MANUFACTURED BY U.S. PACKAGING CORPORATION FOR AMES SUPPLY COMPANY. PLEASE
DIRECT ALL REQUESTS FOR MATERIAL SAFETY DATA SHEETS TO AMES SUPPLY.

Manufacturers: U.S. PACKAGING CORPORATION

AMES SUPPLY COMPANY

Phone: 708-459-5030

Phone: 708-964-2440

24 HOUR EMERGENCY MEDICAL

Phone: 800-942-5969

SECTION II. INGREDIENTS AND HAZARDS

Ingredient Name:	CAS Number:	Percent:	Exposure Limits:
1,1,1-TRICHLOROETHANE *	71-55-6	92	PEL:350 PPM; TLV:350 PPM; STEL:450 PPM
CARBON DIOXIDE (PROPELLANT)	124-38-9	4	TLV:10,000 PPM, PEL:10,000 PPM, STEL:30,000PPM
HYDROTREATED PETROLEUM HYDROCARBONS	64742-86-8	2	NOT ESTABLISHED

SARA (TITLE III):

THIS PRODUCT DOES NOT CONTAIN INGREDIENTS LISTED AS EXTREMELY HAZARDOUS UNDER SECTION
302. IF STORED IN EXCESS OF THE THRESHOLD QUANTITY, THIS PRODUCT SHOULD BE REPORTED
UNDER SECTION 311 AND 312 AS A(N):

- DELAYED (CHRONIC) HEALTH HAZARD
- SUDDEN RELEASE HAZARD
- IMMEDIATE (ACUTE) HEALTH HAZARD

* THE INDICATED SUBSTANCES ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313.

Material Safety Data Sheet

U.S. PACKAGING CORPORATION
440 DENNISTON COURT
WHEELING, ILLINOIS 60090

Product: AMES AGS NON-FLUID OIL
Internal ID: 2120/F211

MSDS No: USP / 58
Revision: 2
Date: December 30, 1991

HEALTH HAZARD INFORMATION continued from page 2

CAN CAUSE DIZZINESS, WITH NAUSEA AND UNCONSCIOUSNESS POSSIBLE AT PROGRESSIVELY HIGHER LEVELS.

Chronic effect(s): OVEREXPOSURE TO THE INGREDIENTS OF THIS PRODUCT HAS BEEN SUGGESTED AS A CAUSE OF ANESTHETIC/NARCOTIC EFFECTS, CENTRAL NERVOUS SYSTEM EFFECTS AND LIVER OR KIDNEY ABNORMALITIES. ASPIRATION INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL. (SEE COMMENTS)

Signs & symptoms of overexposure:

Eye contact: REDNESS, TEARING, BLURRED VISION.

Skin contact: REDNESS, DRY SKIN.

Inhalation: DIZZINESS, HEADACHE, NAUSEA, UNCONSCIOUSNESS AND ASPHYXIATION ARE POSSIBLE.

Ingestion: NAUSEA, VOMITING, CRAMPS

First aid:

Eye contact: FLUSH WITH CLEAR WATER FOR 15 MINUTES, LIFTING EYELIDS OCCASIONALLY. GET MEDICAL ATTENTION.

Skin contact: WASH WITH SOAP AND WATER. IF IRRITATION DEVELOPS, SEE A PHYSICIAN.

Inhalation: REMOVE TO FRESH AIR. RESTORE NORMAL BREATHING. GET MEDICAL ATTENTION.

Ingestion: =DO NOT INDUCE VOMITING= CALL A PHYSICIAN LOCAL POISON CONTROL CENTER, OR 1-800-942-5969 IMMEDIATELY FOR INSTRUCTIONS.

ASPIRATION OF MATERIAL INTO LUNGS DUE TO VOMITING CAN CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

SECTION VII. SPILL, LEAK AND DISPOSAL PROCEDURES

Spill / Leak procedures: SMALL SPILL - CONTAIN AND COLLECT PRODUCT WITH INERT ABSORBENT.

LARGE SPILL - VENTILATE AREA. PERSONS NOT INVOLVED IN THE CLEAN-UP, AND NOT WEARING PROTECTIVE EQUIPMENT, SHOULD BE EVACUATED. CONTAIN AND COLLECT PRODUCT WITH INERT ABSORBENT. PLACE IN CLOSED CONTAINERS FOR DISPOSAL. KEEP PRODUCT FROM ENTERING WATER SUPPLY.

Waste management / Disposal: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.



MATERIAL SAFETY DATA SHEET

FLUX STRIPPER OF CFC Free Defluxer
1681 Aerosol

6000633

Post Office Box 949
Amarillo, TX 79105-0949
Phone: (806) 372-8523
FAX: (806) 372-8750
Toll-Free: (800) 858-4043Hazardous Description:
Consumer Commodity ORM-D
(For Shipping Purposes Only)Hazard Rating Health: 3 Fire: 1 Reactivity: 1
0-Least 1-Slight 2-Moderate 3-High 4-Extreme

I - HAZARDOUS COMPONENTS			
Ingredient	CAS No.	%	Hazard
1,1,1-Trichloroethane	71-55-6	60-65	OSHA PEL 350ppm
Isopropyl Alcohol	67-63-0	20-25	OSHA PEL 400ppm
Methyl Alcohol	67-56-1	5-10	OSHA PEL 200ppm
Acetone	67-64-1	1-5	OSHA PEL 1000ppm
Carbon Dioxide	124-38-9	2	OSHA PEL 10,000ppm ACGIH TLV 5000ppm

II - PHYSICAL DATA	
Boiling Point: 61 C 142F	pH: NIF
Density: 1.05	% Volatile: 100
Solubility in Water: 33%	% Solids: 0
Vapor Density (Air=1): >1	Evaporation Rate (H2O=1): NIF
Appearance: Clear, mobile liquid with mildly sweet odor.	

III - FIRE AND EXPLOSION HAZARD DATA	
Flash Point: Greater than boiling point	Explosion Limits LEL: NA UEL: NA
Extinguishing Media: Water, foam, dry chemical, carbon dioxide.	
Special Fire Fighting Procedures: Fire fighters should wear self contained, positive-pressure breathing apparatus and avoid skin contact. Concentrated vapors can be ignited by high intensity ignition source.	
Unusual Fire and Explosion Hazards: Aerosol cans may erupt with force at temperatures above 120 degrees F.	

IV - HEALTH HAZARD DATA	
Effects of Overexposure	
INHALATION: Major potential route of exposure. Minimal effects observed below 1000 ppm. Dizziness, drowsiness, and throat irritation possible at levels above 1,000 ppm. Unconsciousness and death at levels above 10,000 ppm. Blood pressure depression, cardi sensitization, and ventricular arrhythmia can result from exposure to near-anesthetic levels.	
EYES: possibility of permanent eye damage due to corneal burns from alcohol in product.	
SKIN: Prolonged or repeated skin contact can cause irritation, defatting tissues, and dermatitis. Absorption through intact skin is possible if contact with liquid is prolonged.	
INGESTION: Methanol is a poison by ingestion and skin contact. Main toxic effect is exerted on the nervous system namely the optic nerve CAN CAUSE BLINDNESS IF INGESTED.	

Acute and chronic liver diseases and rhythm disorders of the heart can be aggravated by overexposure to this product.

NL=Not Listed NIF=No Information Found <OVER> NE=Not Established NA=Not Applica

SOLUTIONS ENGINEERED FOR YOUR PROBLEMS

Section 1. CHEMICAL PRODUCT SECTION

Product Name: Flux Stripper S Defluxer
Product Number: 1644 AEROSOL
General Use:
Product Description:

MANUFACTURER: Tech Spray, Inc.

P.O. Box 949
Amarillo, TX 79105-0949
PHONE: 806/372-8523
FAX: 806/372-8750

For Chemical Emergency, Spill, Leak, F
Exposure, or Accident Call CHEMTREC
DAY OR NIGHT 1-800-424-9300.

Section 2. COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL	C.A.S. Number	Weight %
1,1,2-Trichlorotrifluoroethane (Freon TF)	76-13-1	40-45
Carbon Dioxide	124-38-9	<2
Isopropyl Alcohol	67-63-0	< 10
Methylene Chloride (Dichloromethane)	75-09-2	40-45

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

	Exposure Limits 8 Hours TWA (
	OSHA PEL	ACGIH TLV	Suppl
1,1,2-Trichlorotrifluoroethane	1000	1000	125
Carbon Dioxide	10,000	5000	
Isopropyl Alcohol	400		
Methylene Chloride (Dichloromethane)	500	50	

Section 3. HAZARD IDENTIFICATION

Emergency Overview:

Potential Health Effects:

INHALATION: Major route of exposure. Vapor is heavier than air and can cause suffocation by reducing the available oxygen for breathing. Breathing high concentrations of vapor may cause light-headedness, giddiness, shortness of breath, confusion, and may lead to narcosis, cardiac irregularities, unconsciousness or even death.

EYES: Liquid may cause temporary irritation with temporary corneal injury. Vapors may be irritating to eyes.

SKIN: This product may be painful and irritating if confined to skin by gloves, clothing, etc. Prolonged or repeated contact with skin can cause defatting and dermatitis.

INGESTION: Single dose toxicity is low to moderate. If vomiting occurs the liquid can be aspirated into lungs, which can cause chemical pneumonia and systemic effects. Human psychotropic, gastrointestinal, and central nervous system effects possible.

Carboxyhemoglobin levels can be elevated in persons exposed to methylene chloride and can cause a substantial stress on the cardiovascular system. This elevation can be additive to the increase caused by smoking.

Chronic:

Carcinogenicity: Methylene Chloride has been evaluated for possible cancer causing effects in laboratory animals. Inhalation studies at concentration

2000 and 4000 ppm increased the incidence of malignant liver and lung tumors mice. Three inhalation studies of rats have shown increased incidence of benign mammary gland tumors in females at concentrations of 500 ppm and above and increases in the benign mammary gland tumors in males at concentrations 1500 ppm and above. Rats exposed to 50 and 20 ppm via inhalation showed no increased incidence of tumors. Mice and rats exposed by ingestion at levels to 250 mg/kg/day lifetime and hamsters exposed via inhalation to concentrations up to 3500 ppm lifetime did not show an increased incidence of tumors.

The International Agency for Research on Cancer (IARC) has concluded that there is sufficient evidence for the carcinogenicity of methylene chloride to experimental animals, and inadequate evidence for the carcinogenicity to humans, resulting in a classification as a 2B animal carcinogen. The NTP has identified methylene chloride as an animal carcinogen, but it is not on the OSHA or NTP list as of September 30, 1988. EPA required change: If batch number < 17782 then request DIS 1644 MSDS. All ingredients are listed in the EPA TSCA inventory.

Section 4.

FIRST AID MEASURES

Inhalation:

Move to fresh air in case of accidental inhalation of vapors. If victim has stopped breathing, give artificial respiration. Call for prompt medical attention.

Eye Contact:

Flush eyes with large amounts of water for 15 minutes or until irritation subsides. If irritation persists, get medical attention.

Skin Contact:

Remove Contaminated clothing (including shoes) and wash before reuse. Flush with large amounts of water. Use soap if available. If irritation persists, seek medical attention.

Ingestion:

Do not induce vomiting unless directed by a physician. If conscious and alert, give two glasses of water. Seek medical attention immediately.

Section 5.

FIRE FIGHTING MEASURES

Flash Point & Method: None TCC Method
Flammable Limits: LEL: NA UEL: NA
Autoignition Temperature:

GENERAL HAZARD:

Aerosol cans may erupt with force at temperatures above 120 degrees F.

FIRE FIGHTING INSTRUCTIONS:

Fire fighters should wear self contained, positive-pressure breathing apparatus and avoid skin contact.

FIRE FIGHTING EQUIPMENT:

Water, foam, dry chemical, carbon dioxide.

HAZARDOUS COMBUSTION PRODUCTS:

Smoke, fumes and oxides of carbon.

Section 6.

ACCIDENTAL RELEASE MEASURES

LAND SPILL:

Evacuate area. Ventilate area well and avoid breathing vapors. Vapor concentration will be highest along floor and in low lying areas. Pick up

liquid on suitable absorbent and store in sealed containers.

WATER SPILL:

Section 7. HANDLING AND STORAGE

STORAGE TEMPERATURE: Ambient
STORAGE PRESSURE: Atmospheric

GENERAL:

Keep container closed when not in use. Store in cool, well ventilated place out of direct sunlight and away from incompatible materials. (See STABILITY AND REACTIVITY Section 10.) Follow all MSD Sheet and Label warnings even after container is emptied.

Section 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls:

- ☒ Local Exhaust ventilation acceptable.
- ☐ Mechanical ventilation recommended.
- ☐ Use explosion-proof ventilation equipment.
- ☐ Do not use in confined spaces without mechanical ventilation equipment.

See section 2 for component exposure guidelines.

Personal Protection:

RESPIRATOR:

If concentrations are over the exposure limit and are known, air purifying respirator with Organic Vapor Cartridges may be acceptable. Refer to cartridges for acceptable levels. If concentrations are over exposure limit and are unknown, use a supplied air respirator.

HAND PROTECTION:

- ☒ Gloves recommended
 - ☒ Solvex
 - ☐ Butyl
 - ☐ Natural Latex
 - ☐ Neoprene
 - ☐ Buna
 - ☐ Cotton/Jersey

EYE PROTECTION:

- ☒ Safety Glasses
- ☐ Chemical Goggles
- ☐ Full Face Shield

OTHER RECOMMENDATIONS:

- ☐ Rubber Boots
- ☐ Splash-proof chemical resistant suit/apron

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Density.....	1.42	pH.....	NA
Boiling Point.....	38C / 63F	% Volatile.....	100
Freezing Point.....	NIF	% Solids.....	0
Vapor Density (Air=1):..	NIF	Evaporation Rate (H2O=1)...	NIF
Solubility in Water.....	0	Viscosity.....	N/A
Molecular Weight.....	N/A	Physical State.....	LIQ
Non-Exempt VOC (g/l)....	75.0	Odor.....	NIF

Appearance: Clear water-white mobile liquid with slight ethereal odor.

Section 10. STABILITY AND REACTIVITY

GENERAL:

STABLE
INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID:
Contact with open flame, heat.
Reactive alkali metals, strong acids & bases.

HAZARDOUS DECOMPOSITION:
Hydrogen chloride, phosgene, chlorine, carbon dioxide, and carbon monoxide

=====

Section 11. TOXICOLOGICAL INFORMATION

RESULTS OF COMPONENT TOXICITY TEST PERFORMED:

Information not available.

HUMAN EXPERIENCE:

Information not available.

=====

Section 12. ECOLOGICAL INFORMATION

FURTHER INFORMATION:

Information not available.

=====

Section 13. DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 Classification:

Federal, State, and Local laws governing disposal of materials can differ.
Ensure proper disposal compliance with proper authorities before disposal.

=====

Section 14. TRANSPORTATION INFORMATION

U.S. DOT Information

Proper Shipping Name: CONSUMER COMMODITY ORM-D

Hazard Class: N/A

Packaging Group: N/A

UN Number: N/A

Limitations: N/A

IATA

Proper Shipping Name: AEROSOLS, NON-FLAMMABLE, N.O.S. CONTAINING
SUBSTANCES IN DIVISION 6.1 PACKING GROUP III

Hazard Class: 2.2

Sub. Risk: 6.1

Packing Group: N/A

UN Number: UN1950

Limitations: LTD QTY. FOR DOMESTIC SHIPMENTS ONLY. WHEN SHIPPING
INTERNATIONAL PLEASE CONTACT TECH SPRAY'S SHIPPING DEPT.

IMO

Proper Shipping Name: AEROSOLS

Class: 9

UN Number: UN1950

Packaging Group: N/A

EMS: 2-13

MFAG: 340

Marine Pollutant: N/A

Canadian TDG: N/A

IMDG Page: 9022

=====

Section 15. REGULATORY INFORMATION

UNITED STATES FEDERAL REGULATIONS:

MSDS complies with OSHA's Hazard Communication Rule, 29 CFR 1910.1200.

CERCLA/SUPERFUND, 40 CFR 117, 302:

--- None of the chemicals are Superfund hazards ---

SARA SUPERFUND AND REAUTHORIZATION ACT OF 1986

TITLE III Sections 302, 311, 312 and 313:

Section 302 - Extremely hazardous substances (40 CFR 355):

--- None of the chemicals are Section 302 hazards ---

Section 311/312 - Material Safety Data Sheet Requirements (40 CFR 37

() By our hazard evaluation, this product is non-hazardous.

(X) By our hazard evaluation, this product is hazardous. It should be reported under the following EPA hazard.

(X) Immediate (acute) health hazard

(X) Delayed (chronic) chronic health hazard

() Sudden release of pressure hazard

() Reactive hazard

Section 313 - List of Toxic Chemicals (40 CFC 372)

This product contains the following chemicals (at levels of 1% or greater) which are found on the 313 list of Toxic Chemicals.

CHEMICAL	C.A.S. NUMBER	WEIGHT %
1,1,2-Trichlorotrifluoroethane	76-13-1	40-45
Methylene Chloride	75-09-2	40-45

TOXIC SUBSTANCE CONTROL ACT (TSCA): All substances are TSCA Listed.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA 40 CFR 261) Subpart C & D:
Refer to Section 11. for RCRA classification.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15
(FORMERLY SECTION 307), 40 CFR 116 (FORMERLY SECTION 311)

This product contains the following chemicals which are listed:

CHEMICAL	C.A.S. NUMBER	WEIGHT %
----------	---------------	----------

CLEAN AIR ACT: REQUIRES LABELING

STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

This product contains the following ingredients which appear on the California proposition 65 list:

CHEMICAL	C.A.S. NUMBER	WEIGHT %
Methylene Chloride	75-09-2	40-45

INTERNATIONAL REGULATIONS:

CANADA WHIMS: NIF

EUROPE EINECS NUMBERS: NIF

Section 16.

OTHER INFORMATION

LABEL INFORMATION:

European risk and Safety Phrases: NIF

European Symbols Needed: NIF

Canadian WHIMS Symbols: NIF

NFPA HAZARD RATING:

(0) Fire (3) Health (1) Reactivity

REVISION DATES, SECTIONS, REVISED BY:
27-JLY-94, CONVERTED TO ANSI STANDARD, B. RIFFEL

ABBREVIATIONS USED IN THIS DOCUMENT:

NE - Not Established, NA - Not Applicable, NIF - No Information Found

REFERENCES:

Code of Federal Regulations (CFR)
The Sigma-Aldrich Library of Regulatory and Safety Data
Chemical Guide and OSHA Hazard Communication Standard
Various Federal, State & Local Regulations

To the best of our knowledge, the information contained herein is accurate. However, neither Tech Spray, Inc. or any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.